Second edition 2022-12

Fasteners — Button head screws with reduced loadability —

Part 2:

Hexagon socket button head screws with collar

Fixations — Vis à tête cylindrique bombée plate à capacité de charge réduite —

Partie 2: Tête cylindrique bombée plate à six pans creux et à embase plate



ISO 7380-2:2022(E)

This is a preview of "ISO 7380-2:2022". Click here to purchase the full version from the ANSI store.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Coi	ntents	Page
Fore	eword	iv
1	Scope	1
2	Normative references	1
3	Terms and definition	2
4	Dimensions	2
5	Requirements and reference International Standards	6
6	Marking and labelling	7 7 7
7	Designation	7
Bibl ⁱ	iogranhy	8

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 2, *Fasteners*, Subcommittee SC 11, *Fasteners with metric external thread,* in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 185, *Fasteners,* in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 7380-2:2011), which has been technically revised.

The main changes are as follows:

- the whole standard (including title) has been improved to clearly point out that these hexagon socket button head screws have reduced loadability because of their head design (head dimensions and penetration of the hexagon socket);
- the reference thread length b has been increased to 3d for partially threaded screws M16 so that these screws can be tensile tested in accordance with ISO 3506-1 ($b \ge 3d$ is required to tensile test screws with reduced loadability);
- the reference datum for the outer diameter of the bearing face has been specified (see <u>Figure 1</u>), and the minimum values have been reduced to $d_{\text{w,min}} = d_{\text{c,min}} \times 0.9$ considering the manufacturing aspects for "button head with collar" (see <u>Table 1</u>);
- e_{\min} values have been rounded to two decimal places (see <u>Table 1</u>);
- the maximum depth of the hexagon socket t_{max} has been added (see <u>Table 1</u>);
- symbol w has been substituted by the new symbol w_b in order to define the wall thickness between the bottom of the cylindrical broached hole and the bearing face (see <u>Figure 2</u> and <u>Table 1</u>);
- the definition of r_f in Figure 1 has been changed to allow the offset of the centre of the radius from the thread axis;
- the smallest and greatest standard lengths have been amended (see <u>Table 2</u>);

- the minimum ultimate tensile loads were recalculated and have been changed to more precise values for screws with property classes 8.8 (M5, M12 and M16) and 10.9 (M3, M6 and M10), see <u>Table 4</u>;
- specifications for marking and labelling have been added as new <u>Clause 6</u>.

A list of all parts in the ISO 7380 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.