Second edition 2016-12-15

Aircraft — Passenger doors interface requirements for connection of passenger boarding bridge or passenger transfer vehicle —

Part 2: **Upper deck doors**

Aéronefs — Exigences d'interface des portes passagers pour accouplement d'une passerelle passagers ou de véhicules de transfert de passagers —

Partie 2: Portes de pont supérieur



Reference number ISO 7718-2:2016(E)



© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Page

This is a preview of "ISO 7718-2:2016". Click here to purchase the full version from the ANSI store.

Contents

Forew	/ord	iv	V
Intro	luction		V
1	Scope	1	L
2	Normative references 1		L
3	Terms and definitions1		1
4	Requirements		2
	4.1	Minimum unobstructed space	2
	4.2	Minimum radius of the fuselage	2
	4.3	Door sill height	2
	4.4	Main deck bridge compatibility	3

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: <u>www.iso.org/iso/foreword.html</u>.

The committee responsible for this document is ISO/TC 20, *Aircraft and space vehicles*, Subcommittee SC 9, *Air cargo and ground equipment*.

This second edition cancels and replaces the first edition (ISO 7718-2:2009), of which it constitutes a minor revision with the following changes:

- the title has been modified by adding "passenger transfer vehicle";
- <u>Figure 1</u> has been modified;
- additional editorial changes have been made, such as by adding a table of contents.

A list of all parts in the ISO 7718 series can be found on the ISO website.

Introduction

This document specifies minimum dimensional and unobstructed space requirements around upper deck passenger doors on the outer skin of civil transport aircraft, applicable when these doors are designed to accept connection of existing passenger boarding bridges or transfer vehicles.

Throughout this document, the minimum essential criteria are identified by use of the keyword "shall". Recommended criteria are identified by use of the keyword "should" and, while not mandatory, are considered to be of primary importance in providing easily and economically handled aircraft, as well as preventing damage to the aircraft as a result of passenger boarding bridge interference. Deviation from recommended criteria can only occur, after careful consideration, if positively required by basic aircraft-design factors with a significant operational cost impact.