First edition 2002-03-15

Dental rotary instruments — Cutters — Part 4: Miniature carbide laboratory cutters

Instruments rotatifs dentaires — Fraises techniques —
Partie 4: Fraises techniques miniatures en carbure pour laboratoire



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2002

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

Contents		Page
Fore	eword	iv
Introduction		
1	Scope	1
2	Normative references	1
3	Symbols	1
4	Requirements	
4.1	Materials	
4.2	Shapes	2
4.3	Dimensions and number of blades	2
4.4	Toothing	
4.5	Run-out	19
5	Test procedure	19
5.1	Shapes	
5.2	Dimensions and number of blades	
5.3	Toothing	19
5.4	Run-out	19
6	Acceptance quality limit (AQL)	19
7	Designation of toothing and number of blades	19
8	Marking	20
9	Labelling on the package	20
10	Packaging	20

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this part of ISO 7787 may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 7787-4 was prepared by Technical Committee ISO/TC 106, *Dentistry*, Subcommittee SC 4, *Dental instruments*.

ISO 7787 consists of the following parts, under the general title *Dental rotary instruments* — *Cutters*:

- Part 1: Steel laboratory cutters
- Part 2: Carbide laboratory cutters
- Part 3: Carbide laboratory cutters for milling machines
- Part 4: Miniature carbide laboratory cutters

Introduction

This part of ISO 7787 is one of a series of standards relating to dental rotary instruments.

The various dimensional and other requirements specified for miniature carbide laboratory cutters are those considered important to ensure the interchangeability and safe usage of these instruments in the dental laboratory.

The nominal diameters of the working part listed in Tables 1 to 16 comply with the diameters specified in ISO 2157, *Dental rotary instruments — Nominal diameters and designation code number.*

Attention is drawn to ISO 6360, which specifies a 15-digit number coding system for the identification of dental rotary instruments of all types.