Second edition 2010-11-01

Acoustics — Audiometric test methods —

Part 1:

Pure-tone air and bone conduction audiometry

Acoustique — Méthodes d'essais audiométriques —

Partie 1: Audiométrie à sons purs en conduction aérienne et en conduction osseuse



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents	Page
----------	------

Forewordv				
Introductionv				
1	Scope	1		
2	Normative references	1		
3	Terms and definitions	2		
4	General aspects of audiometric measurements			
4.1	General	4		
4.2	Standard reference zero for the calibration of audiometric equipment			
4.3	Requirements on audiometric equipment			
4.4	Qualified tester			
4.5	Test time			
4.6 4.7	Conditions for audiometric test environments Measurement uncertainty			
5	Preparation and instruction of test subjects before audiometric testing and positioning of transducers	6		
5.1	Preparation of test subjects			
5.2	Instruction of test subjects			
5.3	Placement of transducers	7		
6	Air conduction hearing threshold level determinations using fixed-frequency audiometry			
6.1	General			
6.2	Manually controlled threshold determination			
6.3	Hearing threshold determination with an automatic recording audiometer			
6.4	Computer-controlled threshold determination	12		
7	Air conduction hearing threshold level determinations using sweep-frequency audiometry	40		
7.1	General	. 12 12		
7.1 7.2	Presentation of test tone			
7.2	Familiarization			
7.4	Hearing threshold level measurement			
7.5	Calculation of hearing threshold level at a specified frequency			
8	Bone conduction hearing threshold audiometry	12		
8.1	Method of audiometry			
8.2	Occlusion			
8.3	Airborne sound radiation from the bone vibrator			
8.4	Vibrotactile sensation			
8.5	Procedures for testing with masking in bone conduction audiometry			
9	Screening audiometry	11		
9.1	General			
9.2	Procedure for the screening test			
10	Audiograms			
11	Permissible ambient noise	16		
11.1	Permissible ambient noise for threshold determinations			
11.2	Psycho-acoustic check on ambient noise			
	·			
12	Maintenance and calibration of audiometric equipment			
12.1	General			
12.2	IIILEI VAIS DELWEEN CHECKS	.∠∪		

ISO 8253-1:2010(E)

This	is a	preview	of "ISO	8253-1:2010	Click here to	purchase the fu	Ill version from	the ANSI store.
11110	10 6		01 100	0200 1.2010	. Onon horo to	purchase the it		

12.3	Stage A — Routine checking and subjective tests	20
12.4	Stage B — Periodic objective checks	
12.5	Stage C — Basic calibration tests	
Annex	x A (informative) Measurement uncertainty	23
Biblio	ography	28

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 8253-1 was prepared by Technical Committee ISO/TC 43, Acoustics.

This second edition cancels and replaces the first edition (ISO 8253-1:1989) and ISO 6189:1983, which have been technically revised.

ISO 8253 consists of the following parts, under the general title Acoustics — Audiometric test methods:

- Part 1: Pure-tone air and bone conduction audiometry
- Part 2: Sound field audiometry with pure-tone and narrow-band test signals
- Part 3: Speech audiometry

Introduction

This International Standard specifies requirements and procedures for carrying out basic audiometric tests in which pure tones are presented to the test subject using earphones or bone vibrators. Electrophysiological test methods are not included.

In order to obtain a reliable measure of hearing ability, many factors are involved. IEC 60645-1 specifies requirements for audiometers. It is essential that audiometric equipment, when in service, be checked and the calibration maintained. This part of ISO 8253 outlines a calibration scheme. To avoid masking of the test signal by ambient noise in the audiometric test room, the levels of the ambient noise shall not exceed certain values, depending upon the method of signal presentation to the test subject, i.e. by different earphones or by bone vibrator. This part of ISO 8253 gives maximum permissible ambient sound pressure levels which shall not be exceeded when hearing threshold levels down to 0 dB have to be measured. It indicates the maximum ambient sound pressure levels which are permissible when other minimum hearing threshold levels require measurement. It sets out procedures for determining hearing threshold levels by pure-tone air conduction and bone conduction audiometry. For screening purposes, only methods for air conduction audiometry are outlined.

Audiometry can be performed by using:

- a) a manual audiometer;
- b) an automatic recording audiometer;
- c) computer-controlled audiometric equipment.

Methods for threshold audiometry are given for these three types of signal presentation. For screening purposes, only methods using a manual or a computer-controlled audiometer are set out. The procedures are applicable to the majority of adults and children. Other procedures may yield results equivalent to those derived by the procedures specified in this part of ISO 8253. For very young, aged or sick people, some modification of the recommended procedures is likely to be required. This may result in a less accurate measurement of hearing.