

Fourth edition
2023-01

Infusion equipment for medical use — Part 2: Closures for infusion bottles

*Matériel de perfusion à usage médical —
Partie 2: Bouchons pour flacons de perfusion*



Reference number
ISO 8536-2:2023(E)

© ISO 2023



COPYRIGHT PROTECTED DOCUMENT

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

This is a preview of ISO 8536-2:2023. Click [here](#) to purchase the full version from the ANSI store.

Contents	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Shape and dimensions	2
5 Designation	3
6 Material	3
7 Requirements	3
7.1 General.....	3
7.2 Physical requirements.....	3
7.2.1 Hardness.....	3
7.2.2 Fragmentation.....	3
7.2.3 Spike penetration force.....	3
7.2.4 Spike retention/sealability.....	4
7.2.5 Resistance to ageing.....	4
7.3 Chemical requirements.....	4
7.4 Biological requirements.....	4
8 Labelling	4
Annex A (normative) Determination of fragments	5
Annex B (normative) Determination of spike penetration force	7
Annex C (normative) Spike retention/sealability	9
Annex D (normative) Closure piercing device	11
Bibliography	12

This is a preview of ISO 8536-2:2023. Click [here](#) to purchase the full version from the ANSI store.

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 76, *Transfusion, infusion and injection, and blood processing equipment for medical and pharmaceutical use*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/SS S02, *Transfusion equipment*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This fourth edition cancels and replaces the third edition (ISO 8536-2:2010), which has been technically revised.

The main changes are as follows:

- removal of reference to ISO 7619-1,
- addition of 29 mm size closures to align with ISO 8536-1.

A list of all parts in the ISO 8536 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

This is a preview of ISO 8536-2:2023. [Click here to purchase the full version from the ANSI store.](#)

Introduction

Primary packaging components made of elastomeric materials are an integral part of medicinal products and thus the principles of current Good Manufacturing Practice (cGMP) apply to the manufacturing of these components.

Principles of cGMP are described in, e.g. ISO 15378 or GMP Guidelines as published by the European Community and the United States of America.