

# INTERNATIONAL STANDARD

ISO  
8571-3

First edition  
1988-10-01



---

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION  
ORGANISATION INTERNATIONALE DE NORMALISATION  
МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ

---

## **Information processing systems — Open Systems Interconnection — File Transfer, Access and Management —**

### **Part 3 : File Service Definition**

*Systèmes de traitement de l'information — Interconnexion de systèmes ouverts — Gestion,  
accès et transfert de fichier —*

*Partie 3 : Définition du service de transfert de fichier*

This is a preview of "ISO 8571-3:1988". [Click here to purchase the full version from the ANSI store.](#)

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council. They are approved in accordance with ISO procedures requiring at least 75 % approval by the member bodies voting.

International Standard ISO 8571-3 was prepared by Technical Committee ISO/TC 97, *Information processing systems*.

Users should note that all International Standards undergo revision from time to time and that any reference made herein to any other International Standard implies its latest edition, unless otherwise stated.

ISO 8571 consists of the following parts, under the general title *Information processing systems — Open Systems Interconnection — File Transfer, Access and Management*

- *Part 1 : General introduction*
- *Part 2 : Virtual Filestore Definition*
- *Part 3 : File Service Definition*
- *Part 4 : File Protocol Specification*

Annexes A, B, C, D and E form an integral part of this International Standard.

This is a preview of "ISO 8571-3:1988". [Click here to purchase the full version from the ANSI store.](#)

<b>Contents</b>	<b>Page</b>
<b>0</b> Introduction .....	1
<b>1</b> Scope and field of application .....	1
<b>2</b> References .....	1
<b>3</b> Definitions .....	2
<b>4</b> Abbreviations .....	2
<b>5</b> Conventions .....	2
<b>Section one: General</b>	
<b>6</b> Model of the file service .....	3
<b>6.1</b> File service provider and file service users .....	3
<b>6.2</b> File service levels .....	3
<b>6.3</b> Regimes of the file service .....	4
<b>7</b> Services of the file service .....	4
<b>7.1</b> FTAM regime control .....	4
<b>7.2</b> Filestore management .....	4
<b>7.3</b> File selection regime control .....	4
<b>7.4</b> File management .....	5
<b>7.5</b> File open regime control .....	5
<b>7.6</b> Grouping control .....	5
<b>7.7</b> Access to file content .....	5
<b>7.8</b> Bulk data transfer .....	5
<b>7.9</b> Recovery .....	5
<b>7.10</b> Checkpointing and restarting .....	5
<b>8</b> Functional units and service classes .....	5
<b>8.1</b> Functional units .....	5
<b>8.2</b> Service classes .....	6
<b>8.3</b> Application Entity roles .....	8
<b>9</b> Levels of file service .....	8
<b>10</b> Negotiation of service class, FTAM QoS and functional units .....	9
<b>10.1</b> Service Class .....	9
<b>10.2</b> FTAM Quality of Service .....	9
<b>10.3</b> Functional units .....	9
<b>Section two : Definition of file service primitives</b>	
<b>11</b> File service primitives .....	11

This is a preview of "ISO 8571-3:1988". [Click here to purchase the full version from the ANSI store.](#)

<b>12</b>	<b>Sequences of primitives.....</b>	<b>11</b>
<b>12.1</b>	<b>Normal sequences .....</b>	<b>11</b>
<b>12.2</b>	<b>Constraints on the issue of primitives .....</b>	<b>11</b>
<b>12.3</b>	<b>Conventions .....</b>	<b>14</b>
<b>12.4</b>	<b>Confirmed Services .....</b>	<b>20</b>
<b>13</b>	<b>Common file service parameters .....</b>	<b>20</b>
<b>13.1</b>	<b>State result .....</b>	<b>20</b>
<b>13.2</b>	<b>Action result .....</b>	<b>20</b>
<b>13.3</b>	<b>Account .....</b>	<b>20</b>
<b>13.4</b>	<b>Charging.....</b>	<b>20</b>
<b>13.5</b>	<b>Attributes .....</b>	<b>20</b>
<b>13.6</b>	<b>Requested access.....</b>	<b>20</b>
<b>13.7</b>	<b>Access Passwords .....</b>	<b>21</b>
<b>13.8</b>	<b>Concurrency Control .....</b>	<b>21</b>
<b>13.9</b>	<b>FADU Lock.....</b>	<b>21</b>
<b>13.10</b>	<b>Shared ASE information.....</b>	<b>21</b>
<b>13.11</b>	<b>Activity Identifier .....</b>	<b>21</b>
<b>13.12</b>	<b>File Access Data Unit Identity .....</b>	<b>21</b>
<b>13.13</b>	<b>Diagnostic .....</b>	<b>22</b>
<b>14</b>	<b>FTAM regime control .....</b>	<b>23</b>
<b>14.1</b>	<b>FTAM regime establishment service.....</b>	<b>23</b>
<b>14.2</b>	<b>FTAM regime termination service (orderly).....</b>	<b>26</b>
<b>14.3</b>	<b>FTAM regime termination service (abrupt).....</b>	<b>26</b>
<b>15</b>	<b>File selection regime control .....</b>	<b>27</b>
<b>15.1</b>	<b>File selection service.....</b>	<b>27</b>
<b>15.2</b>	<b>File deselection service .....</b>	<b>28</b>
<b>15.3</b>	<b>File creation service .....</b>	<b>28</b>
<b>15.4</b>	<b>File deletion service .....</b>	<b>30</b>
<b>16</b>	<b>File management.....</b>	<b>31</b>
<b>16.1</b>	<b>Read attribute service .....</b>	<b>31</b>
<b>16.2</b>	<b>Change attribute service .....</b>	<b>31</b>
<b>17</b>	<b>File open regime control .....</b>	<b>31</b>
<b>17.1</b>	<b>File open service .....</b>	<b>32</b>
<b>17.2</b>	<b>File close service.....</b>	<b>33</b>

This is a preview of "ISO 8571-3:1988". [Click here to purchase the full version from the ANSI store.](#)

18	Grouping control .....	34
18.1	Beginning of grouping service .....	34
18.2	End of grouping service .....	35
19	Recovery (Internal service only) .....	35
19.1	Regime recovery service.....	35
20	Access to file contents .....	36
20.1	Bulk data transfer service.....	36
20.2	Locate file access data unit service .....	36
20.3	Erase file access data unit service .....	37
<b>Section three: Definition of bulk data transfer primitives</b>		
21	Bulk data transfer service primitives .....	38
22	Sequences of bulk data transfer primitives .....	38
22.1	Normal sequences .....	38
22.2	Constraints on issue of primitives .....	38
23	Common bulk data transfer parameters .....	44
23.1	Bulk Data Transfer Specification .....	44
23.2	Checkpoint Identifier .....	44
24	Bulk data transfer.....	44
24.1	Read bulk data service.....	44
24.2	Write bulk data service.....	44
24.3	Data unit transfer service .....	44
24.4	End of data transfer service .....	45
24.5	End of transfer service .....	45
24.6	Cancel data transfer service .....	45
24.7	Sequence of primitives on write .....	46
24.8	Sequence of primitives on read.....	46
25	Checkpointing and restart (Internal BDT Service Only) .....	46
25.1	Checkpointing service .....	46
25.2	Restarting data transfer service .....	47

This is a preview of "ISO 8571-3:1988". [Click here to purchase the full version from the ANSI store.](#)

**Annexes**

A	Diagnostic parameter values .....	48
B	Relation of attributes to primitives.....	53
C	File transfer with commitment control .....	55
D	Reference to FTAM control information.....	58
E	State transition diagrams .....	59

**Figures**

1	Service Levels .....	3
2	File service regimes and related primitives.....	4
3	Simplified State Diagram for successful activity (see Annex E) .....	13
4	Confirmed service .....	20
5	F-U-ABORT service .....	27
6	F-P-ABORT service .....	27
7	F-P-ABORT collision.....	27
8	Simplified State Diagram for Bulk Data Transfer (see Annex E) .....	39
9	Sequence of primitives on write .....	46
10	Sequence of primitives on read .....	47
11	State Transition Diagram for Association Establishment (Initiator).....	60
12	State Transition Diagram for Association Establishment (Responder) .....	61
13	State Transition Diagram of the File Regime Establishment Service (Initiator) .....	62
14	State Transition Diagram for Grouped Sequences (Initiator).....	63
15	State Transition Diagram of the File Regime Establishment Service (Responder) .....	64
16	State Transition Diagram for Grouped Sequences (Responder).....	65
17	State Transition Diagram for the Bulk Data Transfer Service (Initiator).....	66
18	State Transition Diagram for the Bulk Data Transfer Service (Responder) .....	67

This is a preview of "ISO 8571-3:1988". [Click here to purchase the full version from the ANSI store.](#)

## Tables

1	Services and functional units of the External File Service .....	7
2	Services and functional units of the Internal File Service .....	7
3	Functional units in the file services .....	9
4	Service Class Combinations .....	9
5	Service Class Negotiation.....	10
6	File service primitives .....	11
7	Sequence of service primitives for FTAM regime establishment — initiator.....	15
8	Sequence of service primitives for FTAM regime establishment — responder .....	15
9	Sequence of service primitives for file service regimes — initiator.....	16
10	Sequence of service primitives for file service regimes — responder .....	18
11	F-INITIALIZE parameters .....	24
12	F-TERMINATE parameters .....	26
13	F-U-ABORT parameters .....	26
14	F-P-ABORT parameters .....	26
15	F-SELECT parameters .....	27
16	F-DESELECT parameters .....	28
17	F-CREATE parameters.....	29
18	F-DELETE parameters .....	30
19	F-READ-ATTRIB parameters .....	31
20	F-CHANGE-ATTRIB parameters.....	32
21	F-OPEN parameters .....	32
22	F-CLOSE .....	34
23	F-BEGIN-GROUP parameters.....	35
24	F-RECOVER parameters .....	35
25	BDT read sub-parameters .....	36
26	BDT write sub-parameters.....	36
27	Access contexts.....	36
28	F-LOCATE parameters .....	37
29	F-ERASE parameters .....	37
30	Bulk data transfer service primitives .....	38
31	Sequence of service primitives for bulk data transfer — initiator.....	40
32	Sequence of service primitives for bulk data transfer — responder .....	42
33	F-READ parameters .....	44

This is a preview of "ISO 8571-3:1988". [Click here to purchase the full version from the ANSI store.](#)

34	F-WRITE parameters.....	44
35	F-DATA parameters.....	45
36	F-DATA-END parameters.....	45
37	F-TRANSFER-END parameters.....	45
38	F-CANCEL parameters.....	46
39	F-CHECK parameters.....	47
40	F-RESTART parameters.....	47
41	Error types.....	48
42	Sources and observers of errors.....	48
43	General FTAM diagnostics.....	49
44	Protocol and supporting service related diagnostics.....	49
45	Association related diagnostics.....	50
46	Selection related diagnostics.....	50
47	File management related diagnostics.....	51
48	Access related diagnostics.....	51
49	Recovery related diagnostics.....	52
50	File attributes.....	53
51	Activity attributes.....	54
52	File service primitives associated with CCR primitives.....	56
53	FTAM Primitives with Shared ASE Information parameters.....	56
54	Composite FTAM actions.....	57



# Information processing systems — Open Systems Interconnection — File Transfer, Access and Management —

## Part 3 : File Service Definition

### 0 Introduction

ISO 8571 is one of a set of International Standards produced to facilitate the interconnection of computer systems. It is related to other International Standards in the set as defined by the Reference Model for Open Systems Interconnection (ISO 7498). The Reference Model subdivides the area of standardization for interconnection into a series of layers of specification, each of manageable size.

The aim of Open Systems Interconnection is to allow, with a minimum of technical agreement outside the interconnection standards, the interconnection of computer systems

- a) from different manufacturers
- b) under different managements
- c) of different levels of complexity
- d) of different ages.

ISO 8571 defines a File Service and specifies a File Protocol available within the application layer of the Reference Model. The service defined is of the category Application Service Element (ASE). It is concerned with identifiable bodies of information which can be treated as files, which may be stored within open systems or passed between application processes.

ISO 8571 defines a basic file service. It provides sufficient facilities to support file transfer, and establishes a framework for file access and file management. ISO 8571 does not specify the interfaces to a file transfer or access facility within the local system.

It is recognised that, with respect to Communication Quality of Service, (described in 14.1.2.16), work is still in progress to provide an integrated treatment of quality of service across all of the layers of the OSI Reference Model and to ensure that the individual treatments in each layer service satisfy overall quality of service objectives in a consistent manner. As a consequence, an addendum may be added to this International Standard at a later time which reflects further quality of service developments and integration.

ISO 8571 consists of the following four parts.

- Part 1: General introduction
- Part 2: Virtual Filestore definition
- Part 3: File Service definition
- Part 4: File Protocol specification

This part of ISO 8571 contains the following annexes which form part of the standard.

- Annex A - Diagnostic parameter values
- Annex B - Relation of attributes to primitives
- Annex C - File transfer with commitment control
- Annex D - Reference to FTAM control information
- Annex E - State transition diagrams

### 1 Scope and field of application

This part of ISO 8571 defines in an abstract way the externally visible file transfer, access and management service within the OSI Application Layer in terms of:

- a) the primitive actions and events of the service;
- b) the parameter data associated with each primitive action and event;
- c) the relationship between, and the valid sequences of, these actions and events.

The service defined in ISO 8571-3 is that which is provided by the OSI file transfer, access and management protocol ISO 8571-4 in conjunction with the Association Control Service Elements ISO 8649 and with the Presentation service ISO 8822.

ISO 8571-3 does not specify individual implementations or products, nor does it constrain the implementation of entities and interfaces within a computer system. There is, therefore, no conformance to this part of ISO 8571.

### 2 References

ISO 7498, *Information Processing Systems - Open Systems Interconnection - Basic Reference Model*.

ISO/TR 8509, *Information Processing Systems - Open Systems Interconnection - Service Conventions*.

ISO 8571, *Information Processing Systems - Open Systems Interconnection - File transfer, access and management*.

- Part 1: General introduction.
- Part 2: Virtual Filestore definition.
- Part 4: File Protocol specification.

ISO 8649, *Information Processing Systems - Open Systems Interconnection - Service definition for the Association Control Service Element*.

ISO 8822, *Information Processing Systems - Open Systems Interconnection - Connection-oriented presentation service definition*.