2 IANDARD



First edition 1994-02-01

Road vehicles — Diagnostic systems — Part 2:

CARB requirements for interchange of digital information

Véhicules routiers — Systèmes de diagnostic — Partie 2: Caractéristiques CARB de l'échange de données numériques



ISO 9141-2:1994(E)

This is a preview of "ISO 9141-2:1994". Click here to purchase the full version from the ANSI store.

Contents

	F	⊃age
1	Scope	. 1
2	Normative references	. 1
3	Definitions	. 1
4	Specific configurations	. 1
5	Signal and communication specifications	. 2
6	Initialization of vehicle prior to serial communication	. 3
7	Initialization header	. 4
8	Requirements of diagnostic tester	. 6
9	Requirements of ECU	. 6
10	Requirements of wiring	. 7
11	Subsequent communication protocol	. 7
12	Message timing	9
13	Error handling	9
14	Worked example	10
۱nn	nex	
A	Tables of initialization, header and protocol timings, and electrica characteristics	 13

© ISO 1994 All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization Case Postale 56 • CH-1211 Genève 20 • Switzerland Printed in Switzerland

This is a preview of "ISO 9141-2:1994". Click here to purchase the full version from the ANSI store.

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 9141-2 was prepared by Technical Committee ISO/TC 22, Road vehicles, Sub-Committee SC 3, Electrical and electronic equipment.

ISO 9141 consists of the following part, under the general title *Road vehicles* — *Diagnostic systems:*

Part 2: CARB requirements for interchange of digital information.

NOTE — ISO 9141:1989, Road vehicles — Diagnostic systems — Requirements for interchange of digital information, is regarded as being part 1 of this International Standard.

Annex A forms an integral part of this part of ISO 9141.

This is a preview of "ISO 9141-2:1994". Click here to purchase the full version from the ANSI store.

Road vehicles — Diagnostic systems —

Part 2:

CARB requirements for interchange of digital information

1 Scope

This part of ISO 9141 describes a subset of ISO 9141:1989. It specifies the requirements for setting up the interchange of digital information between on-board emission-related Electronic Control Units (ECUs) of road vehicles and the SAE OBD II scan tool as specified in SAE J1978. This communication is established to facilitate compliance with California Code of Regulation, Title 13, 1968.1, Malfunction and Diagnostic Systems Requirements, 1994 and subsequent model year passenger cars, light-duty trucks, and medium duty vehicles with feedback fuel control systems

This part of ISO 9141 is limited to vehicles with nominal 12 V supply voltage.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this part of ISO 9141. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this part of ISO 9141 are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 7637-1:1990, Road vehicles — Electrical disturbance by conduction and coupling — Part 1: Passenger cars and light commercial vehicles with nominal 12 V supply voltage — Electrical transient conduction along supply lines only.

ISO 9141:1989, Road vehicles — Diagnostic systems — Requirements for interchange of digital information.

SAE J1962, Diagnostic Connector.

SAE J1978, OBD II Scan Tool.

SAE J1979, E/E Diagnostic Test Modes.

SAE J2012, Format and Messages for Diagnostic Trouble Codes.

California Code of Regulation, Title 13, 1968.1, Malfunction and Diagnostic Systems Requirements.

3 Definitions

For the purposes of this part of ISO 9141, the definitions given in ISO 9141 apply.

4 Specific configurations

4.1 Vehicle ECUs required by OBD II to communicate with the SAE J1978 OBD II scan tool shall support either a one-wire (K line only) or a two-wire (K and L line) communication connection to the SAE J1978 OB II scan tool through the SAE J1962 diagnostic connector. Vehicle battery voltage, $V_{\rm B}$, power ground and signal ground shall be provided by ECUs or the vehicle to the SAE J1962 diagnostic connector. Pin assignment of the diagnostic connector shall be in accordance with SAE J1962.

Line K is a bidirectional line. It is used during initialization to convey address information from the diagnostic tester to vehicle ECUs, simultaneously with the line L. After conveying the address, the K line is used to convey bidirectional data between vehicle ECUs and the diagnostic tester to complete initialization. After initialization, it is used to convey request messages from the diagnostic tester to vehicle ECUs and response messages from the vehicle ECUs to the diagnostic tester.