

Fourth edition 2017-03

Corrosion tests in artificial atmospheres — Salt spray tests

Essais de corrosion en atmosphères artificielles — Essais aux brouillards salins



Reference number ISO 9227:2017(E)



COPYRIGHT PROTECTED DOCUMENT

 $\, @ \,$ ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Con	Lontents Pa			
Forew	ord		v	
Introd	luction		vi	
1	Scope		1	
2	Norma	Normative references		
3	Terms	Terms and definitions		
4	Princi	rinciple		
5	Test solutions			
	5.1 5.2	Preparation of the sodium chloride solution	3	
		pH adjustment		
		5.2.1 pH of the salt solution		
		5.2.2 Neutral salt spray (NSS) test5.2.3 Acetic acid salt spray (AASS) test		
		5.2.4 Copper-accelerated acetic acid salt spray (CASS) test	 4	
	5.3	Filtration		
6	Apparatus			
	6.1	Component protection	4	
	6.2	Spray cabinet		
	6.3	Heater and temperature control		
	6.4	Spraying device		
	6.5 6.6	Collecting devices Re-use		
7		od for evaluating cabinet corrosivity		
7	7.1 General			
	7.2 Reference specimens7.3 Arrangement of the reference sp7.4 Determination of mass loss (mass)	Reference specimens		
		Arrangement of the reference specimens		
		Determination of mass loss (mass per area)	7	
	7.5	Satisfactory performance of cabinet		
8	Test s	pecimens	7	
9	Arran	rrangement of the test specimens		
10	Opera	ting conditions	8	
11	Durat	ion of tests	9	
12	Treatment of test specimens after test		9	
	12.1 12.2	General	9	
		Non-organic coated test specimens: metallic and/or inorganic coated		
		Organic coated test specimens	9	
		12.3.1 Scribed organic coated test specimens12.3.2 Organic coated but not scribed test specimens		
13	Evalua	ation of results		
14		eport		
		•	10	
Annex		ormative) Example schematic diagram of one possible design of spray cabinet neans for optional treating fog exhaust and drain	12	
Annex		ormative) Complementary method for evaluating cabinet corrosivity using eference specimens	14	
Annex	C (nor	mative) Preparation of specimens with organic coatings for testing	16	
Annex		mative) Required supplementary information for testing test specimens with ic coatings	17	

ISO 9227:2017(E)

This is a preview of "ISO 9227:2017". Click here to purchase the full version from the ANSI store.

Bibliography 18

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 156, Corrosion of metals and alloys.

This fourth edition cancels and replaces the third edition (ISO 9227:2012), which has been technically revised. The main technical changes are as follows:

- new definitions for reference material, reference specimen, test specimen and substitute specimen have been implemented;
- checking of the test apparatus during test operation has been made possible;
- <u>Clause 4</u> has been added, with some of its text moved from the scope;
- Clause 7 has been summarized.

Introduction

There is seldom a direct relation between resistance to the action of salt spray and resistance to corrosion in other media, because several factors influencing the progress of corrosion, such as the formation of protective films, vary greatly with the conditions encountered. Therefore, the test results should not be regarded as a direct guide to the corrosion resistance of the tested metallic materials in all environments where these materials might be used. Also, the performance of different materials during the test should not be taken as a direct guide to the corrosion resistance of these materials in service.

Nevertheless, the method described gives a means of checking that the comparative quality of a metallic material, with or without corrosion protection, is maintained.

Different metallic substrates (metals) cannot be tested in direct comparison in accordance to their corrosion resistances in salt spray tests. Comparative testing is only applicable for the same kind of substrate.

Salt spray tests are generally suitable as corrosion protection tests for rapid analysis for discontinuities, pores and damage in organic and inorganic coatings. In addition, for quality control purposes, comparison can be made between specimens coated with the same coating. As comparative tests, however, salt spray tests are only suitable if the coatings are sufficiently similar in nature.

It is often not possible to use results gained from salt spray testing as a comparative guide to the long-term behaviour of different coating systems, since the corrosion stress during these tests differs significantly from the corrosion stresses encountered in practice.