First edition 2008-02-15

# Ergonomics of human-system interaction —

Part 410: **Design criteria for physical input devices** 

Ergonomie de l'interaction homme-système — Partie 410: Critères de conception des dispositifs d'entrée physiques



#### **PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



## **COPYRIGHT PROTECTED DOCUMENT**

#### © ISO 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org Published in Switzerland

# Contents

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 9241-410 was prepared by Technical Committee ISO/TC 159, *Ergonomics*, Subcommittee SC 4, *Ergonomics of human-system interaction*.

This first edition of ISO 9241-410, together with ISO 9241-400, ISO 9241-411<sup>1</sup>), ISO 9241-420<sup>1</sup>) and ISO 9241-421<sup>1</sup>), partially replaces ISO 9241-4:1998 and ISO 9241-9:2000, technically revised as follows:

- terms and definitions from ISO 9241-4 and ISO 9241-9 have been transferred to ISO 9241-400;
- all guiding principles have been incorporated into ISO 9241-400 and unified so that they correspond to the scope of the new ISO 9241 series;
- these principles are applied in ISO 9241-410 in order to generate provisions for product design.
- an application procedure has been specified in ISO 9241-410, for reasons related to the structure of the "400" subseries of ISO 9241 and its *usability*- rather than property-based nature;
- for greater convenience, a separate normative annex covering each of the different devices, as well as an informative annex addressing issues related to accessibility, have been included in ISO 9241-410.

ISO 9241 consists of the following parts, under the general title *Ergonomic requirements for office work with visual display terminals (VDTs)*:

- Part 1: General introduction
- Part 2: Guidance on task requirements
- Part 3: Visual display requirements
- Part 4: Keyboard requirements
- Part 5: Workstation layout and postural requirements

<sup>1)</sup> Planned or under preparation. (See Annex A)

- Part 6: Guidance on the work environment
- Part 9: Requirements for non-keyboard input devices
- Part 11: Guidance on usability
- Part 12: Presentation of information
- Part 13: User guidance
- Part 14: Menu dialogues
- Part 15: Command dialogues
- Part 16: Direct manipulation dialogues
- Part 17: Form filling dialogues

The following part is under preparation:

- Part 129: Guidance on software individualization
- ISO 9241 also consists of the following parts, under the general title Ergonomics of human-system interaction:
- Part 20: Accessibility guidelines for information/communication technology (ICT) equipment and services
- Part 110: Dialogue principles
- Part 151: Guidance on World Wide Web user interfaces
- Part 171: Guidance on software accessibility
- Part 300: Introduction to electronic visual display requirements
- Part 302: Terminology for electronic visual displays
- Part 303: Requirements for electronic visual displays
- Part 304: User performance test methods
- Part 305: Optical laboratory test methods for electronic visual displays
- Part 306: Field assessment methods for electronic visual displays
- Part 307: Analysis and compliance test methods for electronic visual displays
- Part 308: Surface-conduction electron-emitter displays (SED) [Technical Report]
- Part 400: Principles and requirements for physical input devices
- Part 410: Design criteria for physical input devices
- Part 920: Guidance on tactile and haptic interactions

Framework for tactile and haptic interaction is to form the subject of a future part 910.

## Introduction

Input devices are a means for users to enter data into interactive systems. Generally speaking, an input device is a sensor that can detect changes in user behaviour (gestures, moving fingers, etc.) and transform it into signals to be interpreted by the interactive system. An *input device* is regarded as the combination of hardware with the software designed to use it (e.g. a driver).

This part of ISO 9241 defines design criteria for products on the basis of relevant properties of physical input devices as laid down in ISO 9241-400:2007. It is intended to cover assessment methods for laboratory use (in order to accelerate future development of test and evaluation methods) and user organizations in future parts of ISO 9241.

Most of the principles presented in this part of ISO 9241 have previously been defined or outlined in International Standards for keyboards and other input devices (ISO 9241-4 and ISO 9241-9). Where necessary, definitions of terms have been reformulated so that they are applicable for all input devices.

ISO 9241 was originally developed as a seventeen-part International Standard on the ergonomics requirements for office work with visual display terminals. As part of the standards review process, a major restructuring of ISO 9241 was agreed to broaden its scope, to incorporate other relevant standards and to make it more usable. The general title of the revised ISO 9241, "Ergonomics of human-system interaction", reflects these changes and aligns the standard with the overall title and scope of Technical Committee ISO/TC 159, *Ergonomics*, Subcommittee SC 4, *Ergonomics of human-system interaction*. The revised multipart standard is structured as a series of standards numbered in the "hundreds": the 100 series deals with software interfaces, the 200 series with human centred design, the 300 series with visual displays, the 400 series with physical input devices and so on.

See Annex A for an overview of the entire ISO 9241 series.