

This is a preview of "ISO 9513:2012". [Click here to purchase the full version from the ANSI store.](#)

Third edition
2012-12-01

Metallic materials — Calibration of extensometer systems used in uniaxial testing

*Matériaux métalliques — Étalonnage des chaînes extensométriques
utilisées lors d'essais uniaxiaux*



Reference number
ISO 9513:2012(E)

© ISO 2012

This is a preview of "ISO 9513:2012". [Click here to purchase the full version from the ANSI store.](#)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

This is a preview of "ISO 9513:2012". Click here to purchase the full version from the ANSI store.

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Terms and definitions	1
3 Symbols and designations	1
4 Principle	2
5 Calibration equipment	2
5.1 Calibration apparatus	2
5.2 Calibration traceability	2
6 Pre-calibration inspection	2
6.1 Objective	2
6.2 Records of the inspection	3
6.3 Identification of extensometer system elements	3
7 Measurement of extensometer gauge length	3
7.1 Fixed gauge length extensometry	3
7.2 Variable gauge length extensometry	3
7.3 Non-contacting extensometry	4
7.4 Extensometer gauge lengths established using setting gauges	4
8 Calibration process	4
8.1 Environmental considerations	4
8.2 Position of the extensometer	4
8.3 Calibration increments	4
8.4 Calibration process	6
8.5 Determination of the characteristics of the extensometer system	6
9 Classification of the extensometer system	7
9.1 Input data	7
9.2 Analysis of the data	7
9.3 Classification criteria	7
9.4 Assessment of the results	7
10 Uncertainty determination	8
10.1 Uncertainty of the calibration	8
10.2 Uncertainty budget determination	8
11 Extensometer system calibration intervals	8
12 Calibration certificate	8
12.1 Mandatory information	8
12.2 Data presentation	9
Annex A (informative) Uncertainty of measurement	10
Annex B (informative) Calibration of the calibration apparatus	15
Annex C (informative) Example of a report of the calibration of calibration apparatus	17
Annex D (informative) Examples of extensometer system configurations	20
Annex E (informative) Laser extensometry	29
Annex F (informative) Video extensometry	37
Annex G (informative) Full field strain measurement video extensometry	41
Annex H (informative) Calibration of a cross-head measurement system	43
Bibliography	44

This is a preview of "ISO 9513:2012". [Click here to purchase the full version from the ANSI store.](#)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 9513 was prepared by Technical Committee ISO/TC 164, *Mechanical testing of metals*, Subcommittee SC 1, *Uniaxial testing*.

This third edition cancels and replaces the second edition (ISO 9513:1999), which has been technically revised. It also incorporates the Technical Corrigendum ISO 9513:1999/Cor.1:2000.

This is a preview of "ISO 9513:2012". [Click here to purchase the full version from the ANSI store.](#)

Introduction

This International Standard sets out criteria for the calibration of extensometer systems, covering general principles, the calibration equipment to be used, pre-calibration inspection and the measurement of gaugelength for various types of extensometer systems. Aspects of the calibration process are addressed, as are the assessment of the results, uncertainties, calibration intervals and reporting. Criteria for calibration apparatus, their calibration and grading are addressed, complemented by a Bibliography covering a number of important papers related to extensometer systems and their application ^{[1] to [10]}. Work is in progress to develop processes for dynamic extensometer calibration, however these have not reached, at the time of writing of this International Standard, the level of development appropriate for inclusion within this International Standard. For further information, refer to Reference [6].

Informative annexes address calculation of uncertainties of measurement for an extensometer system calibration (Annex A), calibration of calibration apparatus (Annex B) and an example of a calibration report (Annex C). Subsequent annexes address examples of extensometer system configurations (Annex D), laser extensometry (Annex E), video extensometry (Annex F), full field extensometry (Annex G) and calibration of a crosshead measurement system (Annex H).