Second edition 2010-04-15

# Gas cylinders — Refillable seamless steel gas cylinders — Design, construction and testing —

# Part 1: Quenched and tempered steel cylinders with tensile strength less than 1 100 MPa

Bouteilles à gaz — Bouteilles à gaz rechargeables en acier sans soudure — Conception, construction et essais —

Partie 1: Bouteilles en acier trempé et revenu ayant une résistance à la traction inférieure à 1 100 MPa



Reference number ISO 9809-1:2010(E)

#### **PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



### COPYRIGHT PROTECTED DOCUMENT

#### © ISO 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org Published in Switzerland

# Contents

Forewordi		iv
Introductionv		
1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Symbols	2
5	Inspection and testing	3
6	Materials	4
7	Design	7
8	Construction and workmanship	11
9	Type approval procedure	13
10	Batch tests	15
11	Tests/examinations on every cylinder	24
12	Certification	25
13	Marking	25
Annex	Annex A (informative) Description and evaluation of manufacturing imperfections and conditions	
	for rejection of seamless steel gas cylinders at time of final inspection by the manufacturer	26
Annex	B (normative) Ultrasonic examination	32
Annex	C (informative) Type approval certificate	38
Annex	D (informative) Acceptance certificate	39
Bibliog	Bibliography	

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 9809-1 was prepared by Technical Committee ISO/TC 58, Gas cylinders, Subcommittee SC 3, Cylinder design.

This second edition cancels and replaces the first edition (ISO 9809-1:1999), which has been technically revised by the following:

- a) the reduction of maximum sulfur content in 6.2.2 from 0,020 % to 0,010 %, which is now applicable to all strength levels;
- b) the note in 7.3 regarding limitation of the *F* factor was deleted (as required by the United Nations *Recommendations on the Transport of Dangerous Goods: Model Regulations*);
- c) the modification of provisions for ultrasonic examination in 8.4 to include ultrasonic examination on the cylindrical area to be closed, prior to the forming process;
- d) the addition of the requirement of a base check according to 9.2.3 for all cylinder types during prototype testing;
- e) the addition of the requirement of a base check according to 9.2.3 for cylinders made from continuously cast billet material during batch testing.

ISO 9809 consists of the following parts, under the general title *Gas cylinders* — *Refillable seamless steel gas cylinders* — *Design, construction and testing*:

- Part 1: Quenched and tempered steel cylinders with tensile strength less than 1 100 MPa
- Part 2: Quenched and tempered steel cylinders with tensile strength greater than or equal to 1 100 MPa
- Part 3: Normalized steel cylinders

Stainless steel cylinders with tensile strength of less than 1 100 MPa will form the subject of a Part 4.

## Introduction

This part of ISO 9809 provides a specification for the design, manufacture, inspection and testing of a seamless steel cylinder for worldwide usage. The objective is to balance design and economic efficiency against international acceptance and universal utility.

ISO 9809 (all parts) aims to eliminate existing concerns about climate, duplicate inspections and restrictions because of a lack of definitive International Standards. This part of ISO 9809 should not be construed as reflecting on the suitability of the practice of any nation or region.

This part of ISO 9809 addresses the general requirements on design, construction and initial inspection and testing of pressure receptacles of the United Nations *Recommendations on the Transport of Dangerous Goods: Model Regulations*.

It is intended to be used under a variety of regulatory regimes, but is suitable for use with the conformity assessment system in 6.2.2.5 of the above-mentioned Model Regulations.