

This is a preview of "ISO 9974-4:2016". [Click here to purchase the full version from the ANSI store.](#)

Second edition  
2016-12-01

---

---

## **Connections for general use and fluid power — Ports and stud ends with ISO 261 threads with elastomeric or metal-to-metal sealing —**

Part 4:

### **Dimensions, design, test methods and requirements for external hex and internal hex port plugs**

*Raccordements pour applications générales et transmissions hydrauliques et pneumatiques — Orifices et éléments mâles à filetage ISO 261 et joint en élastomère ou étanchéité métal sur métal —*

*Partie 4: Dimensions, conception, méthodes d'essai et exigences des bouchons d'orifice à six pans externes et à six pans internes*



Reference number  
ISO 9974-4:2016(E)

© ISO 2016

This is a preview of "ISO 9974-4:2016". Click [here](#) to purchase the full version from the ANSI store.



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Ch. de Blandonnet 8 • CP 401  
CH-1214 Vernier, Geneva, Switzerland  
Tel. +41 22 749 01 11  
Fax +41 22 749 09 47  
copyright@iso.org  
www.iso.org

This is a preview of "ISO 9974-4:2016". [Click here to purchase the full version from the ANSI store.](#)

## Contents

	Page
<b>Foreword</b> .....	<b>iv</b>
<b>Introduction</b> .....	<b>v</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>2</b>
<b>4 Dimensions</b> .....	<b>2</b>
4.1 Plug dimensions.....	2
4.2 Hex tolerances.....	2
4.3 Screw threads.....	2
<b>5 Requirements</b> .....	<b>2</b>
5.1 Working pressures and working temperatures.....	2
5.2 Performance.....	2
<b>6 Elastomeric sealing</b> .....	<b>3</b>
<b>7 Test methods</b> .....	<b>3</b>
<b>8 Designation of port plugs</b> .....	<b>3</b>
<b>9 Manufacture</b> .....	<b>3</b>
9.1 Construction.....	3
9.2 Workmanship.....	3
9.3 Finish.....	4
<b>10 Procurement information</b> .....	<b>4</b>
<b>11 Marking</b> .....	<b>4</b>
<b>12 Identification statement</b> (reference to this document).....	<b>4</b>
<b>Annex A</b> (informative) <b>Elastomeric sealing for use with ISO 9974-4 port plugs</b> .....	<b>9</b>
<b>Bibliography</b> .....	<b>10</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

The committee responsible for this document is ISO/TC 131, *Fluid power systems*, Subcommittee SC 4, *Connectors and similar products and components*.

This second edition cancels and replaces the first edition (ISO 9974-4:2006), of which it constitutes a minor revision with the following changes:

- A caution note has been added to Clause 7;
- ISO 9974-3 has been added to the Bibliography.

A list of all parts in the ISO 9974 series can be found on the ISO website.

This is a preview of "ISO 9974-4:2016". [Click here to purchase the full version from the ANSI store.](#)

## Introduction

In fluid power systems, power is transmitted and controlled through a fluid (liquid or gas) under pressure within an enclosed circuit. In general applications, a fluid can be conveyed under pressure.

Components are connected through their threaded ports by stud ends on fluid conductor fittings to tubes and pipes or to hose fittings and hoses. Fluid ports are closed by inserting a plug into the port.

For threaded ports and stud ends specified in new designs in hydraulic fluid power applications, ISO/TC 131/SC 4 recommends that the ISO 6149 series be used because these International Standards specify ports and stud ends with metric threads and O-ring sealing and because the subcommittee would like to help users by recommending one preferred system. ISO/TC 131/SC 4 further recommends that threaded ports and stud ends in accordance with the ISO 1179 series, ISO 9974 series and ISO 11926 series not be used for new designs in hydraulic fluid power applications; these International Standards are maintained because they specify ports and stud ends that are currently used in hydraulic systems worldwide.