

Fourth edition
2020-06

Practice for dosimetry in an electron beam facility for radiation processing at energies between 80 and 300 keV

Pratique de la dosimétrie dans une installation de traitement par irradiation utilisant un faisceau d'électrons d'énergies comprises entre 80 et 300 keV



Reference number
ISO/ASTM 51818:2020(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO/ASTM International 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester. In the United States, such requests should be sent to ASTM International.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11

Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

ASTM International
100 Barr Harbor Drive, PO Box C700
West Conshohocken, PA 19428-2959, USA
Phone: +610 832 9634
Fax: +610 832 9635
Email: khooper@astm.org
Website: www.astm.org

Contents

	Page
1 Scope	1
2 Referenced documents	2
3 Terminology	2
4 Significance and use	3
5 Selection and calibration of the dosimetry system	3
6 Installation and operational qualification	4
7 Performance qualification	5
8 Routine process control	5
9 Measurement uncertainty	5
10 Documentation	5
11 Keywords	6
Annexes	6
Figure A1.1 Example of measurement of dose as function of average beam current I , conveying speed V and beam width W_b . Measured at an electron accelerator with beam energy 110 keV. $K = 216.57 \text{ (kGy} \cdot \text{m}^2) / (\text{A} \cdot \text{s})$	7
Figure A1.2 Example of beam width measurement (3 measurements and their average are shown). Beam width was measured on a low-energy accelerator installed in an electron beam tunnel for an aseptic filling line (3)	7
Figure A1.3 Example of beam width measurement at a low-energy electron accelerator facility for curing purpose	8
Figure A1.4 Calculated depth-dose distribution in water (specific density 1 g cm^{-3})	8
Figure A1.5 Calculated depth-dose distribution in water (specific density 1 g cm^{-3})	9
Figure A1.6 Methods for measurement of depth-dose distribution	9
Figure A1.7 Examples of measurements of depth-dose distributions at the same electron beam facility, but at different beam energies	10
Figure A2.1 Apparent dose measured with three dosimeters (18 μm RCD film dosimeter (1.12 g cm^{-3}); 50 μm RCD film dosimeter (1.15 g cm^{-3}); 130 μm alanine film dosimeter (1.36 g cm^{-3}) all calibrated by irradiation at a 10 MeV electron accelerator, and now irradiated at a 116 keV electron accelerator.	11

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted (see www.iso.org/directives).

ASTM International is one of the world's largest voluntary standards development organizations with global participation from affected stakeholders. ASTM technical committees follow rigorous due process balloting procedures.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and ASTM International shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by ASTM Committee E61, *Radiation processing* (as ASTM E1818-96), and drafted in accordance with its editorial rules. It was assigned to Technical Committee ISO/TC 85, *Nuclear energy, nuclear technologies and radiation protection*, and adopted under the "fast-track procedure".

This fourth edition cancels and replaces the third edition (ISO/ASTM 51818:2013), which has been technically revised.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.