

This is a preview of "ISO/IEC 11801-5:2017". [Click here to purchase the full version from the ANSI store.](#)



Edition 1.0 2017-11

# INTERNATIONAL STANDARD

---

**Information technology – Generic cabling for customer premises –  
Part 5: Data centres**



This is a preview of "ISO/IEC 11801-5:2017". Click here to purchase the full version from the ANSI store.



**Copyright © 2017 ISO/IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about ISO/IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

**About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

**About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

**IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)**

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

**IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)**

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

**IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

**Electropedia - [www.electropedia.org](http://www.electropedia.org)**

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

**IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)**

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

**IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).



# INTERNATIONAL STANDARD

---

## Information technology – Generic cabling for customer premises – Part 5: Data centres

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 35.200

ISBN 978-2-8322-5043-3

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	10
2 Normative references .....	10
3 Terms, definitions and abbreviated terms .....	11
3.1 Terms and definitions.....	11
3.2 Abbreviated terms.....	13
4 Conformance .....	13
5 Structure of the generic cabling system .....	14
5.1 General.....	14
5.2 Functional elements.....	14
5.3 General structure and hierarchy.....	14
5.4 Cabling subsystems.....	16
5.4.1 General .....	16
5.4.2 Network access cabling subsystem.....	16
5.4.3 Main distribution cabling subsystem.....	16
5.4.4 Intermediate distribution cabling subsystem.....	16
5.4.5 Zone distribution cabling subsystem .....	16
5.4.6 Design objectives .....	17
5.5 Accommodation of functional elements .....	17
5.6 Interfaces.....	17
5.6.1 Equipment interfaces and test interfaces .....	17
5.6.2 Channels and links .....	18
5.7 Dimensioning and configuring .....	19
5.7.1 Distributors .....	19
5.7.2 Redundancy .....	20
5.7.3 External network interface .....	21
5.7.4 Cables .....	22
5.7.5 Equipment cords.....	22
5.7.6 Patch cords and jumpers .....	22
5.7.7 Equipment outlets.....	22
5.7.8 LDP .....	23
5.7.9 Building entrance facilities .....	23
5.8 Earthing and equipotential bonding.....	23
6 Channel performance requirements .....	23
6.1 General.....	23
6.2 Environmental performance .....	25
6.3 Transmission performance.....	25
6.3.1 General .....	25
6.3.2 Balanced cabling .....	25
6.3.3 Optical fibre cabling.....	25
7 Link performance requirements .....	26
7.1 General.....	26
7.2 Balanced cabling .....	26
7.3 Optical fibre cabling .....	26
8 Reference implementations .....	26

8.1	General.....	26
8.2	Balanced cabling .....	26
8.2.1	Assumptions.....	26
8.2.2	Zone distribution cabling.....	27
8.2.3	Cabling between distributors.....	30
8.2.4	Network access cabling .....	33
8.3	Optical fibre cabling .....	35
8.3.1	General .....	35
8.3.2	Component choice.....	35
8.3.3	Dimensions.....	36
9	Cable requirements .....	36
9.1	General.....	36
9.2	Balanced cables .....	36
9.3	Optical fibre cables .....	36
10	Connecting hardware requirements .....	36
10.1	General requirements .....	36
10.1.1	Overview .....	36
10.1.2	Location .....	36
10.1.3	Design.....	37
10.1.4	Operating environment .....	37
10.1.5	Mounting .....	37
10.1.6	Installation practices.....	37
10.1.7	Marking and colour coding.....	37
10.2	Connecting hardware for balanced cabling.....	37
10.2.1	General requirements .....	37
10.2.2	Performance marking.....	37
10.2.3	Mechanical characteristics.....	37
10.3	Connecting hardware for optical fibre cabling.....	38
10.3.1	General requirements .....	38
10.3.2	ENI requirements.....	38
10.3.3	EO requirements .....	38
10.3.4	Optical fibre assignments at the EO.....	39
10.3.5	Other connecting hardware.....	39
11	Requirements for cords and jumpers .....	39
11.1	Jumpers.....	39
11.2	Balanced cords .....	39
11.3	Optical fibre cords.....	39
Annex A (normative)	Combination of balanced cabling links.....	40
A.1	General.....	40
A.2	Requirements .....	40
Annex B (informative)	Usage of high density connecting hardware within optical fibre cabling.....	41
B.1	General.....	41
B.2	Use cases for high density connecting hardware.....	41
Annex C (informative)	Examples of structures in accordance with ISO/IEC 11801-5 .....	45
C.1	General.....	45
C.2	Data centre minimum configuration .....	46
C.3	End of Row concept.....	47

C.4	Middle of Row concept.....	48
C.5	Top of Rack concept.....	49
C.6	End of Row and Middle of Row concept with redundancy.....	50
C.7	Top of Rack concept with redundancy.....	51
C.8	End of Row concept with full redundancy.....	52
C.9	Top of Rack concept with redundancy.....	53
Annex D (informative)	Examples of networking architectures.....	54
D.1	General.....	54
D.2	Data centre fabric fat-tree.....	54
D.3	Data centre fabric full-mesh.....	55
D.4	Data centre fabric interconnected meshes.....	55
D.5	Data centre fabric centralized switch.....	56
D.6	Data centre fabric virtual switch.....	57
Bibliography	.....	58
Figure 1	– Relationships between the generic cabling documents produced by ISO/IEC JTC 1/SC 25.....	8
Figure 2	– Structure of generic cabling within a data centre.....	15
Figure 3	– Hierarchical structure of generic cabling within a data centre.....	15
Figure 4	– Example of accommodation of functional elements.....	17
Figure 5	– Test and equipment interfaces.....	19
Figure 6	– Connection of functional elements providing redundancy.....	21
Figure 7	– Examples of external service cabling connections to the ENI.....	22
Figure 8	– Example of a channel with four connections.....	24
Figure 9	– Example of a system showing the location of cabling interfaces.....	25
Figure 10	– Zone distribution cabling models.....	28
Figure 11	– Cabling model between distributors using Class E <sub>A</sub> to F <sub>A</sub> .....	31
Figure 12	– Cabling model between distributors using Class I and II.....	31
Figure 13	– Network access cabling models.....	34
Figure A.1	– Examples of combination of different links.....	40
Figure B.1	– Examples of high density connecting hardware within main distribution cabling and intermediate distribution cabling.....	42
Figure B.2	– Examples of high density connecting hardware at the LDP and EO within zone distribution cabling.....	44
Figure C.1	– Key for Figures C.2 through C.9.....	45
Figure C.2	– Example of a minimum configuration.....	46
Figure C.3	– Example of End of Row configuration.....	47
Figure C.4	– Example of Middle of Row configuration.....	48
Figure C.5	– Example of Top of Rack configuration.....	49
Figure C.6	– Example of End of Row configuration with redundancy.....	50
Figure C.7	– Example of Top of Rack configuration with redundancy.....	51
Figure C.8	– Example of End of Row configuration with full redundancy.....	52
Figure C.9	– Example of Top of Rack configuration with full redundancy.....	53
Figure D.1	– Fat-tree example.....	54
Figure D.2	– Full-mesh example.....	55

Figure D.3 – Interconnected mesh example .....	56
Figure D.4 – Centralized switch example .....	56
Figure D.5 – Virtual switch example .....	57
Table 1 – Zone distribution cabling – length assumptions for balanced cabling using Classes E <sub>A</sub> to F <sub>A</sub> .....	29
Table 2 – Zone distribution cabling – length assumptions for balanced cabling using Classes I and II.....	30
Table 3 – Zone distribution channel length equations for Classes .....	30
Table 4 – Cabling between distributors – length assumptions for balanced cabling using Classes E <sub>A</sub> to F <sub>A</sub> .....	31
Table 5 – Cabling between distributors – length assumptions for balanced cabling using Classes I and II .....	32
Table 6 – Length equations for cabling between distributors .....	32
Table 7 – Network access cabling channel equations.....	35
Table 8 – Connecting hardware of the type used at the EO.....	37

## INFORMATION TECHNOLOGY – GENERIC CABLING FOR CUSTOMER PREMISES –

### Part 5: Data centres

#### FOREWORD

- 1) ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.
- 2) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees and ISO member bodies.
- 3) IEC, ISO and ISO/IEC publications have the form of recommendations for international use and are accepted by IEC National Committees and ISO member bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC, ISO and ISO/IEC publications is accurate, IEC or ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees and ISO member bodies undertake to apply IEC, ISO and ISO/IEC publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any ISO, IEC or ISO/IEC publication and the corresponding national or regional publication should be clearly indicated in the latter.
- 5) ISO and IEC do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. ISO or IEC are not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or ISO or its directors, employees, servants or agents including individual experts and members of their technical committees and IEC National Committees or ISO member bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication of, use of, or reliance upon, this ISO/IEC publication or any other IEC, ISO or ISO/IEC publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this ISO/IEC publication may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

International Standard ISO/IEC 11801-5 was prepared by subcommittee 25: Interconnection of information technology equipment, of ISO/IEC joint technical committee 1: Information technology.

This first edition cancels and replaces ISO/IEC 24764:2010 and Amendment 1:2014. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) standard re-structured to contain only those requirements that are specific for generic cabling systems installed in data centres;
- b) addition of balanced cabling channels Class I and Class II;
- c) addition of examples of structures in accordance with ISO/IEC 11801-5 in Annex C;
- d) addition of examples of networking architectures in Annex D.

ISO/IEC 11801-5 is to be read in conjunction with ISO/IEC 11801-1.



This is a preview of "ISO/IEC 11801-5:2017". [Click here to purchase the full version from the ANSI store.](#)

This International Standard has been approved by vote of the member bodies, and the voting results can be obtained from the address given on the second title page.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the ISO/IEC 11801 series, published under the general title *Information technology – Generic cabling for customer premises*, can be found on the IEC website.