

This is a preview of "ISO/IEC 11801-6:2017". [Click here to purchase the full version from the ANSI store.](#)



Edition 1.0 2017-11

# INTERNATIONAL STANDARD

**Information technology – Generic cabling for customer premises –  
Part 6: Distributed building services**





**Copyright © 2017 ISO/IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about ISO/IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

**About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

**About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

**IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)**

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

**IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)**

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

**IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

**Electropedia - [www.electropedia.org](http://www.electropedia.org)**

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

**IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)**

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

**IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).



# INTERNATIONAL STANDARD

---

## Information technology – Generic cabling for customer premises – Part 6: Distributed building services

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 35.200

ISBN 978-2-8322-5036-5

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	5
INTRODUCTION.....	6
1 Scope.....	9
2 Normative references .....	9
3 Terms, definitions and abbreviated terms .....	10
3.1 Terms and definitions.....	10
3.2 Abbreviated terms.....	11
4 Conformance.....	11
5 Structure of the generic cabling system .....	12
5.1 General.....	12
5.2 Functional elements.....	12
5.2.1 Stand-alone structure .....	12
5.2.2 Overlay structure .....	13
5.3 General structure and hierarchy.....	13
5.3.1 Type A generic cabling .....	13
5.3.2 Type B generic cabling .....	14
5.4 Cabling subsystems.....	15
5.4.1 Campus and building backbone cabling subsystem.....	15
5.4.2 Service distribution cabling subsystem (Type A generic cabling).....	15
5.4.3 Service distribution cabling subsystem (Type B generic cabling).....	15
5.4.4 Design objectives .....	16
5.5 Accommodation of functional elements .....	16
5.5.1 General .....	16
5.5.2 Accommodation of service outlets.....	16
5.5.3 Accommodation of service concentration points.....	17
5.6 Interfaces.....	17
5.6.1 Equipment interfaces and test interfaces .....	17
5.6.2 Channels and links .....	18
5.7 Dimensioning and configuring .....	19
5.7.1 General .....	19
5.7.2 Type A generic cabling .....	21
5.7.3 Type B generic cabling .....	22
5.7.4 Service concentration point.....	23
5.7.5 Connecting hardware.....	23
5.7.6 Telecommunications rooms and equipment rooms.....	23
5.8 Relevant building services .....	23
6 Channel performance requirements .....	23
6.1 General.....	23
6.2 Environmental performance .....	25
6.3 Transmission performance.....	25
6.3.1 General .....	25
6.3.2 Balanced cabling .....	25
6.3.3 Optical fibre cabling.....	26
7 Link performance requirements .....	26
7.1 General.....	26
7.2 Balanced cabling .....	27

7.3	Optical fibre cabling .....	27
8	Reference implementations .....	27
8.1	General.....	27
8.2	Balanced cabling .....	27
8.2.1	General .....	27
8.2.2	Service distribution cabling (Type A generic cabling) .....	28
8.2.3	Service distribution cabling (Type B generic cabling) .....	31
8.2.4	Campus and building backbone cabling .....	31
8.3	Optical fibre cabling .....	31
8.3.1	Service distribution cabling (Type A generic cabling) .....	31
8.3.2	Service distribution cabling (Type B generic cabling) .....	32
8.3.3	Campus and building backbone cabling .....	32
9	Cable requirements .....	32
9.1	General.....	32
9.2	Balanced cables .....	32
9.3	Optical fibre cables .....	32
10	Connecting hardware requirements .....	32
10.1	General requirements .....	32
10.2	Connecting hardware for balanced cabling.....	32
10.2.1	General requirements .....	32
10.2.2	Electrical, mechanical and environmental performance.....	32
10.3	Connecting hardware for optical fibre cabling.....	33
11	Cords .....	33
11.1	Jumpers.....	33
11.2	Balanced cords .....	33
11.3	Optical fibre cords.....	33
Annex A (informative)	Services and applications.....	34
A.1	Overview.....	34
A.2	Service sectors and services.....	34
A.2.1	Access control .....	34
A.2.2	Burglar alarms .....	35
A.2.3	Asset management .....	35
A.2.4	Audio-visual.....	35
A.2.5	Building information systems .....	35
A.2.6	Building well-being and structural sensor systems .....	35
A.2.7	Energy management.....	35
A.2.8	Environmental control .....	36
A.2.9	Fixed information technology services .....	36
A.2.10	Personal well-being .....	36
A.2.11	Shared information technology services.....	36
A.3	Service concentration point grid density .....	38
A.4	Cabling provision to service concentration points .....	39
Annex B (informative)	Overlay .....	40
B.1	General.....	40
B.2	Functional elements.....	40
B.2.1	Type A generic cabling .....	40
B.2.2	Type B generic cabling .....	40
B.3	General structure and hierarchy.....	40

B.3.1	Type A generic cabling .....	40
B.3.2	Type B generic cabling .....	40
Annex C (informative)	Optical fibre within the Type B service distribution cabling subsystem .....	41
C.1	Overview.....	41
C.2	Implementation recommendations.....	41
C.2.1	Channel performance .....	41
C.2.2	Reference implementation .....	41
C.2.3	Cables .....	42
C.2.4	Connecting hardware.....	42
C.2.5	Cords .....	42
Bibliography.....		43
Figure 1 – Relationships between the generic cabling documents produced by ISO/IEC JTC 1/SC 25 .....		7
Figure 2 – Structure of Type A generic cabling.....		13
Figure 3 – Hierarchical structure of Type A generic cabling.....		14
Figure 4 – Structure of Type B generic cabling.....		14
Figure 5 – Hierarchical structure of Type B generic cabling.....		15
Figure 6 – Accommodation of functional elements .....		16
Figure 7 – Cabling without the use of an SO .....		17
Figure 8 – Accommodation of TEs (Type B generic cabling).....		17
Figure 9 – Test and equipment interfaces (Type A generic cabling) .....		18
Figure 10 – Test and equipment interfaces (Type B generic cabling).....		18
Figure 11 – Example of a Type A generic cabling system with combined BD and SD .....		20
Figure 12 – Connection of functional elements providing redundancy for Type A generic cabling .....		20
Figure 13 –Transmission performance of a service distribution channel .....		24
Figure 14 – Example of a system showing the location of cabling interfaces .....		25
Figure 15 – Link options.....		27
Figure 16 – Service distribution cabling models .....		29
Figure A.1 – Wireless application coverage area grid.....		38
Figure C.1 – Combined optical fibre backbone and service distribution channels .....		42
Table 1 – Maximum channel lengths for Type A reference implementations .....		21
Table 2 – Maximum channel lengths for Type B reference implementations .....		22
Table 3 – Service distribution channel length formulae in metres .....		30
Table A.1 – Supported wireless applications .....		37
Table A.2 – Recommended SCP grid dimensions .....		39
Table A.3 – Estimated SOs per SCP .....		39

## INFORMATION TECHNOLOGY – GENERIC CABLING FOR CUSTOMER PREMISES –

### Part 6: Distributed building services

#### FOREWORD

- 1) ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.
- 2) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees and ISO member bodies.
- 3) IEC, ISO and ISO/IEC publications have the form of recommendations for international use and are accepted by IEC National Committees and ISO member bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC, ISO and ISO/IEC publications is accurate, IEC or ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees and ISO member bodies undertake to apply IEC, ISO and ISO/IEC publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any ISO, IEC or ISO/IEC publication and the corresponding national or regional publication should be clearly indicated in the latter.
- 5) ISO and IEC do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. ISO or IEC are not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or ISO or its directors, employees, servants or agents including individual experts and members of their technical committees and IEC National Committees or ISO member bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication of, use of, or reliance upon, this ISO/IEC publication or any other IEC, ISO or ISO/IEC publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this ISO/IEC publication may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

International Standard ISO/IEC 11801-6 was prepared by subcommittee 25: Interconnection of information technology equipment, of ISO/IEC joint technical committee 1: Information technology.

ISO/IEC 11801-6 is to be read in conjunction with ISO/IEC 11801-1, which was created to consolidate general requirements for generic cabling into a single standard which allows the other standards in the ISO/IEC 11801 series to have a common reference.

This International Standard has been approved by vote of the member bodies, and the voting results can be obtained from the address given on the second title page.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the ISO/IEC 11801 series, published under the general title *Information technology – Generic cabling for customer premises*, can be found on the IEC website.