

This is a preview of "ISO/IEC 13818-10:199...". [Click here to purchase the full version from the ANSI store.](#)

First edition
1999-07-15

Information technology — Generic coding of moving pictures and associated audio information —

Part 10:

Conformance extensions for Digital Storage Media Command and Control (DSM-CC)

*Technologies de l'information — Codage générique des images animées et
des informations sonores associées —*

*Partie 10: Extensions de conformité pour commande et contrôle de
supports de mémoire numérique (DSM-CC)*



Reference number
ISO/IEC 13818-10:1999(E)

This is a preview of "ISO/IEC 13818-10:199...". [Click here to purchase the full version from the ANSI store.](#)

Contents

1	Scope	1
2	Normative References	1
3	Abbreviations	1
4	The PICS	2
4.1	ISO/IEC Protocol Versions Implemented.....	3
4.2	Global Statement of Conformance	3
4.3	DSM-CC User-to-Network Functional Unit	4
4.3.1	Roles of DSM-CC User-to-Network.....	4
4.3.2	Major Capabilities of DSM-CC User-to-Network	4
4.3.3	PDU Support for DSM-CC User-to-Network	4
4.3.4	Parameter support for DSM-CC User-to-Network Message Header	7
4.3.5	Parameter support for DSM-CC Compatibility Descriptors	8
4.3.6	Parameter support for DSM-CC User-to-Network Configuration messages	8
4.3.7	Parameter support for DSM-CC U-N Session messages.....	9
4.3.8	Parameter Support for DSM-CC User-to-Network Download Messages.....	19
4.3.9	Parameter support for DSM-CC User-to-Network SDB CCP Messages	21
4.3.10	Parameter Support for DSM-CC U-N Pass-Thru Messages	23
4.4	DSM-CC User-to-User Functional Unit.....	24
4.4.1	Roles of DSM-CC User-to-User	24
4.4.2	Major capabilities of DSM-CC User-to-User.....	24
4.4.3	Subsidiary Capabilities Related to DSM-CC User-to-User Procedures	27
4.5	Conformance	29
5	The Conformance ATS	29
5.1	Test Method.....	29
5.1.1	Test Environment of DSM-CC U-N Functions.....	30
5.1.2	Test Environment of DSM-CC U-U Functions.....	31
5.2	Test Cases.....	31
5.2.1	DSM-CC User-to-Network.....	31
5.2.2	Test Coverage.....	96
5.2.3	DSM-CC User-to-User	101

This is a preview of "ISO/IEC 13818-10:199...". Click here to purchase the full version from the ANSI store.

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

International Standard ISO/IEC 13818-10 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

ISO/IEC 13818 consists of the following parts, under the general title *Information technology — Generic coding of moving pictures and associated audio information*:

- *Part 1: Systems*
- *Part 2: Video*
- *Part 3: Audio*
- *Part 4: Conformance testing*
- *Part 5: Software simulation*
- *Part 6: Extensions for DSM-CC*
- *Part 7: Advanced Audio Coding (AAC)*
- *Part 9: Extension for real time interface for systems decoders*
- *Part 10: Conformance extensions for Digital Storage Media Command and Control (DSM-CC)*

This is a preview of "ISO/IEC 13818-10:199...". [Click here to purchase the full version from the ANSI store.](#)

This page intentionally left blank