

This is a preview of "ISO/IEC 14496-22:201...". Click here to purchase the full version from the ANSI store.

Third edition
2015-10-01

Information technology — Coding of audio-visual objects —

Part 22: Open Font Format

*Technologies de l'information — Codage des objets audiovisuels —
Partie 22: Format de police de caractères ouvert*



Reference number
ISO/IEC 14496-22:2015(E)

© ISO/IEC 2015

This is a preview of "ISO/IEC 14496-22:201...". Click here to purchase the full version from the ANSI store.



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

This is a preview of "ISO/IEC 14496-22:201...". Click here to purchase the full version from the ANSI store.

Contents

Page

Foreword	viii
Introduction.....	x
1 Scope.....	1
2 Normative references.....	2
3 Abbreviated terms	2
4 The Open font file format.....	3
4.1 Description.....	3
4.2 Filenames	3
4.3 Data types	3
4.4 Table version numbers	4
4.5 Open font structure	5
4.5.1 Table directory	5
4.5.2 Calculating checksums.....	6
4.6 Font collections	6
4.6.1 The Font Colelction file structure	7
4.6.2 TTC header.....	7
5 Open font tables	8
5.1 General	8
5.2 Required common tables.....	8
5.2.1 cmap – Character to glyph index mapping table	9
5.2.2 head – Font header.....	20
5.2.3 hhea – Horizontal header.....	22
5.2.4 hmtx – Horizontal metrics	23
5.2.5 maxp – Maximum profile.....	23
5.2.6 name – Naming table.....	24
5.2.7 OS/2 – Global font information table	43
5.2.8 Font class parameters - see informative Annex B for details.....	65
5.2.9 post – PostScript	65
5.3 TrueType outline tables	67
5.3.1 cvt – Control value table	68
5.3.2 fpgm – Font program	68
5.3.3 glyf – Glyf data.....	68
5.3.4 loca – Index to location	71
5.3.5 prep – Control value program	72
5.3.6 gasp – Grid-fitting and scan conversion procedure.....	72
5.4 PostScript outline tables	74
5.4.1 CFF – PostScript font program (Compact Font Format) table.....	74
5.4.2 VORG – Vertical origin table	74
5.5 Table for SVG glyph outlines	76
5.5.1 SVG – The SVG (Scalable Vector Graphics) table	76
5.5.2 Color Palettes	77
5.5.3 Glyph Identifiers	77
5.5.4 Glyph Semantics and Metrics	78
5.5.5 Glyph Rendering.....	78
5.6 Bitmap glyph tables	80
5.6.1 EBDT – Embedded bitmap data table.....	80
5.6.2 EBLC – Embedded bitmap location table	84
5.6.3 EBSC – Embedded bitmap scaling table	91
5.6.4 CBDT – Color bitmap data table	92

This is a preview of "ISO/IEC 14496-22:201...". Click here to purchase the full version from the ANSI store.

5.6.5	CBLC – Color bitmap location table	94
5.7	Optional tables	95
5.7.1	DSIG – Digital signature table	96
5.7.2	hdmx – Horizontal device metrics.....	98
5.7.3	kern – Kerning.....	99
5.7.4	LTS defense table	102
5.7.5	PCLT – PCL 5 table	103
5.7.6	VDMX – Vertical device metrics	111
5.7.7	vhea – Vertical header table	114
5.7.8	vmtx – Vertical metric table	117
5.7.9	COLR – Color Table	119
5.7.10	CPAL – Palette Table	121
6	Advanced Open Font layout tables.....	123
6.1	Advanced Open Font layout extensions	123
6.1.1	Overview of advanced typographic layout extensions.....	123
6.1.2	TrueType versus OFF layout	125
6.1.3	OFF layout terminology	125
6.1.4	Text processing with OFF layout	128
6.2	OFF layout common table formats	129
6.2.1	Overview	129
6.2.2	Table organization	131
6.2.3	Scripts and languages	132
6.2.4	Features and lookups.....	134
6.2.5	Common table examples	143
6.3	Advanced typographic tables.....	152
6.3.1	BASE Baseline table.....	152
6.3.2	GDEF – The glyph definition table	173
6.3.3	GPOS – The glyph positioning table.....	186
6.3.4	GSUB – The glyph substitution table	246
6.3.5	JSTF – The justification table	286
6.3.6	MATH – The mathematical typesetting table	298
6.4	Layout tag registry.....	313
6.4.1	Scripts tags	313
6.4.2	Language tags.....	317
6.4.3	Feature tags.....	338
6.4.4	Baseline tags.....	402
7	Recommendations for OFF fonts	407
7.1	Byte ordering.....	407
7.2	'sfnt' version	407
7.3	Mixing outline formats	407
7.4	Filenames	407
7.5	Table alignment and length	407
7.6	First four glyphs in fonts	408
7.7	Shape of .notdef glyph	408
7.8	'BASE' table	408
7.9	'cmap' table	409
7.10	'cvt' table	409
7.11	'fpgm' table	409
7.12	'glyf' table	409
7.13	'hdmx' table	409
7.14	'head' table	410
7.15	'hhea' table	410
7.16	'hmtx' table	410
7.17	'kern' table	410
7.18	'loca' table	411
7.19	'LTSH' table	411
7.20	'maxp' table	411
7.21	'name' table	411
7.22	'OS/2' table.....	413

This is a preview of "ISO/IEC 14496-22:201...". Click here to purchase the full version from the ANSI store.

7.23	sTypoAscender, sTypoDescender and sTypoLineGap	413
7.24	'post' table	413
7.25	'prep' table.....	414
7.26	'VDMX' table	414
7.27	TrueType Collections	414
8	General recommendations	414
8.1	Optimized table ordering	414
8.2	Non-standard (Symbol) fonts	414
8.3	Device resolutions	415
8.4	Baseline to baseline distances	415
8.5	Style bits	416
8.6	Drop-out control	416
8.7	Embedded bitmaps	416
8.8	OFF CJK font guidelines	417
	Annex A (informative) Patent Statements	418
	Annex B (informative) Font Class and Font Subclass parameters	419
B.1	Introduction	419
B.2	sFamilyClass	419
B.3	Class ID=0 No Classification	419
B.4	Class ID=1 Oldstyle Serifs	419
B.4.1	Subclass ID = 0 : No Classification	419
B.4.2	Subclass ID = 1 : IBM Rounded Legibility	420
B.4.3	Subclass ID = 2 : Garalde	420
B.4.4	Subclass ID = 3 : Venetian	420
B.4.5	Subclass ID = 4 : Modified Venetian	420
B.4.6	Subclass ID = 5 : Dutch Modern	420
B.4.7	Subclass ID = 6 : Dutch Traditional	420
B.4.8	Subclass ID = 7 : Contemporary	420
B.4.9	Subclass ID = 8 : Calligraphic	420
B.4.10	Subclass ID = 9-14 : (reserved for future use)	420
B.4.11	Subclass ID = 15 : Miscellaneous	421
B.5	Class ID=2 Transitional Serifs	421
B.5.1	Subclass ID = 0 : No Classification	421
B.5.2	Subclass ID = 1 : Direct Line	421
B.5.3	Subclass ID = 2 : Script	421
B.5.4	Subclass ID = 3-14 : (reserved for future use)	421
B.5.5	Subclass ID = 15 : Miscellaneous	421
B.6	Class ID=3 Modern Serifs	421
B.6.1	Subclass ID = 0 : No Classification	421
B.6.2	Subclass ID = 1 : Italian	422
B.6.3	Subclass ID = 2 : Script	422
B.6.4	Subclass ID = 3-14 : (reserved for future use)	422
B.6.5	Subclass ID = 15 : Miscellaneous	422
B.7	Class ID=4 Clarendon Serifs	422
B.7.1	Subclass ID = 0 : No Classification	422
B.7.2	Subclass ID = 1 : Clarendon	422
B.7.3	Subclass ID = 2 : Modern	422
B.7.4	Subclass ID = 3 : Traditional	422
B.7.5	Subclass ID = 4 : Newspaper	423
B.7.6	Subclass ID = 5 : Stub Serif	423
B.7.7	Subclass ID = 6 : Monotone	423
B.7.8	Subclass ID = 7 : Typewriter	423
B.7.9	Subclass ID = 8-14: (reserved for future use)	423
B.7.10	Subclass ID = 15 : Miscellaneous	423
B.8	Class ID=5 Slab Serifs	423
B.8.1	Subclass ID = 0 : No Classification	423
B.8.2	Subclass ID = 1 : Monotone	423
B.8.3	Subclass ID = 2 : Humanist	424

This is a preview of "ISO/IEC 14496-22:201...". Click here to purchase the full version from the ANSI store.

B.8.4	Subclass ID = 3 : Geometric	424
B.8.5	Subclass ID = 4 : Swiss	424
B.8.6	Subclass ID = 5 : Typewriter	424
B.8.7	Subclass ID = 6-14 : (reserved for future use)	424
B.8.8	Subclass ID = 15 : Miscellaneous	424
B.9	Class ID=6 (reserved for future use)	424
B.10	Class ID=7 Freeform Serifs	424
B.10.1	Subclass ID = 0 : No Classification	424
B.10.2	Subclass ID = 1 : Modern	425
B.10.3	Subclass ID = 2-14 : (reserved for future use)	425
B.10.4	Subclass ID = 15 : Miscellaneous	425
B.11	Class ID=8 Sans Serifs	425
B.11.1	Subclass ID = 0 : No Classification	425
B.11.2	Subclass ID = 1 : IBM Neo-grotesque Gothic	425
B.11.3	Subclass ID = 2 : Humanist	425
B.11.4	Subclass ID = 3 : Low-x Round Geometric	425
B.11.5	Subclass ID = 4 : High-x Round Geometric	425
B.11.6	Subclass ID = 5 : Neo-grotesque Gothic	426
B.11.7	Subclass ID = 6 : Modified Neo-grotesque Gothic	426
B.11.8	Subclass ID = 7-8 : (reserved for future use)	426
B.11.9	Subclass ID = 9 : Typewriter Gothic	426
B.11.10	Subclass ID = 10 : Matrix	426
B.11.11	Subclass ID = 11-14 : (reserved for future use)	426
B.11.12	Subclass ID = 15 : Miscellaneous	426
B.12	Class ID=9 Ornamentals	426
B.12.1	Subclass ID = 0 : No Classification	426
B.12.2	Subclass ID = 1 : Engraver	426
B.12.3	Subclass ID = 2 : Black Letter	427
B.12.4	Subclass ID = 3 : Decorative	427
B.12.5	Subclass ID = 4 : Three Dimensional	427
B.12.6	Subclass ID = 5-14 : (reserved for future use)	427
B.12.7	Subclass ID = 15 : Miscellaneous	427
B.13	Class ID=10 Scripts	427
B.13.1	Subclass ID = 0 : No Classification	427
B.13.2	Subclass ID = 1 : Uncial	427
B.13.3	Subclass ID = 2 : Brush Joined	427
B.13.4	Subclass ID = 3 : Formal Joined	428
B.13.5	Subclass ID = 4 : Monotone Joined	428
B.13.6	Subclass ID = 5 : Calligraphic	428
B.13.7	Subclass ID = 6 : Brush Unjoined	428
B.13.8	Subclass ID = 7 : Formal Unjoined	428
B.13.9	Subclass ID = 8 : Monotone Unjoined	428
B.13.10	Subclass ID = 9-14 : (reserved for future use)	428
B.13.11	Subclass ID = 15 : Miscellaneous	428
B.14	Class ID=11 (reserved for future use)	429
B.15	Class ID=12 Symbolic	429
B.15.1	Subclass ID = 0 : No Classification	429
B.15.2	Subclass ID = 1-2 : (reserved for future use)	429
B.15.3	Subclass ID = 3 : Mixed Serif	429
B.15.4	Subclass ID = 4-5 : (reserved for future use)	429
B.15.5	Subclass ID = 6 : Oldstyle Serif	429
B.15.6	Subclass ID = 7 : Neo-grotesque Sans Serif	429
B.15.7	Subclass ID = 8-14 : (reserved for future use)	429
B.15.8	Subclass ID = 15 : Miscellaneous	430
B.16	Class ID=13 Reserved	430
B.17	Class ID=14 Reserved	430
	Annex C (informative) Earlier versions of OS/2 – OS/2 and Windows metrics	431
C.1	OS/2 - OS/2 and Windows metrics (version 0)	431
C.2	OS/2 - OS/2 and Windows metrics (version 1)	450

This is a preview of "ISO/IEC 14496-22:201...". Click here to purchase the full version from the ANSI store.

C.3	OS/2 - OS/2 and Windows metrics (version 2)	471
C.4	OS/2 - OS/2 and Windows metrics (version 3)	490
C.5	OS/2 - OS/2 and Windows metrics (version 4)	509
	Annex D (informative) OFF Mirroring Pairs List.....	531
	Annex E (normative) Registration of Media Type: application/font-sfnt	538
	Bibliography.....	541

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT), see the following URL: [Foreword — Supplementary information](#).

The committee responsible for this document is ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

This third edition cancels and replaces the second edition (ISO/IEC 14496-22:2009), which has been technically revised. It also incorporates ISO/IEC 14496-22:2009/Cor 1:2010, ISO/IEC 14496-22:2009/Amd 1:2010 and ISO/IEC 14496-22:2009/Amd 2:2010.

ISO/IEC 14496 consists of the following parts, under the general title *Information technology — Coding of audio-visual objects*:

- *Part 1: Systems*
- *Part 2: Visual*
- *Part 3: Audio*
- *Part 4: Conformance testing*
- *Part 5: Reference software*
- *Part 6: Delivery Multimedia Integration Framework (DMIF)*
- *Part 7: Optimized reference software for coding of audio-visual objects*
- *Part 8: Carriage of ISO/IEC 14496 contents over IP networks*

This is a preview of "ISO/IEC 14496-22:201...". Click here to purchase the full version from the ANSI store.

- *Part 9: Reference hardware description*
- *Part 10: Advanced Video Coding*
- *Part 11: Scene description and application engine*
- *Part 12: ISO base media file format*
- *Part 13: Intellectual Property Management and Protection (IPMP) extensions*
- *Part 14: MP4 file format*
- *Part 15: Carriage of network abstraction layer (NAL) unit structured video in ISO base media file format*
- *Part 16: Animation Framework eXtension (AFX)*
- *Part 17: Streaming text format*
- *Part 18: Font compression and streaming*
- *Part 19: Synthesized texture stream*
- *Part 20: Lightweight Application Scene Representation (LASER) and Simple Aggregation Format (SAF)*
- *Part 21: MPEG-J Graphics Framework eXtensions (GFX)*
- *Part 22: Open Font Format*
- *Part 23: Symbolic Music Representation*
- *Part 24: Audio and systems interaction*
- *Part 25: 3D Graphics Compression Model*
- *Part 26: Audio conformance*
- *Part 27: 3D Graphics conformance*
- *Part 28: Composite Font Representation*
- *Part 29: Web video coding*
- *Part 30: Timed text and other visual overlays in ISO base media file format*

The following part is in preparation:

- *Part 30: Video coding for browsers*

A future part dealing with Internet video coding is planned.

This is a preview of "ISO/IEC 14496-22:201...". Click here to purchase the full version from the ANSI store.

Introduction

The International Organization for Standardization (ISO) and International Electrotechnical Commission (IEC) draw attention to the fact that it is claimed that compliance with this document may involve the use of a patent.

The ISO and IEC take no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured ISO and IEC that he is willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with ISO and IEC. Information may be obtained from the companies listed in Annex A.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified in Annex A. ISO and IEC shall not be held responsible for identifying any or all such patent rights.