



# INTERNATIONAL STANDARD



---

**Information technology – Implementation and operation of customer premises  
cabling –  
Part 3: Testing of optical fibre cabling**





**Copyright © 2024 ISO/IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about ISO/IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

**About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

**About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

**IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)**

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

**IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

**IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

**IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)**

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

**Electropedia - [www.electropedia.org](http://www.electropedia.org)**

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.



# INTERNATIONAL STANDARD



---

**Information technology – Implementation and operation of customer premises cabling –  
Part 3: Testing of optical fibre cabling**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 35.200

ISBN 978-2-8322-8857-3

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	7
INTRODUCTION.....	9
1 Scope.....	10
2 Normative references .....	10
3 Terms, definitions, abbreviated terms and symbols.....	11
3.1 Terms and definitions.....	11
3.2 Abbreviated terms.....	15
3.3 Symbols.....	16
4 Conformance.....	16
5 Test equipment.....	17
5.1 General requirements .....	17
5.2 Documentation.....	17
5.3 Apparatus .....	17
5.4 Light source and power meter .....	17
5.4.1 Light source.....	17
5.4.2 Power meter .....	19
5.5 OTDR .....	19
5.5.1 General .....	19
5.5.2 OTDR requirements.....	20
5.6 Test cord connectors .....	21
5.6.1 Connecting hardware at test interfaces .....	21
5.6.2 Connecting hardware attenuation requirements .....	21
5.6.3 Mechanical requirements for reference connectors .....	22
5.6.4 Reference adaptors at test interfaces .....	24
5.7 Test cord characteristics .....	24
5.7.1 General .....	24
5.7.2 LSPM launch test cord.....	24
5.7.3 LSPM tail test cord .....	25
5.7.4 LSPM substitution test cord .....	25
5.7.5 OTDR launch test cord .....	25
5.7.6 OTDR tail test cord .....	26
5.8 Visual inspection equipment.....	26
6 Testing .....	27
6.1 General.....	27
6.2 Reference planes.....	27
6.3 Wavelength of measurement.....	30
6.4 Direction of measurement .....	30
6.5 Protection of transmission and terminal equipment .....	30
6.6 Use of test equipment.....	30
6.7 Relevance of measurement.....	30
6.8 Visual inspection for cleanliness and cleaning of cabling interfaces .....	30
6.9 Testing of installed cabling.....	31
6.9.1 General .....	31
6.9.2 Attenuation of single fibre connector cabling – LSPM .....	31
6.9.3 Attenuation of multi-fibre connector cabling – LSPM .....	43
6.9.4 Attenuation of link and channel by means of OTDR testing.....	53

6.9.5	Propagation delay.....	57
6.9.6	Length.....	57
6.9.7	Optical fibre continuity.....	59
6.9.8	Cabling polarity.....	59
6.9.9	Optical fibre core size.....	59
7	Performance assessment of installed cabling components using OTDR.....	59
7.1	General.....	59
7.2	OTDR basis.....	59
7.3	Fundamental parameters that define the operational capability of an OTDR.....	60
7.3.1	Dynamic range.....	60
7.3.2	Dynamic margin.....	61
7.3.3	Pulse width.....	61
7.3.4	Averaging time.....	61
7.3.5	Dead zone.....	61
7.3.6	Group index.....	61
7.3.7	Measurement range.....	62
7.3.8	Distance sampling.....	62
7.3.9	Event threshold.....	62
7.4	Bi-directional measurement.....	62
7.5	Attenuation of optical fibre cable.....	63
7.5.1	Test method.....	63
7.5.2	Treatment of results.....	64
7.6	Attenuation of local and remote test interfaces.....	64
7.6.1	Test method.....	64
7.6.2	Test system measurement uncertainties.....	65
7.6.3	Treatment of results.....	65
7.7	Attenuation of connecting hardware.....	66
7.7.1	Test method.....	66
7.7.2	Test system measurement uncertainties.....	67
7.7.3	Treatment of results.....	67
7.8	Return loss of connecting hardware.....	68
7.8.1	General.....	68
7.8.2	Test method.....	68
7.8.3	Test system measurement uncertainties.....	69
7.8.4	Treatment of results.....	69
7.9	Optical fibre length.....	70
7.9.1	Test method.....	70
7.9.2	Measurement uncertainties.....	72
7.9.3	Treatment of results.....	72
8	Test result documentation.....	73
Annex A (normative)	Test cord attenuation verification.....	74
A.1	General requirements.....	74
A.2	Attenuation (test and substitution test cord reference connections).....	74
Annex B (informative)	Quality planning.....	76
B.1	General.....	76
B.2	Specification of cabling components.....	77
B.3	Treatment of non-compliant results.....	77

Annex C (informative) Examples of calculations of channel and permanent link limits .....	78
C.1 Channel measurement .....	78
C.2 Permanent link measurement.....	79
Annex D (informative) Optional inspection of polished end face of test connectors.....	80
Annex E (normative) Cleaning of connectors.....	82
E.1 General.....	82
E.2 Cleaning procedure for LC multimode cabling interface.....	82
E.3 Cleaning procedure for the LC single-mode cabling interfaces .....	83
E.4 Cleaning procedure for the LC/APC single-mode cabling interfaces .....	84
E.5 Cleaning procedure for single-mode (SM) MPO APC cabling interface .....	85
Annex F (normative) MPO to MPO link or permanent link – enhanced-three-test-cord method LSPM .....	86
F.1 General.....	86
F.2 Requirements for the test system.....	86
F.3 Test method.....	86
F.4 Measurement uncertainties .....	88
F.5 Treatment of results .....	88
Bibliography.....	89
Figure 1 – Relationship of related International Standards .....	9
Figure 2 – OTDR characterization using a launch test cord and a tail test cord .....	21
Figure 3 – An example of test cord labelling and identification .....	24
Figure 4 – OTDR launch test cord and tail test cord schematic .....	25
Figure 5 – Normal illumination (left) and illumination with floodlight (right) .....	27
Figure 6 – Representative reference planes for channels, links, permanent links, E2E links, MPTL.....	28
Figure 7 – Test reference planes .....	29
Figure 8 – Fibre end face cleaning cycle .....	31
Figure 9 – Connection of LS to LTC to PM for reference setting .....	33
Figure 10 – Connection of LTC to TTC to verify attenuation of reference connectors .....	33
Figure 11 – Connections to link or permanent link for attenuation measurement .....	34
Figure 12 – Connection of LS to LTC to PM for reference setting .....	36
Figure 13 – Connection of LTC to TTC to verify attenuation of reference connectors .....	36
Figure 14 – Connections to E2E link for attenuation measurement.....	37
Figure 15 – Connection of LS to LTC to near end EQP cord to PM for reference setting .....	39
Figure 16 – Connections to channel test for attenuation measurement.....	39
Figure 17 – Connection of LS to LTC to PM for reference setting .....	41
Figure 18 – Connection of LTC to TTC to verify attenuation of reference connectors .....	41
Figure 19 – Connections to MPTL for attenuation measurement .....	42
Figure 20 – Connection of LS to LTC to PM for reference setting .....	44
Figure 21 – Connection of LTC to TTC for test-cord verification .....	44
Figure 22 – Connections to link or permanent link attenuation .....	45
Figure 23 – Connection of LS to LTC to PM for reference setting .....	47
Figure 24 – Connection of LTC to PCTC to TTC to verify the attenuation of reference connectors .....	47

Figure 25 – Connections to E2E link for attenuation measurement.....	48
Figure 26 – Connection of LS to LTC to PM for reference setting.....	50
Figure 27 – Connection of LTC to TTC for test-cord verification.....	50
Figure 28 – Connection of LTC to PCTC to TTC for enhanced-three-test-cord verification.....	50
Figure 29 – MPO to single fibre link attenuation testing where no pin conversion is required on launch test cord.....	51
Figure 30 – MPO to single fibre link attenuation testing where pin conversion is required on LTC.....	51
Figure 31 – OTDR measurement of installed cabling (permanent link) – linear regression measurement method.....	54
Figure 32 – OTDR measurement of installed cabling (channel): two-point attenuation measurement method.....	56
Figure 33 – OTDR measurement of optical fibre attenuation.....	64
Figure 34 – OTDR measurement of connection attenuation.....	66
Figure 35 – OTDR measurement of joint attenuation.....	67
Figure 36 – OTDR measurement of return loss.....	69
Figure 37 – Determination of length using an OTDR.....	71
Figure 38 – OTDR characterization of a SMF permanent link containing a break.....	71
Figure 39 – OTDR characterization of a permanent link containing a macrobend.....	72
Figure A.1 – Measurement of launch test cord, tail test cord and substitution test cord interface attenuation.....	74
Figure E.1 – Example of multimode LC channel interface.....	82
Figure E.2 – Example of multimode LC link interface.....	82
Figure E.3 – Example of MPO channel interface.....	83
Figure E.4 – Example of MPO link interface.....	83
Figure E.5 – Example of MPO ferrule with normal illumination (left) and side illumination (right).....	83
Figure E.6 – Example of single-mode LC channel interface.....	84
Figure E.7 – Example of single-mode LC link interface.....	84
Figure E.8 – Example of single-mode LC/APC channel interface.....	84
Figure E.9 – Example of single-mode LC/APC link interface.....	84
Figure E.10 – Example of SM MPO APC channel interface.....	85
Figure E.11 – Example of SM MPO/APC link interface.....	85
Figure F.1 – Connection of LS to LTC to PM for reference setting.....	87
Figure F.2 – Connection of LTC to STC to TTC for enhanced-three-test-cord verification.....	87
Figure F.3 – Connections to link or permanent link for attenuation measurement where no pin conversion is required on test cords.....	87
Table 1 – MMF spectral requirements.....	19
Table 2 – SMF spectral requirements.....	19
Table 3 – Connector identification and attenuation test limits.....	22
Table 4 – Single fibre MM reference connector requirements.....	22
Table 5 – Single fibre single-mode reference connector requirements.....	23
Table 6 – Multi-fibre MM reference connector requirements.....	23

This is a preview of ISO/IEC 14763-3:2024. [Click here to purchase the full version from the ANSI store.](#)

Table 7 – Multi-fibre single-mode reference connector requirements .....	23
Table 8 – Default group index values .....	62
Table 9 – Default backscattering coefficient values .....	70
Table D.1 – Cladding zone requirements of reference connectors .....	80
Table D.2 – Core zone requirements of reference connectors .....	81

# INFORMATION TECHNOLOGY – IMPLEMENTATION AND OPERATION OF CUSTOMER PREMISES CABLING –

## Part 3: Testing of optical fibre cabling

### FOREWORD

- 1) ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.
- 2) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC and ISO National bodies.
- 3) IEC and ISO documents have the form of recommendations for international use and are accepted by IEC and ISO National bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC and ISO documents is accurate, IEC and ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC and ISO National bodies undertake to apply IEC and ISO documents transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC and ISO document and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC and ISO do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC and ISO marks of conformity. IEC and ISO are not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this document.
- 7) No liability shall attach to IEC and ISO or their directors, employees, servants or agents including individual experts and members of its technical committees and IEC and ISO National bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this ISO/IEC document or any other IEC and ISO documents.
- 8) Attention is drawn to the Normative references cited in this document. Use of the referenced publications is indispensable for the correct application of this document.
- 9) IEC and ISO draw attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC and ISO take no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC and ISO had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch> and [www.iso.org/patents](http://www.iso.org/patents). IEC and ISO shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 14763-3 has been prepared by subcommittee 25: Interconnection of information technology equipment, of ISO/IEC joint technical committee 1: Information technology. It is an International Standard.

This third edition cancels and replaces the second edition published in 2014 and Amendment 1:2018. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) removal of plastic fibre testing;
- b) addition of testing of MPO cabling;
- c) restructuring of the content;
- d) addition of end-to-end link LSPM testing;
- e) addition of MPTL LSPM testing;
- f) addition of measurement uncertainty for all measurement methods;