

This is a preview of "ISO/IEC 15444-9:2005". [Click here to purchase the full version from the ANSI store.](#)

First edition
2005-12-01

Information technology — JPEG 2000 image coding system: Interactivity tools, APIs and protocols

*Technologies de l'information — Système de codage d'image
JPEG 2000: Outils d'interactivité, API et protocoles*

Reference number
ISO/IEC 15444-9:2005(E)



© ISO/IEC 2005

This is a preview of "ISO/IEC 15444-9:2005". [Click here to purchase the full version from the ANSI store.](#)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO/IEC 2005

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

This is a preview of "ISO/IEC 15444-9:2005". [Click here to purchase the full version from the ANSI store.](#)

1	Scope	1
2	Normative references	1
3	Definitions	2
3.1	JPEG 2000 Part 1 definitions	2
3.2	HTTP definitions	2
3.3	JPIP definitions	2
3.4	Symbols	3
4	Abbreviations	5
5	Conventions	5
5.1	ABNF rules	5
5.2	File format ABNF rules	6
5.3	Key to graphical descriptions of boxes (informative)	6
6	General description	7
6.1	JPIP protocol	7
6.2	Purpose	8
7	Conformance	9
	Annex A (normative) – The JPP-stream and JPT-stream media types	10
A.1	Introduction	10
A.2	Message header structure	11
A.3	Data-bins	13
A.4	Conventions for parsing and delivery of JPP-streams and JPT-streams (informative)	21
A.5	Conventions for JPP-stream or JPT-stream Interoperability (informative)	21
	Annex B (normative) – Sessions, channels, cache model and model-sets	22
B.1	Requests within a session vs stateless requests	22
B.2	Channels and sessions	22
B.3	Cache model management	23
B.4	Interrogation and manipulation of model-sets	23
	Annex C (normative) – Client request	24
C.1	Request syntax	24
C.2	Target identification fields	25
C.3	Fields for working with sessions and channels	27
C.4	View-window request fields	28
C.5	Metadata request fields	36
C.6	Data limiting request fields	39
C.7	Server control request fields	39
C.8	Cache management request fields	41
C.9	Upload request parameters	47
C.10	Client capability and preference request fields	47
	Annex D (normative) – Server response signalling	53
D.1	Reply syntax	53
D.2	JPIP response headers	54
D.3	Response data	59
	Annex E (normative) – Uploading images to the server	60
E.1	Introduction	60
E.2	Upload request	60
E.3	Server response	60
E.4	Merging data on the server	61
	Annex F (normative) – Using JPIP over HTTP	63
F.1	Introduction	63
F.2	Requests	63
F.3	Session establishment	64

This is a preview of "ISO/IEC 15444-9:2005". [Click here to purchase the full version from the ANSI store.](#)

F.5	Additional HTTP features	65
F.6	HTTP and length request field (informative)	66
Annex G (normative) – Using JPIP with HTTP requests and TCP returns		67
G.1	Introduction	67
G.2	Client requests	67
G.3	Session establishment	67
G.4	Server responses	68
G.5	TCP and length request field (informative)	68
Annex H (informative) – Using JPIP with alternate transports		69
H.1	Introduction	69
H.2	Reliable requests with unreliable data	69
H.3	Unreliable requests with unreliable data	70
H.4	Request and response syntax	71
H.5	Session establishment	71
Annex I (normative) – Indexing JPEG 2000 files for JPIP		72
I.1	Introduction (informative)	72
I.2	Identifying the use of JPIP index boxes in the JPEG 2000 file format compatibility list	73
I.3	Defined boxes	73
I.4	Association of codestream indexes with codestreams	81
I.5	Placement restrictions (informative)	81
Annex J (normative) – Registration of extensions to this Recommendation International Standard		82
J.1	Introduction to registration	82
J.2	Registration elements	82
J.3	Registration evaluation criteria	82
J.4	Items which can be extended by registration	82
J.5	Registration process	83
J.6	Timeframes for the registration process	83
Annex K (informative) – Application examples		84
K.1	Introduction	84
K.2	Use of JPIP with codestreams in other file formats	84
K.3	Tile-part implementation techniques	84
K.4	Precinct-based implementation techniques	85
K.5	JPIP protocol transcripts	86
K.6	Using JPIP with HTML	89
Annex L (informative) – JPIP ABNF collection		91
L.1	JPIP Request ABNF	91
L.2	JPIP Response BNF	98
Annex M (informative) – Patent statements		101
Annex N (informative) – Bibliography		102

This is a preview of "ISO/IEC 15444-9:2005". [Click here to purchase the full version from the ANSI store.](#)

Figure 1 – Example of the box description figures.....	7
Figure 2 – Example of the superbox description figures	7
Figure 3 – JPIP protocol overview	8
Figure 4 – JPIP protocol stack	8
Figure A.1 – Examples of a JPEG 2000 file, JPIP data-bins and JPIP-stream relationships (after G.J. Colyer and R.A. Clark, IEEE Trans. Consumer Electronics, 49 (2003), pp 850–854)	10
Figure A.2 – VBAS structure	11
Figure A.3 – Bin-ID VBAS structure	11
Figure A.4 – Example precinct data-bin	14
Figure A.5 – Metadata-bin example colour scheme	15
Figure A.6 – A sample JP2 file.....	16
Figure A.7 – A sample JP2 file divided into three metadata-bins.....	16
Figure A.8 – A superbox with a referenced metadata-bin	17
Figure A.9 – An illegal division of the file into metadata-bins	18
Figure A.10 – Example of the use of stream equivalents	19
Figure A.11 – Placeholder box structure	19
Figure C.1 – Desired region within an image	29
Figure C.2 – Desired region with respect to the subsampled reference grid.....	29
Figure C.3 – Colourspace specification box selection procedure	50
Figure G.1 – Response data structure on http-tcp connection	68
Figure I.1 – Part of an example JPEG 2000 file containing JPIP index boxes	73
Figure I.2 – Organization of the contents of a Codestream Index box	74
Figure I.3 – Organization of the contents of a Codestream Finder box	75
Figure I.4 – Organization of the contents of a Manifest box	75
Figure I.5 – Organization of the contents of a Fragment Array Index box.....	76
Figure I.6 – Organization of the contents of a Header Index Table box.....	77
Figure I.7 – Organization of the contents of a Tile-part Index Table box	78
Figure I.8 – Organization of the contents of a Tile Header Index Table box	78
Figure I.9 – Organization of the contents of a Precinct Packet Index Table box.....	78
Figure I.10 – Organization of the contents of a Packet Header Index Table box	79
Figure I.11 – Organization of the contents of a File Index box	80
Figure I.12 – Organization of the contents of a File Finder box.....	80
Figure I.13 – Organization of the contents of a Proxy box.....	80
Figure I.14 – Organization of the contents of an Index Finder box.....	81

This is a preview of "ISO/IEC 15444-9:2005". Click here to purchase the full version from the ANSI store.

Table A.1 – Bin-ID additional VBAS indication.....	12
Table A.2 – Class identifiers for different data-bin message classes.....	12
Table A.3 – Legal values for the Flags field of a Placeholder box.....	20
Table C.1 – Round direction options.....	31
Table C.2 – Metadata request qualifier flags.....	39
Table C.3 – Alignment boundaries based on bin type.....	40
Table C.4 – Legal image return types.....	40
Table C.5 – Cache descriptor option summary.....	44
Table C.6 – Legal capabilities of the <code>processing-capabilities</code> element.....	47
Table C.7 – Legal values of the <code>config-capability</code> parameter.....	48
Table C.8 – View-window handling preferences.....	49
Table C.9 – Colourspace method client preferences.....	50
Table C.10 – Placeholder preferences.....	51
Table C.11 – Codestream sequencing preferences.....	52
Table D.1 – Legal values of <code>transport-param</code>	55
Table D.2 – Defined reason codes.....	59
Table I.1 – Defined boxes (Informative).....	74
Table I.2 – Container type values.....	75
Table I.3 – Version values.....	77
Table K.1 – Example of the use of auxiliary fields in a simple case.....	85
Table K.2 – Example of the use of auxiliary fields in a more complicated case.....	85

This is a preview of "ISO/IEC 15444-9:2005". [Click here to purchase the full version from the ANSI store.](#)

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 15444-9 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*, in collaboration with ITU-T. The identical text is published as ITU-T Rec. T.808.

ISO/IEC 15444 consists of the following parts, under the general title *Information technology — JPEG 2000 image coding system*:

- *Part 1: Core coding system*
- *Part 2: Extensions*
- *Part 3: Motion JPEG 2000*
- *Part 4: Conformance testing*
- *Part 5: Reference software*
- *Part 6: Compound image file format*
- *Part 8: Secure JPEG 2000*
- *Part 9: Interactivity tools, APIs and protocols*
- *Part 11: Wireless JPEG 2000*
- *Part 12: ISO base media file format*

The following parts are under preparation:

- *Part 10: Extensions for three-dimensional data and floating point data*
- *Part 13: An entry level JPEG 2000 encoder*

Introduction

ITU-T Rec. T.800 | ISO/IEC 15444-1 (JPEG 2000) is a specification that describes an image compression system that allows great flexibility, not only for the compression of images but also for access into the codestream. The codestream provides a number of mechanisms for locating and extracting portions of the compressed image data for the purpose of retransmission, storage, display, or editing. This access allows storage and retrieval of compressed image data appropriate for a given application without decoding.

The purpose of this Recommendation | International Standard is to provide a network protocol that allows for the interactive and progressive transmission of JPEG 2000 coded data and files from a server to a client. This protocol allows a client to request only the portions of an image (by region, quality or resolution level) that are applicable to the client's needs. The protocol also allows the client to access metadata or other content from the file.

Any organization contemplating the use of this Recommendation | International Standard should carefully consider its applicability.

The International Telecommunication Union (ITU), the International Organization for Standardization (ISO) and International Electrotechnical Commission (IEC) draw attention to the fact that it is claimed that compliance with this Recommendation | International Standard may involve the use of a patent.

The ITU, ISO and IEC take no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured the ITU, ISO and IEC that he is willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with the ITU, ISO and IEC. Information may be obtained from the companies listed in Annex M.

Attention is drawn to the possibility that some of the elements of this Recommendation | International Standard may be the subject of patent rights other than those identified in Annex M. ITU, ISO and IEC shall not be held responsible for identifying any or all such patent rights.