

This is a preview of "ISO/IEC 15852:1999". [Click here to purchase the full version from the ANSI store.](#)

First edition  
1999-03-01

---

---

## Information technology — Programming languages — M Windowing API

*Technologies de l'information — Langages de programmation — Interface de programme d'application (API) du langage M, utilisant des fenêtres*



Reference number  
ISO/IEC 15852:1999(E)

This is a preview of "ISO/IEC 15852:1999". Click here to purchase the full version from the ANSI store.

## Contents

	<i>Page</i>
1 General .....	1
1.1 Scope .....	1
1.2 Relation to Environment .....	1
1.3 Windows, Elements and Choices .....	1
1.4 Displays .....	2
1.5 Events .....	2
1.6 Attributes .....	2
1.7 Drawing .....	2
1.8 Parents and Children .....	2
2 Normative Reference .....	3
3 Attributes .....	4
3.1 Manipulating Attributes .....	4
3.2 Attribute Definitions .....	5
3.3 Attribute Value Domains .....	6
3.3.1 Length of Character Strings .....	6
3.3.2 Colors .....	6
3.3.3 Characters and the Empty String .....	6
3.3.4 True/False Values .....	7
3.3.5 Implementation and Application Attributes .....	7
3.3.6 External Resources .....	7
3.3.7 Fonts .....	8
3.3.8 Identifiers .....	9
3.3.9 Position, Size and Units .....	10
3.3.10 Display Characteristics .....	11
3.3.11 Drawing Characteristics .....	12
3.3.12 Orientation .....	13
3.3.13 Key and Pointer Button Codes .....	13
3.3.14 Insertion Point and Selection Range .....	13
3.3.15 Title Position .....	13
3.3.16 Choice Layout .....	14
3.3.17 Modality .....	14
3.3.18 Scrolling .....	14
3.3.19 Focus Location .....	15
4 Displays .....	15
4.1 Display Attributes .....	15
4.1.1 BCOLOR .....	16
4.1.2 CLIPBOARD .....	16

© ISO/IEC 1999

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

This is a preview of "ISO/IEC 15852:1999". [Click here to purchase the full version from the ANSI store.](#)

4.1.4	COLORTYPE .....	16
4.1.5	FCOLOR .....	16
4.1.6	FOCUS .....	17
4.1.7	KEYBOARD .....	17
4.1.8	PEN .....	17
4.1.9	PLATFORM .....	17
4.1.10	PTR .....	18
4.1.11	SIZE .....	18
4.1.12	SPECTRUM .....	18
4.1.13	TYPEFACE .....	18
4.1.14	UNITS .....	19
5	Windows .....	19
5.1	Window Types .....	19
5.1.1	MTERM Windows .....	20
5.2	Window Components .....	20
5.3	Window Repainting .....	20
5.4	Window Attributes .....	20
5.4.1	Applicability of Window Attributes .....	21
5.4.2	ACTIVE .....	23
5.4.3	BCOLOR .....	23
5.4.4	COLOR .....	23
5.4.5	DEFBUTTON .....	23
5.4.6	DISPLAY .....	24
5.4.7	EVENT .....	24
5.4.8	FCOLOR .....	24
5.4.9	FFACE .....	24
5.4.10	FSIZE .....	24
5.4.11	FSTYLE .....	25
5.4.12	ICON .....	25
5.4.13	ICONIFY .....	25
5.4.14	ID .....	25
5.4.15	ITITLE .....	25
5.4.16	MENUBAR .....	26
5.4.17	MIN .....	26
5.4.18	MODAL .....	26
5.4.19	NEXTG .....	26
5.4.20	PARENT .....	27
5.4.21	POS .....	27
5.4.22	RESIZE .....	28
5.4.23	SCROLL .....	28
5.4.24	SIZE .....	28
5.4.25	SIZEMIN .....	29
5.4.26	SIZEMIN .....	29
5.4.27	TIED .....	29
5.4.28	TITLE .....	30
5.4.29	TYPE .....	30
5.4.30	UNITS .....	30
5.4.31	VISIBLE .....	30
6	Elements .....	31
6.1	Gadgets .....	31
6.1.1	Check Box .....	31
6.1.2	Document .....	32
6.1.3	Generic Box .....	32
6.1.4	Group Frame .....	32
6.1.5	Label .....	32

This is a preview of "ISO/IEC 15852:1999". [Click here to purchase the full version from the ANSI store.](#)

6.1.7	List Button .....	32
6.1.8	List Entry Box .....	32
6.1.9	Long List Box .....	33
6.1.10	Push Button .....	33
6.1.11	Radio Button Set .....	33
6.1.12	Scroll .....	33
6.1.13	Symbol .....	33
6.1.14	Text .....	33
6.2	Menus .....	33
6.3	Timers .....	34
6.4	Element Attributes .....	34
6.4.1	ACTIVE .....	38
6.4.2	BCOLOR .....	38
6.4.3	CANCEL .....	38
6.4.4	CANCHANGE .....	38
6.4.5	CHANGED .....	38
6.4.6	CHARMAX .....	39
6.4.7	CHOICE .....	39
6.4.8	DRAW .....	39
6.4.9	DRAWTYPE .....	40
6.4.10	EVENT .....	40
6.4.11	FCOLOR .....	40
6.4.12	FFACE .....	40
6.4.13	FRAMED .....	40
6.4.14	FSIZE .....	41
6.4.15	FSTYLE .....	41
6.4.16	ID .....	41
6.4.17	INSELECT .....	41
6.4.18	INTERVAL .....	42
6.4.19	NEXTG .....	42
6.4.20	POS .....	43
6.4.21	RESOURCE .....	43
6.4.22	ROWCOL .....	44
6.4.23	SCROLL .....	44
6.4.24	SCROLLBY .....	45
6.4.25	SCROLLDIR .....	45
6.4.26	SCROLLPOS .....	45
6.4.27	SCROLLRANGE .....	46
6.4.28	SELECTMAX .....	46
6.4.29	SELECTVAL .....	46
6.4.30	SIZE .....	47
6.4.31	TBCOLOR .....	48
6.4.32	TFCOLOR .....	48
6.4.33	TFFACE .....	48
6.4.34	TFSIZE .....	48
6.4.35	TFSTYLE .....	49
6.4.36	TITLE .....	49
6.4.37	TOPSHOW .....	49
6.4.38	TPOS .....	50
6.4.39	TYPE .....	50
6.4.40	UNITS .....	50
6.4.41	VALUE .....	50
6.4.42	VISIBLE .....	52
6.5	Choice Attributes .....	52
6.5.1	Applicability of Choice Attributes .....	53
6.5.2	ACCELERATOR .....	53
6.5.3	ACTIVE .....	53

This is a preview of "ISO/IEC 15852:1999". [Click here to purchase the full version from the ANSI store.](#)

6.5.5	EVENT .....	54
6.5.6	MARKER .....	54
6.5.7	SEPARATOR .....	54
6.5.8	SUBMENU .....	55
7	Drawing .....	55
7.1	Draw Command Numbers .....	55
7.2	Draw Commands .....	56
7.2.1	ARC .....	56
7.2.2	BCOLOR .....	57
7.2.3	BITMAP .....	57
7.2.4	BOX .....	57
7.2.5	DMODE .....	57
7.2.6	DRAWTEXT .....	58
7.2.7	FCOLOR .....	58
7.2.8	FFACE .....	58
7.2.9	FILLPAT .....	58
7.2.10	FSIZE .....	59
7.2.11	FSTYLE .....	59
7.2.12	LINE .....	59
7.2.13	OVAL .....	59
7.2.14	PENSIZE .....	59
7.2.15	PICTURE .....	60
7.2.16	PIE .....	60
7.2.17	POINT .....	60
8	Events .....	60
8.1	Event Types .....	60
8.1.1	Window State Events .....	61
8.1.2	Pointer Events .....	61
8.1.3	Keyboard Events .....	62
8.1.4	Focus Events .....	62
8.1.5	Select Events .....	63
8.1.6	Long List Box Events .....	64
8.1.7	Help Events .....	64
8.1.8	Timer Events .....	64
8.1.9	Applicability of Event Types .....	64
8.2	Event Specification Attributes .....	68
8.2.1	ENABLE .....	68
8.2.2	FILTERIN .....	68
8.3	Processing Events .....	69
8.4	Event Commands .....	69
8.4.1	ESTART .....	69
8.4.2	ESTOP .....	70
8.4.3	ETRIGGER .....	70
8.5	Event Information .....	71
8.5.1	CHOICE .....	71
8.5.2	CLASS .....	72
8.5.3	ELEMENT .....	72
8.5.4	KEY .....	72
8.5.5	NEXTFOCUS .....	72
8.5.6	PRIORFOCUS .....	73
8.5.7	OK .....	73
8.5.8	PBUTTON .....	73
8.5.9	PPOS .....	73
8.5.10	PSTATE .....	74
8.5.11	SEQUENCE .....	74

This is a preview of "ISO/IEC 15852:1999". Click here to purchase the full version from the ANSI store.

8.5.13	WINDOW .....	74
8.5.14	Applicability of Event Information Attributes .....	75
9	Additional Functions and Special Variables .....	78
9.1	Functions .....	78
9.1.1	\$WFONT .....	78
9.1.2	\$WTFIT .....	78
9.1.3	\$WTWIDTH .....	79
9.2	Special Variables .....	79
10	Error Handling .....	79
10.1	Error Information .....	79
10.2	Errors .....	80
11	Conformance .....	81
11.1	Implementations .....	81
11.1.1	Conforming Implementation .....	81
11.1.2	MDC Conforming Implementation .....	83
11.1.3	MDC Strictly Conforming Implementation .....	83
11.1.4	MDC Partial Implementation .....	83
11.1.5	Multiple Levels of Conformance .....	83
Index	.....	84

## Tables

Window Attributes .....	22
Element Attributes .....	36
Choice Attributes .....	53
Events .....	65
Event Information .....	76
Implementation Definition .....	81
Implementation-Specific Features .....	81
Portability Limits .....	82
Unimplemented Features .....	82

This is a preview of "ISO/IEC 15852:1999". [Click here to purchase the full version from the ANSI store.](#)

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

International Standard ISO/IEC 15852 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 22, *Programming languages, their environments and system software interfaces*.