

Second edition
2015-09-01

Information technology — Common Biometric Exchange Formats Framework —

Part 3: Patron format specifications

*Technologies de l'information — Cadre de formats d'échange
biométriques communs —*

Partie 3: Spécifications de format d'utilisateur



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

This is a preview of "ISO/IEC 19785-3:2015". Click here to purchase the full version from the ANSI store.

Contents

	Page
Foreword	vii
Introduction	viii
1 Scope	1
2 Conformance	1
3 Normative references	1
4 Terms and definitions	2
5 Symbols and abbreviated terms	2
6 ASN.1 type definitions for CBEFF data elements and abstract values	2
6.1 General.....	2
6.2 CBEFF data elements type definitions module.....	2
7 Patron format specification: Minimum simple bit-oriented patron format (deprecated)	5
7.1 Patron.....	5
7.2 Patron format owner.....	5
7.3 Patron format name.....	5
7.4 Patron format type.....	5
7.5 ASN.1 object identifier for this patron format.....	5
7.6 Domain of use.....	5
7.7 Version identifier.....	5
7.8 CBEFF version.....	5
7.9 General.....	5
7.10 Bit oriented patron format specification.....	6
8 Patron format specification: Minimum simple byte-oriented patron format (deprecated)	6
8.1 Patron.....	6
8.2 Patron format owner.....	6
8.3 Patron format name.....	7
8.4 Patron format type.....	7
8.5 ASN.1 object identifier for this patron format.....	7
8.6 Domain of use.....	7
8.7 Version identifier.....	7
8.8 CBEFF version.....	7
8.9 General.....	7
9 Patron format specification: Fixed-length-fields, byte-oriented patron format using presence bit-map (deprecated)	7
9.1 Patron.....	7
9.2 Patron format owner.....	7
9.3 Patron format name.....	8
9.4 Patron format type.....	8
9.5 ASN.1 object identifier for this patron format.....	8
9.6 Domain of use.....	8
9.7 Version identifier.....	8
9.8 CBEFF version.....	8
9.9 General.....	8
9.10 Specification.....	9
10 Patron format specification: Fixed-length-fields, bit-oriented patron format using presence bit-map (deprecated)	11
10.1 Patron.....	11
10.2 Patron format owner.....	11
10.3 Patron format name.....	12
10.4 Patron format type.....	12
10.5 ASN.1 object identifier for this patron format.....	12

10.6	Domain of use	12
10.7	Version identifier	12
10.8	CBEFF version.....	12
10.9	General.....	12
10.10	Specification.....	12
11	Patron format specification: TLV-encoded patron format, for use with smartcards or other tokens	13
11.1	Patron.....	13
11.2	Patron format owner	13
11.3	Patron format name.....	13
11.4	Patron format type.....	13
11.5	ASN.1 object identifier for this patron format	13
11.6	Domain of Use	14
11.7	Version identifier	14
11.8	CBEFF version	14
11.9	General.....	14
11.10	ASN.1 specification.....	16
11.11	Tabular representations for information	17
	11.11.1 The Biometric Information Template used for on-card biometric comparison.....	17
	11.11.2 The Biometric Information Template used for off-card biometric comparison	19
11.12	The Group BIT Data Object.....	21
11.13	Abstract values and encodings for biometric type and subtype	21
11.14	Illustrative examples	22
12	Patron format specification: complex patron format (deprecated)	22
12.1	Patron.....	22
12.2	Patron format owner	22
12.3	Patron format name.....	22
12.4	Patron format type.....	22
12.5	ASN.1 object identifier for this patron format	22
12.6	Domain of use	23
12.7	Version identifier	23
12.8	CBEFF version	23
12.9	General.....	23
12.10	Specification.....	24
12.11	Illustrative examples.....	28
12.12	ASN.1 definition (provided for illustrative purposes only)	32
13	Patron format specification: XML patron format (with additional data elements)	34
13.1	Patron.....	34
13.2	Patron format owner	34
13.3	Patron format name.....	34
13.4	Patron format type.....	34
13.5	ASN.1 object identifier for this patron format	34
13.6	Domain of use	34
13.7	Version identifier	34
13.8	CBEFF version.....	34
13.9	General.....	34
13.10	Specification.....	35
13.11	Element <BIR>	36
	13.11.1 Syntax.....	36
	13.11.2 Semantics	36
13.12	Element <Version>	37
	13.12.1 Syntax.....	37
	13.12.2 Semantics	37
13.13	Element <CBEFFVersion>.....	38
	13.13.1 Syntax.....	38
	13.13.2 Semantics	38
13.14	Element <BIRInfo>.....	38

This is a preview of "ISO/IEC 19785-3:2015". Click here to purchase the full version from the ANSI store.

13.14.1	Syntax	38
13.14.2	Semantics	39
13.15	Element <BDBInfo>	40
13.15.1	Syntax	40
13.15.2	Semantics	41
13.16	Element <Format> of BDBInfoType	45
13.16.1	Syntax	45
13.16.2	Semantics	45
13.17	Element <Product>	45
13.17.1	Syntax	45
13.17.2	Semantics	45
13.18	Element <CaptureDevice>	46
13.18.1	Syntax	46
13.18.2	Semantics	46
13.19	Element <FeatureExtractionAlgorithm>	46
13.19.1	Syntax	46
13.19.2	Semantics	46
13.20	Element <ComparisonAlgorithm>	47
13.20.1	Syntax	47
13.20.2	Semantics	47
13.21	Element <CompressionAlgorithm>	47
13.21.1	Syntax	47
13.21.2	Semantics	47
13.22	Element <Quality>	47
13.22.1	Syntax	47
13.22.2	Semantics	48
13.23	Element <Algorithm>	48
13.23.1	Syntax	48
13.23.2	Semantics	48
13.24	Element <SBInfo>	48
13.24.1	Syntax	48
13.24.2	Semantics	49
13.25	Element <Format> of SBInfoType	49
13.25.1	Syntax	49
13.25.2	Semantics	49
13.26	Representation of Integers	49
13.27	Representation of Octet Strings	49
13.28	Representation of Date and Time of the Day	50
13.29	Representation of Universally Unique Identifiers	50
13.30	XML schema of the patron format	51
13.31	ASN.1 schema of the patron format	54
13.32	An example of a simple BIR in XML encoding (complying with the ASN.1 schema, the XSD schema, and the normative textual description)	56
13.33	An example of a complex BIR in XML encoding (complying with the ASN.1 schema, the XSD schema, and the normative textual description)	57
14	Patron format specification: complex patron format (with additional data elements)	59
14.1	Patron	59
14.2	Patron format owner	59
14.3	Patron format name	59
14.4	Patron format type	59
14.5	ASN.1 object identifier for this patron format	60
14.6	Domain of use	60
14.7	Version identifier	60
14.8	CBEFF version	60
14.9	General	60
14.10	Specification	61
14.11	Illustrative examples	66
14.12	ASN.1 definition (provided for illustrative purposes only)	70

This is a preview of "ISO/IEC 19785-3:2015". [Click here to purchase the full version from the ANSI store.](#)

Annex A (informative) Guidelines on the specification of patron formats	73
Annex B (informative) Conformance of the defined patron formats	77

This is a preview of "ISO/IEC 19785-3:2015". Click here to purchase the full version from the ANSI store.

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/IEC JTC 1, *Information technology*, Subcommittee SC 37, *Biometrics*.

This second edition cancels and replaces the first edition (ISO/IEC 19785-3:2007), Clauses 13 and 15 of which have been merged into [Clause 13](#) (XML patron format). Minor updates have been made throughout the document to reflect vocabulary harmonization and updated committee procedures.

It also incorporates the Amendment ISO/IEC 19785-3:2007/Amd 1:2010.

ISO/IEC 19785 consists of the following parts, under the general title *Information technology — Common Biometric Exchange Formats Framework*:

- *Part 1: Data element specifications*
- *Part 2: Procedures for the operation of the Biometric Registration Authority*
- *Part 3: Patron format specifications*
- *Part 4: Security block format specifications*

Introduction

Biometric-based authentication systems and applications are expected to support multiple biometric devices and multiple biometric data formats. The Common Biometric Exchange Formats Framework (CBEFF) promotes interoperability of biometric-based application programs and systems developed by different vendors by facilitating biometric data interchange.

ISO/IEC 19785-1:2006 defines the following items that enable standardized biometric data interchange:

- a) a 3-part standardized structure for biometric information records (BIRs) consisting of:
 - 1) standardized biometric headers (SBHs);
 - 2) biometric data blocks (BDBs, which can be standardized or proprietary);
 - 3) optional security blocks (SBs);
- b) variations of the 3-part structure to support BIRs containing:
 - 1) only one SBH, one BDB, and possibly one SB (simple BIRs);
 - 2) more than one BDB along with the SBHs necessary to encode the BIR's structure and some number of SBs (complex BIRs);
- c) more than 20 data elements and their associated abstract values that can be used in an SBH to describe attributes of a BDB within a BIR, as well as attributes of the BIR itself;
- d) the concept of a CBEFF patron format (but ISO/IEC 19785-1:2006 does not itself define any patron formats), which is a detailed specification of the structure and content of a particular, standardized BIR;
- e) the concept of a CBEFF patron, which is a recognized standards organization that has registered with the Biometric Registration Authority and declared its intention to define CBEFF patron format specifications;
- f) the concept of the Biometric Registration Authority (RA), which is the mechanism by which unique identifiers are assigned to organizations (standards organizations, vendors, and others) that create BDB formats and CBEFF patron formats (ISO/IEC 19785-2:2006 defines the responsibilities and operations of the Biometric RA);
- g) CBEFF data elements [see c) above] that support, within the SBH, the unique identifiers assigned by the Biometric RA for biometric organizations, BDB formats, biometric products, capture devices, feature extraction algorithms, comparison algorithms, quality algorithms, compression algorithms, patron formats, and SB formats.

Patron formats can be specified in other standards documents and registered in the CBEFF Registration Authority (see ISO/IEC 19785-2:2006), for example, there is a registered patron format specified in ISO/IEC 9834-1:2006. For a complete list of registered patron formats, consult the CBEFF Registration Authority web site.

This part of ISO/IEC 19785 specifies a number of CBEFF patron formats that are considered to be of general utility in a variety of domains of use. Additional SC 37 patron format specifications can be published as new clauses in future amendments to this part of ISO/IEC 19785, or in other SC 37 International Standards.

The CBEFF patron format type unambiguously identifies the CBEFF patron format within the scope of the CBEFF patron format owner. The CBEFF patron format type is unambiguous within the scope of an ASN.1 Object Identifier (see ISO/IEC 9834-1) that identifies the Biometric Registration Authority (see

This is a preview of "ISO/IEC 19785-3:2015". [Click here to purchase the full version from the ANSI store.](#)

ISO/IEC 19785-2:2006). That ASN.1 Object Identifier (OID) is itself globally unambiguous within the scope of all ASN.1 Object Identifiers, which forms a widely-used global name-space.

NOTE ASN.1 Object Identifiers are used by ITU-T, ITU-R, the UPU, many ISO, and IEC Standards, to identify some IETF MIME types, and for many other purposes. (These acronyms have not been spelled out, as the precise identification of these organizations is not relevant to this International Standard.)

The combination of the Biometric Registration Authority OID, the CBEFF patron format owner, and the CBEFF patron format type forms a larger ASN.1 OID that provides an unambiguous identification of the CBEFF patron format. This part of ISO/IEC 19785 specifies, for each CBEFF patron format that it defines, the ASN.1 OID that unambiguously identifies that CBEFF patron format.