

Third edition
2023-01

Information technology — Programming languages, their environments and system software interfaces — Programming language COBOL

*Technologies de l'information — Langages de programmation, leur
environnement et interfaces des logiciels de systèmes — Langage de
programmation COBOL*



Reference number
ISO/IEC 1989:2023(E)

© ISO/IEC 2023



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

| | |
|---|--------|
| Contents | iii |
| Tables | xxiv |
| Figures | xxv |
| Foreword | xxvi |
| Introduction | xxviii |
| 1 Scope | 1 |
| 2 Normative references | 2 |
| 3 Terms and definitions | 3 |
| 4 Conformance to this Working Draft International Standard | 21 |
| 4.1 General | 21 |
| 4.2 A conforming implementation | 21 |
| 4.2.1 General | 21 |
| 4.2.2 Acceptance of standard language elements | 21 |
| 4.2.3 Interaction with non-COBOL runtime modules | 21 |
| 4.2.4 Interaction between COBOL implementations | 21 |
| 4.2.5 Implementor-defined language elements | 22 |
| 4.2.6 Processor-dependent language elements | 22 |
| 4.2.7 Optional language elements | 22 |
| 4.2.8 Reserved words | 23 |
| 4.2.9 Standard extensions | 23 |
| 4.2.10 Nonstandard extensions | 23 |
| 4.2.11 Substitute or additional language elements | 24 |
| 4.2.12 Archaic language elements | 24 |
| 4.2.13 Obsolete language elements | 24 |
| 4.2.14 Externally-provided functionality | 24 |
| 4.2.15 Limits | 24 |
| 4.2.16 User documentation | 25 |
| 4.2.17 Character substitution | 25 |
| 4.3 A conforming compilation group | 25 |
| 4.4 A conforming run unit | 25 |
| 4.5 Relationship of a conforming compilation group to a conforming implementation | 26 |
| 4.6 Relationship of a conforming run unit to a conforming implementation | 26 |
| 5 Description techniques | 27 |
| 5.1 General | 27 |
| 5.2 General formats | 27 |

| | | |
|--------|--------------------------------|----|
| 5.2.1 | General | 27 |
| 5.2.2 | Keywords | 27 |
| 5.2.3 | Optional words | 28 |
| 5.2.4 | Operands | 28 |
| 5.2.5 | Level numbers | 28 |
| 5.2.6 | Options | 29 |
| 5.2.7 | Ellipses | 29 |
| 5.2.8 | Punctuation | 29 |
| 5.2.9 | Special characters | 30 |
| 5.2.10 | Meta-terms | 30 |
| 5.3 | Rules | 30 |
| 5.3.1 | General | 30 |
| 5.3.2 | Syntax rules | 30 |
| 5.3.3 | General rules | 30 |
| 5.3.4 | Argument rules | 30 |
| 5.3.5 | Returned value rules | 30 |
| 5.4 | Arithmetic expressions | 31 |
| 5.4.1 | General | 31 |
| 5.4.2 | Textually subscripted operands | 31 |
| 5.4.3 | Ellipses | 31 |
| 5.5 | Integer operands | 31 |
| 5.6 | Informal description | 32 |
| 5.7 | Hyphens in text | 32 |
| 6 | Reference format | 33 |
| 6.1 | General | 33 |
| 6.2 | Indicators | 33 |
| 6.2.1 | General | 33 |
| 6.2.2 | Fixed indicators | 34 |
| 6.2.3 | Floating indicators | 34 |
| 6.3 | Fixed-form reference format | 36 |
| 6.3.1 | General | 36 |
| 6.3.2 | Sequence number area | 36 |
| 6.3.3 | Indicator area | 36 |
| 6.3.4 | Program-text area | 37 |
| 6.3.5 | Continuation of lines | 37 |
| 6.3.6 | Blank lines | 38 |
| 6.3.7 | Comments | 38 |
| 6.4 | Free-form reference format | 38 |
| 6.4.1 | General | 38 |
| 6.4.2 | Continuation of lines | 39 |
| 6.4.3 | Blank lines | 39 |
| 6.4.4 | Comments | 39 |
| 6.5 | Logical conversion | 40 |
| 7 | Compiler directing facility | 42 |

| | | |
|--------|-------------------------------------|----|
| 7.1 | General | 42 |
| 7.2 | Text manipulation | 43 |
| 7.2.1 | General | 43 |
| 7.2.2 | Text manipulation elements | 44 |
| 7.2.3 | COPY statement | 46 |
| 7.2.4 | REPLACE statement | 50 |
| 7.3 | Compiler directives | 54 |
| 7.3.1 | General | 54 |
| 7.3.2 | General format | 54 |
| 7.3.3 | Syntax rules | 54 |
| 7.3.4 | General rules | 55 |
| 7.3.5 | Conditional compilation | 55 |
| 7.3.6 | Compile-time arithmetic expressions | 55 |
| 7.3.7 | Compile-time boolean expressions | 56 |
| 7.3.8 | Constant conditional expression | 57 |
| 7.3.9 | CALL-CONVENTION directive | 59 |
| 7.3.10 | COBOL-WORDS directive | 60 |
| 7.3.11 | DEFINE directive | 62 |
| 7.3.12 | DISPLAY directive | 64 |
| 7.3.13 | EVALUATE directive | 66 |
| 7.3.14 | FLAG-02 directive | 70 |
| 7.3.15 | FLAG-14 directive | 72 |
| 7.3.16 | IF directive | 75 |
| 7.3.17 | LEAP-SECOND directive | 76 |
| 7.3.18 | LISTING directive | 78 |
| 7.3.19 | PAGE directive | 79 |
| 7.3.20 | POP directive | 80 |
| 7.3.21 | PROPAGATE directive | 81 |
| 7.3.22 | PUSH directive | 82 |
| 7.3.23 | REF-MOD-ZERO-LENGTH directive | 83 |
| 7.3.24 | SOURCE FORMAT directive | 84 |
| 7.3.25 | TURN directive | 85 |
| 8 | Language fundamentals | 87 |
| 8.1 | Character sets | 87 |
| 8.1.1 | General | 87 |
| 8.1.2 | Computer's coded character set | 87 |
| 8.1.3 | COBOL character repertoire | 90 |
| 8.1.4 | Alphabets | 93 |
| 8.1.5 | Collating sequences | 93 |
| 8.2 | Locales | 94 |
| 8.2.1 | General | 94 |
| 8.2.2 | Locale field names | 95 |
| 8.3 | Lexical elements | 97 |
| 8.3.1 | General | 97 |
| 8.3.2 | COBOL words | 97 |

| | | |
|-----------|--|-----|
| 8.3.2.1 | General | 97 |
| 8.3.2.2 | User-defined words | 97 |
| 8.3.2.3 | System-names | 103 |
| 8.3.2.3.1 | General | 103 |
| 8.3.2.4 | Reserved words | 105 |
| 8.3.2.4.1 | General | 105 |
| 8.3.2.5 | Context-sensitive words | 106 |
| 8.3.2.6 | Intrinsic-function-names | 106 |
| 8.3.2.7 | Exception-names | 106 |
| 8.3.3 | Literals | 106 |
| 8.3.3.1 | General | 106 |
| 8.3.3.2 | Alphanumeric literals | 107 |
| 8.3.3.2.1 | General | 107 |
| 8.3.3.2.2 | General format | 107 |
| 8.3.3.2.3 | Syntax rules | 107 |
| 8.3.3.2.4 | General rules | 108 |
| 8.3.3.3 | Numeric literals | 109 |
| 8.3.3.4 | Boolean literals | 110 |
| 8.3.3.5 | National literals | 111 |
| 8.3.3.6 | Figurative constant values | 113 |
| 8.3.4 | Picture character-strings | 117 |
| 8.3.5 | Separators | 117 |
| 8.4 | References | 119 |
| 8.4.1 | General | 119 |
| 8.4.2 | Uniqueness of reference | 119 |
| 8.4.2.1 | General | 119 |
| 8.4.2.2 | Qualification | 119 |
| 8.4.2.3 | Subscripts | 122 |
| 8.4.2.3.1 | General | 122 |
| 8.4.2.3.2 | General format | 122 |
| 8.4.2.3.3 | Syntax rules | 123 |
| 8.4.2.3.4 | General rules | 124 |
| 8.4.3 | Identifiers | 124 |
| 8.4.3.1 | Identifier | 124 |
| 8.4.3.2 | Function-identifier | 127 |
| 8.4.3.3 | Reference-modification | 131 |
| 8.4.3.4 | Inline method invocation | 133 |
| 8.4.3.5 | Object-view | 134 |
| 8.4.3.6 | EXCEPTION-OBJECT | 135 |
| 8.4.3.7 | NULL object reference | 136 |
| 8.4.3.8 | SELF and SUPER | 136 |
| 8.4.3.9 | Object property | 137 |
| 8.4.3.10 | NULL address pointer and message tag content | 139 |
| 8.4.3.11 | Data-address-identifier | 139 |
| 8.4.3.12 | Function-address-identifier | 140 |
| 8.4.3.13 | Program-address-identifier | 141 |

| | | |
|------------|--|-----|
| 8.4.3.14 | LINAGE-COUNTER | 142 |
| 8.4.3.15 | Report counters | 143 |
| 8.4.4 | Condition-name | 144 |
| 8.4.5 | Explicit and implicit data item references | 145 |
| 8.4.6 | Scope of names | 146 |
| 8.4.6.1 | General | 146 |
| 8.4.6.2 | Local and global names | 147 |
| 8.4.6.3 | Scope of program-names | 149 |
| 8.4.6.4 | Scope of object-class-names and interface-names | 149 |
| 8.4.6.5 | Scope of method-names | 149 |
| 8.4.6.6 | Scope of function-prototype-names | 150 |
| 8.4.6.7 | Scope of user-function-names | 150 |
| 8.4.6.8 | Scope of program-prototype-names | 150 |
| 8.4.6.9 | Scope of compilation-variable-names | 150 |
| 8.4.6.10 | Scope of parameter-names | 150 |
| 8.4.6.11 | Scope of property-names | 150 |
| 8.5 | Data description and representation | 151 |
| 8.5.1 | Computer independent data description | 151 |
| 8.5.1.1 | General | 151 |
| 8.5.1.2 | Files and records | 151 |
| 8.5.1.3 | Levels | 151 |
| 8.5.1.3.1 | General | 151 |
| 8.5.1.3.2 | Level-numbers | 152 |
| 8.5.1.3.3 | Tables | 152 |
| 8.5.1.4 | Limitations of character handling | 153 |
| 8.5.1.5 | Algebraic signs | 153 |
| 8.5.1.6 | Alignment of data items in storage | 154 |
| 8.5.1.6.3 | Alignment of data items of usage bit | 154 |
| 8.5.1.6.4 | Item alignment for increased object-code efficiency | 155 |
| 8.5.1.6.5 | Alignment of strongly-typed group items | 155 |
| 8.5.1.7 | Fixed-capacity tables | 156 |
| 8.5.1.9 | Dynamic-capacity tables | 156 |
| 8.5.1.10 | Dynamic-length elementary items | 158 |
| 8.5.1.10.1 | General | 158 |
| 8.5.1.10.2 | Structure of a dynamic-length elementary item | 158 |
| 8.5.1.10.3 | Location of dynamic-length elementary items | 158 |
| 8.5.1.10.4 | Operations on dynamic-length elementary items | 159 |
| 8.5.1.11 | Variable-length data items | 159 |
| 8.5.1.11.2 | Contiguity of data items | 159 |
| 8.5.1.11.3 | Availability and persistence of variable-length data items | 159 |
| 8.5.1.12 | Variable-length groups | 160 |
| 8.5.1.12.1 | General | 160 |
| 8.5.1.12.2 | Positional correspondence | 161 |
| 8.5.1.12.3 | Matching | 161 |
| 8.5.2 | Class and category of data items and literals | 161 |
| 8.5.2.1 | General | 161 |

| | | |
|----------|--|-----|
| 8.5.2.2 | Alphabetic category | 162 |
| 8.5.2.3 | Alphanumeric category | 162 |
| 8.5.2.4 | Alphanumeric-edited category | 163 |
| 8.5.2.5 | Boolean category | 163 |
| 8.5.2.6 | Data-pointer category | 163 |
| 8.5.2.7 | Function-pointer category | 163 |
| 8.5.2.8 | Index category | 163 |
| 8.5.2.9 | Message-tag category | 164 |
| 8.5.2.10 | National category | 164 |
| 8.5.2.11 | National-edited category | 164 |
| 8.5.2.12 | Numeric category | 164 |
| 8.5.2.13 | Numeric-edited category | 165 |
| 8.5.2.14 | Object-reference category | 165 |
| 8.5.2.15 | Program-pointer category | 165 |
| 8.5.3 | Types | 165 |
| 8.5.3.1 | General | 165 |
| 8.5.3.2 | Weakly-typed items | 166 |
| 8.5.3.3 | Strongly-typed group items | 167 |
| 8.5.4 | Zero-length items | 167 |
| 8.6 | Scope and life cycle of data | 167 |
| 8.6.1 | General | 167 |
| 8.6.2 | Global names and local names | 167 |
| 8.6.3 | External and internal items | 168 |
| 8.6.4 | Automatic, initial, and static internal items | 168 |
| 8.6.5 | Based entries and based data items | 170 |
| 8.6.6 | Common, initial, and recursive attributes | 170 |
| 8.6.7 | Sharing data items | 171 |
| 8.7 | Operators | 172 |
| 8.7.1 | Arithmetic operators | 172 |
| 8.7.2 | Boolean operators | 172 |
| 8.7.3 | Concatenation operator | 173 |
| 8.7.4 | Invocation operator | 173 |
| 8.7.5 | Relational operators | 173 |
| 8.7.6 | Logical operators | 174 |
| 8.8 | Expressions | 175 |
| 8.8.1 | Arithmetic expressions | 175 |
| 8.8.2 | Boolean expressions | 182 |
| 8.8.3 | Concatenation expressions | 185 |
| 8.8.4 | Conditional expressions | 186 |
| 8.8.4.1 | General | 186 |
| 8.8.4.2 | Simple relation conditions | 186 |
| 8.8.4.5 | Simple condition-name condition (conditional variable) | 197 |
| 8.8.4.6 | Simple switch-status condition | 197 |
| 8.8.4.7 | Simple sign condition | 198 |
| 8.8.4.8 | Simple omitted argument condition | 199 |
| 8.8.4.9 | Complex conditions | 200 |

| | | |
|-----------|--|-----|
| 8.8.4.10 | Complex negated conditions | 200 |
| 8.8.4.11 | Complex Combined conditions | 201 |
| 8.8.4.12 | Abbreviated combined relation conditions | 202 |
| 8.8.4.13 | Order of evaluation of conditions | 204 |
| 8.9 | Reserved words | 205 |
| 8.10 | Context-sensitive words | 209 |
| 8.11 | Intrinsic function names | 213 |
| 8.12 | Compiler-directive words | 215 |
| 8.13 | External repository | 216 |
| 9 | I-O, objects, and user-defined functions | 217 |
| 9.1 | Files | 217 |
| 9.1.1 | Physical and logical files | 217 |
| 9.1.2 | Record area | 217 |
| 9.1.3 | File connector | 218 |
| 9.1.4 | Open mode | 218 |
| 9.1.5 | Sharing file connectors | 219 |
| 9.1.6 | Fixed file attributes | 219 |
| 9.1.7 | Organization | 219 |
| 9.1.7.1 | General | 219 |
| 9.1.7.2 | Sequential | 219 |
| 9.1.7.3 | Relative | 220 |
| 9.1.7.4 | Indexed | 220 |
| 9.1.8 | Access modes | 220 |
| 9.1.8.1 | General | 220 |
| 9.1.8.2 | Sequential access mode | 221 |
| 9.1.8.3 | Random access mode | 221 |
| 9.1.8.4 | Dynamic access mode | 221 |
| 9.1.9 | Reel and unit | 221 |
| 9.1.10 | Current volume pointer | 222 |
| 9.1.11 | File position indicator | 222 |
| 9.1.12 | Input-output exception processing | 222 |
| 9.1.13 | I-O status | 223 |
| 9.1.13.1 | General | 223 |
| 9.1.13.2 | Successful completion | 224 |
| 9.1.13.3 | Implementor-defined successful completion | 225 |
| 9.1.13.4 | At end condition with unsuccessful completion | 225 |
| 9.1.13.5 | Invalid key condition with unsuccessful completion | 226 |
| 9.1.13.6 | Permanent error condition with unsuccessful completion | 226 |
| 9.1.13.7 | Logic error condition with unsuccessful completion | 227 |
| 9.1.13.8 | Record operation conflict condition with unsuccessful completion | 228 |
| 9.1.13.9 | File sharing conflict condition with unsuccessful completion | 229 |
| 9.1.13.10 | Record with invalid content with unsuccessful completion | 229 |
| 9.1.13.11 | Implementor-defined condition with unsuccessful completion | 229 |
| 9.1.14 | Invalid key condition | 230 |
| 9.1.15 | Sharing mode | 230 |

| | |
|--|-----|
| 9.1.16 Record locking | 232 |
| 9.1.17 Logical unit of work | 232 |
| 9.1.18 Commit and Rollback | 233 |
| 9.1.19 Sort file | 234 |
| 9.1.20 Merge file | 234 |
| 9.1.21 Dynamic file assignment | 235 |
| 9.1.22 Report file | 235 |
| 9.2 Screens | 236 |
| 9.2.1 Terminal screen | 236 |
| 9.2.2 Function keys | 236 |
| 9.2.3 CRT status | 236 |
| 9.2.4 Cursor | 237 |
| 9.2.5 Cursor locator | 238 |
| 9.2.6 Current screen item | 238 |
| 9.2.7 Color number | 238 |
| 9.3 Objects | 240 |
| 9.3.1 Objects and classes | 240 |
| 9.3.2 Object references | 240 |
| 9.3.3 Predefined object references | 240 |
| 9.3.4 Methods | 240 |
| 9.3.5 Polymorphism | 240 |
| 9.3.5.1 General | 240 |
| 9.3.5.2 Class polymorphism | 241 |
| 9.3.5.3 Parametric polymorphism | 241 |
| 9.3.6 Method invocation | 242 |
| 9.3.7 Method prototypes | 246 |
| 9.3.8 Conformance and interfaces | 246 |
| 9.3.8.1 General | 246 |
| 9.3.8.2 Conformance for object orientation | 247 |
| 9.3.8.2.1 General | 247 |
| 9.3.8.2.2 Interfaces | 247 |
| 9.3.8.2.3 Conformance between interfaces | 247 |
| 9.3.8.2.4 Conformance for parameterized classes and parameterized interfaces | 250 |
| 9.3.9 Class inheritance | 250 |
| 9.3.10 Interface inheritance | 251 |
| 9.3.11 Interface implementation | 251 |
| 9.3.12 Parameterized classes | 251 |
| 9.3.13 Parameterized interfaces | 252 |
| 9.3.14 Object life cycle | 252 |
| 9.3.14.1 General | 252 |
| 9.3.14.2 Life cycle for factory objects | 252 |
| 9.3.14.3 Life cycle for instance objects | 252 |
| 9.4 User-defined functions | 252 |
| 10 Structured compilation group | 254 |
| 10.1 General | 254 |

| | | |
|--------|--------------------------------------|-----|
| 10.2 | Compilation units | 254 |
| 10.3 | Source units | 254 |
| 10.4 | Contained source units | 255 |
| 10.5 | Source elements and runtime elements | 255 |
| 10.6 | COBOL compilation group | 256 |
| 10.6.1 | General format | 256 |
| 10.6.2 | Syntax rules | 259 |
| 10.6.3 | General rule | 260 |
| 10.7 | End markers | 261 |
| 10.7.1 | General | 261 |
| 10.7.2 | General format | 261 |
| 10.7.3 | Syntax rules | 261 |
| 10.7.4 | General rule | 262 |
| 11 | Identification division | 263 |
| 11.1 | General | 263 |
| 11.2 | Identification division structure | 263 |
| 11.3 | CLASS-ID paragraph | 264 |
| 11.3.1 | General | 264 |
| 11.3.2 | General format | 264 |
| 11.3.3 | Syntax rules | 264 |
| 11.3.4 | General rules | 264 |
| 11.4 | FACTORY paragraph | 266 |
| 11.4.1 | General | 266 |
| 11.4.2 | General format | 266 |
| 11.4.3 | Syntax rules | 266 |
| 11.4.4 | General rules | 266 |
| 11.5 | FUNCTION-ID paragraph | 267 |
| 11.5.1 | General | 267 |
| 11.5.2 | General format | 267 |
| 11.5.3 | Syntax rule | 267 |
| 11.5.4 | General rules | 267 |
| 11.6 | INTERFACE-ID paragraph | 268 |
| 11.6.1 | General | 268 |
| 11.6.2 | General format | 268 |
| 11.6.3 | Syntax rules | 268 |
| 11.6.4 | General rules | 268 |
| 11.7 | METHOD-ID paragraph | 269 |
| 11.7.1 | General | 269 |
| 11.7.2 | General format | 269 |
| 11.7.3 | Syntax rules | 269 |
| 11.7.4 | General rules | 270 |
| 11.8 | OBJECT paragraph | 271 |
| 11.8.1 | General | 271 |
| 11.8.2 | General format | 271 |
| 11.8.3 | Syntax rules | 271 |

| | | |
|-----------|--------------------------------|-----|
| 11.8.4 | General rules | 271 |
| 11.9 | OPTIONS paragraph | 272 |
| 11.9.1 | General | 272 |
| 11.9.2 | General format | 272 |
| 11.9.3 | Syntax rule | 272 |
| 11.9.4 | General rule | 272 |
| 11.9.5 | ARITHMETIC clause | 272 |
| 11.9.6 | DEFAULT ROUNDED clause | 273 |
| 11.9.7 | ENTRY-CONVENTION clause | 274 |
| 11.9.8 | FLOAT-BINARY clause | 275 |
| 11.9.9 | FLOAT-DECIMAL clause | 275 |
| 11.9.10 | INITIALIZE clause | 276 |
| 11.9.11 | INTERMEDIATE ROUNDING clause | 278 |
| 11.10 | PROGRAM-ID paragraph | 280 |
| 11.10.1 | General | 280 |
| 11.10.2 | General format | 280 |
| 11.10.3 | Syntax rules | 280 |
| 11.10.4 | General rules | 281 |
| 12 | Environment division | 282 |
| 12.1 | General | 282 |
| 12.2 | Environment division structure | 282 |
| 12.3 | Configuration section | 283 |
| 12.3.1 | General | 283 |
| 12.3.2 | General format | 283 |
| 12.3.3 | Syntax rules | 283 |
| 12.3.4 | General rule | 283 |
| 12.3.5 | SOURCE-COMPUTER paragraph | 284 |
| 12.3.6 | OBJECT-COMPUTER paragraph | 285 |
| 12.3.7 | SPECIAL-NAMES paragraph | 289 |
| 12.3.8 | REPOSITORY paragraph | 304 |
| 12.4 | Input-output section | 310 |
| 12.4.1 | General | 310 |
| 12.4.2 | General format | 310 |
| 12.4.3 | Syntax rule | 310 |
| 12.4.4 | FILE-CONTROL paragraph | 311 |
| 12.4.5 | File control entry | 311 |
| 12.4.5.4 | ACCESS MODE clause | 319 |
| 12.4.5.6 | ALTERNATE RECORD KEY clause | 320 |
| 12.4.5.7 | COLLATING SEQUENCE clause | 322 |
| 12.4.5.8 | FILE STATUS clause | 324 |
| 12.4.5.9 | LOCK MODE clause | 325 |
| 12.4.5.10 | ORGANIZATION clause | 327 |
| 12.4.5.11 | RECORD DELIMITER clause | 328 |
| 12.4.5.12 | RECORD KEY clause | 329 |
| 12.4.5.13 | RELATIVE KEY clause | 330 |

| | |
|--|-----|
| 12.4.5.14 RESERVE clause | 331 |
| 12.4.5.15 SHARING clause | 332 |
| 12.4.6 I-O-CONTROL paragraph | 333 |
| | |
| 13 Data division | 338 |
| 13.1 General | 338 |
| 13.2 Data division structure | 339 |
| 13.2.1 General format | 339 |
| 13.3 Explicit and implicit attributes | 339 |
| 13.4 File section | 341 |
| 13.4.1 General | 341 |
| 13.4.2 General format | 341 |
| 13.4.3 Syntax rule | 341 |
| 13.4.4 General rule | 341 |
| 13.4.5 File description entry | 342 |
| 13.4.6 Sort-merge file description entry | 346 |
| 13.5 Working-storage section | 347 |
| 13.5.1 General | 347 |
| 13.5.2 General format | 347 |
| 13.5.3 Syntax rule | 347 |
| 13.5.4 General rules | 347 |
| 13.6 Local-storage section | 348 |
| 13.6.1 General | 348 |
| 13.6.2 General format | 348 |
| 13.6.3 Syntax rule | 348 |
| 13.6.4 General rules | 348 |
| 13.7 Linkage section | 349 |
| 13.7.1 General | 349 |
| 13.7.2 General format | 349 |
| 13.7.3 Syntax rules | 349 |
| 13.7.4 General rules | 350 |
| 13.8 Report section | 351 |
| 13.8.1 General | 351 |
| 13.8.2 General format | 351 |
| 13.8.3 Syntax rule | 351 |
| 13.8.4 Report description entry | 351 |
| 13.8.5 Report group description entry | 351 |
| 13.8.6 Report subdivisions | 352 |
| 13.8.6.2 Physical subdivisions of a report | 352 |
| 13.8.6.2.1 Pages | 352 |
| 13.8.6.2.2 Lines | 352 |
| 13.8.6.2.3 Report Items | 352 |
| 13.8.6.3 Logical Subdivisions of a Report | 352 |
| 13.9 Screen section | 354 |
| 13.9.1 General | 354 |
| 13.9.2 General format | 354 |

| | | |
|----------|---------------------------------|-----|
| 13.9.3 | Syntax rule | 354 |
| 13.9.4 | General rule | 354 |
| 13.10 | Constant entry | 355 |
| 13.10.1 | General | 355 |
| 13.10.2 | General format | 355 |
| 13.10.3 | Syntax rules | 355 |
| 13.10.4 | General rules | 356 |
| 13.11 | Record description entry | 357 |
| 13.11.1 | General | 357 |
| 13.12 | Type declaration entry | 357 |
| 13.13 | 77-level data description entry | 357 |
| 13.14 | Report description entry | 358 |
| 13.14.1 | General | 358 |
| 13.14.2 | General format | 358 |
| 13.14.3 | Syntax rules | 358 |
| 13.14.4 | General rule | 358 |
| 13.15 | Report group description entry | 359 |
| 13.15.1 | General | 359 |
| 13.15.2 | General format | 359 |
| 13.15.3 | Syntax rules | 360 |
| 13.15.4 | General rules | 361 |
| 13.16 | Data description entry | 362 |
| 13.16.1 | General | 362 |
| 13.16.2 | General formats | 363 |
| 13.16.3 | Syntax rules | 365 |
| 13.16.4 | General rules | 367 |
| 13.17 | Screen description entry | 368 |
| 13.17.1 | General | 368 |
| 13.17.2 | General formats | 368 |
| 13.17.3 | Syntax rules | 370 |
| 13.17.4 | General rules | 371 |
| 13.18 | Data division clauses | 372 |
| 13.18.1 | ALIGNED clause | 372 |
| 13.18.2 | ANY LENGTH clause | 373 |
| 13.18.3 | AUTO clause | 374 |
| 13.18.4 | BACKGROUND-COLOR clause | 375 |
| 13.18.5 | BASED clause | 376 |
| 13.18.6 | BELL clause | 377 |
| 13.18.7 | BLANK clause | 378 |
| 13.18.8 | BLANK WHEN ZERO clause | 379 |
| 13.18.9 | BLINK clause | 380 |
| 13.18.10 | BLOCK CONTAINS clause | 381 |
| 13.18.11 | CLASS clause | 382 |
| 13.18.12 | CODE clause | 383 |
| 13.18.13 | CODE-SET clause | 384 |
| 13.18.14 | COLUMN clause | 386 |

| | | |
|----------|-------------------------|-----|
| 13.18.15 | CONSTANT RECORD clause | 391 |
| 13.18.16 | CONTROL clause | 392 |
| 13.18.17 | DEFAULT clause | 394 |
| 13.18.18 | DESTINATION clause | 396 |
| 13.18.19 | DYNAMIC LENGTH clause | 397 |
| 13.18.20 | Entry-name clause | 398 |
| 13.18.21 | ERASE clause | 399 |
| 13.18.22 | EXTERNAL clause | 400 |
| 13.18.23 | BACKGROUND-COLOR clause | 402 |
| 13.18.24 | FORMAT clause | 403 |
| 13.18.25 | FROM clause | 406 |
| 13.18.26 | FULL clause | 407 |
| 13.18.27 | GLOBAL clause | 408 |
| 13.18.28 | GROUP INDICATE clause | 409 |
| 13.18.29 | GROUP-USAGE clause | 410 |
| 13.18.30 | HIGHLIGHT clause | 412 |
| 13.18.31 | INVALID clause | 413 |
| 13.18.32 | JUSTIFIED clause | 414 |
| 13.18.33 | Level-number | 415 |
| 13.18.34 | LINAGE clause | 417 |
| 13.18.35 | LINE clause | 420 |
| 13.18.36 | LOWLIGHT clause | 426 |
| 13.18.37 | NEXT GROUP clause | 427 |
| 13.18.38 | OCCURS clause | 430 |
| 13.18.39 | PAGE clause | 438 |
| 13.18.40 | PICTURE clause | 441 |
| 13.18.41 | PRESENT WHEN clause | 461 |
| 13.18.42 | PROPERTY clause | 464 |
| 13.18.43 | RECORD clause | 467 |
| 13.18.44 | REDEFINES clause | 471 |
| 13.18.45 | RENAMES clause | 473 |
| 13.18.46 | REPORT clause | 475 |
| 13.18.47 | REQUIRED clause | 476 |
| 13.18.48 | REVERSE-VIDEO clause | 477 |
| 13.18.49 | SAME AS clause | 478 |
| 13.18.50 | SECURE clause | 480 |
| 13.18.51 | SELECT WHEN clause | 481 |
| 13.18.52 | SIGN clause | 483 |
| 13.18.54 | SUM clause | 487 |
| 13.18.55 | SYNCHRONIZED clause | 491 |
| 13.18.56 | TO clause | 493 |
| 13.18.57 | TYPE clause | 494 |
| 13.18.58 | TYPDEF clause | 500 |
| 13.18.59 | UNDERLINE clause | 501 |
| 13.18.60 | USAGE clause | 502 |
| 13.18.61 | USING clause | 512 |

| | |
|--|-----|
| 13.18.62 VALIDATE-STATUS clause | 513 |
| 13.18.63 VALUE clause | 516 |
| 13.18.64 VARYING clause | 525 |
| 14 Procedure division | 527 |
| 14.1 General | 527 |
| 14.2 Procedure division structure | 527 |
| 14.2.1 General formats | 527 |
| 14.2.2 Syntax rules | 528 |
| 14.2.3 General rules | 529 |
| 14.3 Declaratives | 532 |
| 14.4 Procedures | 532 |
| 14.4.1 General | 532 |
| 14.4.2 Sections | 532 |
| 14.4.3 Paragraphs | 532 |
| 14.5 Procedural statements and sentences | 532 |
| 14.5.1 General | 532 |
| 14.5.2 Conditional phrase | 535 |
| 14.5.3 Scope of statements | 535 |
| 14.5.3.1 General | 535 |
| 14.5.3.2 Explicit scope termination | 535 |
| 14.5.3.3 Implicit scope termination | 535 |
| 14.6 Execution | 536 |
| 14.6.1 Run unit organization | 536 |
| 14.6.2 State of a function, method, object, or program | 537 |
| 14.6.2.1 General | 537 |
| 14.6.2.2 Active state | 537 |
| 14.6.2.3 Initial and last-used states of data | 537 |
| 14.6.2.3.1 General | 537 |
| 14.6.2.3.2 Initial state | 538 |
| 14.6.2.3.3 Last-used state | 538 |
| 14.6.2.4 Initial state of object data | 539 |
| 14.6.3 Explicit and implicit transfers of control | 539 |
| 14.6.4 Item identification | 540 |
| 14.6.5 Results of runtime element execution | 541 |
| 14.6.6 Locale identification | 541 |
| 14.6.7 Sending and receiving operands | 542 |
| 14.6.8 Alignment and transfer of data into data items | 542 |
| 14.6.8.1 General | 542 |
| 14.6.8.2 Fixed-point numeric and fixed-point numeric-edited receiving data items | 542 |
| 14.6.8.3 Floating-point numeric receiving data items | 543 |
| 14.6.8.4 Floating-point numeric-edited receiving data items | 543 |
| 14.6.8.5 Receiving data items of categories alphabetic, alphanumeric, alphanumeric-edited, national, and national edited | 543 |
| 14.6.8.6 Receiving data items of category boolean | 543 |
| 14.6.9 Operations on dynamic-capacity tables | 544 |

| | | |
|-------------|--|-----|
| 14.6.10 | Overlapping operands | 545 |
| 14.6.11 | Normal run unit termination | 545 |
| 14.6.12 | Abnormal run unit termination | 546 |
| 14.6.13 | Exception condition handling | 546 |
| 14.6.13.1 | Exception conditions | 546 |
| 14.6.13.1.1 | General | 546 |
| 14.6.13.1.2 | Normal completion of a declarative procedure | 548 |
| 14.6.13.1.3 | Fatal exception conditions | 549 |
| 14.6.13.1.4 | Nonfatal exception conditions | 550 |
| 14.6.13.1.5 | Exception objects | 550 |
| 14.6.13.1.6 | Exception-names and exception conditions | 551 |
| 14.6.13.2 | Incompatible data | 558 |
| 14.7 | Common phrases and features for statements | 559 |
| 14.7.1 | General | 559 |
| 14.7.2 | At end condition | 560 |
| 14.7.3 | Invalid key condition | 560 |
| 14.7.4 | ROUNDED phrase | 560 |
| 14.7.5 | SIZE ERROR phrase and size error condition | 561 |
| 14.7.6 | CORRESPONDING phrase | 563 |
| 14.7.7 | Arithmetic statements | 564 |
| 14.7.8 | THROUGH phrase | 566 |
| 14.7.9 | RETRY phrase | 567 |
| 14.8 | Conformance for parameters, returning items and external items | 568 |
| 14.8.1 | General | 568 |
| 14.8.2 | Parameters | 568 |
| 14.8.2.1 | General | 568 |
| 14.8.2.2 | Group items | 569 |
| 14.8.2.3 | Elementary items | 569 |
| 14.8.2.3.1 | General | 569 |
| 14.8.2.3.2 | Elementary items passed by reference | 569 |
| 14.8.2.3.3 | Elementary items passed by content or by value | 571 |
| 14.8.3 | Returning items | 572 |
| 14.8.3.1 | General | 572 |
| 14.8.3.2 | Group items | 572 |
| 14.8.3.3 | Elementary items | 573 |
| 14.8.4 | External items | 574 |
| 14.9 | Statements | 576 |
| 14.9.1 | ACCEPT statement | 576 |
| 14.9.2 | ADD statement | 583 |
| 14.9.3 | ALLOCATE statement | 586 |
| 14.9.4 | CALL statement | 588 |
| 14.9.5 | CANCEL statement | 595 |
| 14.9.6 | CLOSE statement | 597 |
| 14.9.7 | COMMIT statement | 601 |
| 14.9.8 | COMPUTE statement | 602 |
| 14.9.9 | CONTINUE statement | 604 |

| | |
|------------------------------------|-----|
| 14.9.10 DELETE statement | 605 |
| 14.9.11 DISPLAY statement | 610 |
| 14.9.12 DIVIDE statement | 614 |
| 14.9.13 EVALUATE statement | 618 |
| 14.9.14 EXIT statement | 623 |
| 14.9.15 FREE statement | 627 |
| 14.9.16 GENERATE statement | 628 |
| 14.9.17 GO TO statement | 630 |
| 14.9.18 GOBACK statement | 631 |
| 14.9.19 IF statement | 635 |
| 14.9.20 INITIALIZE statement | 637 |
| 14.9.21 INITIATE statement | 642 |
| 14.9.22 INSPECT statement | 643 |
| 14.9.23 INVOKE statement | 651 |
| 14.9.24 MERGE statement | 657 |
| 14.9.25 MOVE statement | 664 |
| 14.9.26 MULTIPLY statement | 673 |
| 14.9.27 OPEN statement | 675 |
| 14.9.28 PERFORM statement | 682 |
| 14.9.29 RAISE statement | 691 |
| 14.9.30 READ statement | 692 |
| 14.9.31 RECEIVE statement | 702 |
| 14.9.32 RELEASE statement | 704 |
| 14.9.33 RESUME statement | 706 |
| 14.9.34 RETURN statement | 708 |
| 14.9.35 REWRITE statement | 710 |
| 14.9.36 ROLLBACK statement | 718 |
| 14.9.37 SEARCH statement | 720 |
| 14.9.38 SEND statement | 726 |
| 14.9.39 SET statement | 729 |
| 14.9.40 SORT statement | 745 |
| 14.9.41 START statement | 754 |
| 14.9.42 STOP statement | 758 |
| 14.9.43 STRING statement | 759 |
| 14.9.44 SUBTRACT statement | 762 |
| 14.9.45 SUPPRESS statement | 765 |
| 14.9.46 TERMINATE statement | 766 |
| 14.9.47 UNLOCK statement | 768 |
| 14.9.48 UNSTRING statement | 769 |
| 14.9.49 USE statement | 774 |
| 14.9.50 VALIDATE statement | 780 |
| 14.9.51 WRITE statement | 785 |
| | |
| 15 Intrinsic functions | 796 |
| 15.1 General | 796 |
| 15.2 Types of functions | 796 |

| | |
|--|-----|
| 15.3 Arguments | 796 |
| 15.3.1 Format arguments to international date and time functions | 799 |
| 15.3.1.1 General | 799 |
| 15.3.1.2 Calendar date formats | 799 |
| 15.3.1.3 Permissible values for data associated with calendar date formats | 799 |
| 15.3.1.4 Ordinal date formats | 799 |
| 15.3.1.5 Permissible values for data associated with ordinal date formats | 800 |
| 15.3.1.6 Week date formats | 800 |
| 15.3.1.7 Permissible values for data associated with week date formats | 800 |
| 15.3.2 Time formats | 800 |
| 15.3.3 Common time formats | 801 |
| 15.3.3.1 Common time formats with integer seconds representation | 801 |
| 15.3.3.2 Common time formats with fractional seconds representation | 801 |
| 15.3.3.3 Permissible values for data associated with common time formats | 802 |
| 15.3.3.4 Local time formats | 802 |
| 15.3.3.5 UTC time formats | 802 |
| 15.3.3.6 Offset time formats | 802 |
| 15.3.3.7 Combined date and time formats | 803 |
| 15.4 Returned values | 804 |
| 15.4.1 Numeric and integer functions | 804 |
| 15.5 Date and time conversion functions | 805 |
| 15.5.1 General | 805 |
| 15.5.2 Integer date form | 805 |
| 15.5.3 Standard date form | 806 |
| 15.5.4 Julian date form | 806 |
| 15.5.5 Standard numeric time form | 806 |
| 15.6 Summary of functions | 806 |
| 15.7 ABS function | 816 |
| 15.8 ACOS function | 817 |
| 15.9 ANNUITY function | 818 |
| 15.10 ASIN function | 819 |
| 15.11 ATAN function | 820 |
| 15.12 BASECONVERT function | 821 |
| 15.12.2 General format | 821 |
| 15.13 BOOLEAN-OF-INTEGER function | 822 |
| 15.14 BYTE-LENGTH function | 823 |
| 15.15 CHAR function | 825 |
| 15.16 CHAR-NATIONAL function | 826 |
| 15.17 COMBINED-DATETIME function | 827 |
| 15.18 CONCAT function | 828 |
| 15.19 CONVERT function | 829 |
| 15.20 COS function | 833 |
| 15.21 CURRENT-DATE function | 834 |
| 15.22 DATE-OF-INTEGER function | 836 |
| 15.23 DATE-TO-YYYYMMDD function | 837 |
| 15.24 DAY-OF-INTEGER function | 839 |

| | |
|--|-----|
| 15.25 DAY-TO-YYYYDDD function | 840 |
| 15.26 DISPLAY-OF function | 842 |
| 15.27 E function | 843 |
| 15.28 EXCEPTION-FILE function | 844 |
| 15.29 EXCEPTION-FILE-N function | 846 |
| 15.30 EXCEPTION-LOCATION function | 848 |
| 15.31 EXCEPTION-LOCATION-N function | 850 |
| 15.32 EXCEPTION-STATEMENT function | 852 |
| 15.33 EXCEPTION-STATUS function | 853 |
| 15.34 EXP function | 854 |
| 15.35 EXP10 function | 855 |
| 15.36 FACTORIAL function | 856 |
| 15.37 FIND-STRING function | 857 |
| 15.38 FORMATTED-CURRENT-DATE function | 858 |
| 15.39 FORMATTED-DATE function | 859 |
| 15.40 FORMATTED-DATETIME function | 860 |
| 15.41 FORMATTED-TIME function | 862 |
| 15.42 FRACTION-PART function | 864 |
| 15.43 HIGHEST-ALGEBRAIC function | 865 |
| 15.44 INTEGER function | 867 |
| 15.45 INTEGER-OF-BOOLEAN function | 868 |
| 15.46 INTEGER-OF-DATE function | 869 |
| 15.47 INTEGER-OF-DAY function | 870 |
| 15.48 INTEGER-OF-FORMATTED-DATE function | 871 |
| 15.49 INTEGER-PART function | 872 |
| 15.50 LENGTH function | 873 |
| 15.51 LOCALE-COMPARE function | 875 |
| 15.52 LOCALE-DATE function | 876 |
| 15.53 LOCALE-TIME function | 877 |
| 15.54 LOCALE-TIME-FROM-SECONDS function | 878 |
| 15.55 LOG function | 879 |
| 15.56 LOG10 function | 880 |
| 15.57 LOWER-CASE function | 881 |
| 15.58 LOWEST-ALGEBRAIC function | 882 |
| 15.59 MAX function | 884 |
| 15.60 MEAN function | 885 |
| 15.61 MEDIAN function | 886 |
| 15.62 MIDRANGE function | 887 |
| 15.63 MIN function | 888 |
| 15.64 MOD function | 889 |
| 15.65 MODULE-NAME function | 890 |
| 15.66 NATIONAL-OF function | 892 |
| 15.67 NUMVAL function | 893 |
| 15.68 NUMVAL-C function | 895 |
| 15.69 NUMVAL-F function | 898 |
| 15.70 ORD function | 900 |

| | | |
|---------|--|-----|
| 15.71 | ORD-MAX function | 901 |
| 15.72 | ORD-MIN function | 902 |
| 15.73 | PI function | 903 |
| 15.74 | PRESENT-VALUE function | 904 |
| 15.75 | RANDOM function | 905 |
| 15.75.2 | General format | 905 |
| 15.76 | RANGE function | 906 |
| 15.77 | REM function | 907 |
| 15.78 | REVERSE function | 908 |
| 15.79 | SECONDS-FROM-FORMATTED-TIME function | 909 |
| 15.80 | SECONDS-PAST-MIDNIGHT function | 910 |
| 15.81 | SIGN function | 911 |
| 15.82 | SIN function | 912 |
| 15.83 | SMALLEST-ALGEBRAIC function | 913 |
| 15.84 | SQRT function | 915 |
| 15.85 | STANDARD-COMPARE function | 916 |
| 15.86 | STANDARD-DEVIATION function | 918 |
| 15.87 | SUBSTITUTE function | 919 |
| 15.88 | SUM function | 921 |
| 15.89 | TAN function | 922 |
| 15.90 | TEST-DATE-YYYYMMDD function | 923 |
| 15.91 | TEST-DAY-YYYYDDD function | 924 |
| 15.92 | TEST-FORMATTED-DATETIME function | 925 |
| 15.93 | TEST-NUMVAL function | 926 |
| 15.94 | TEST-NUMVAL-C function | 928 |
| 15.95 | TEST-NUMVAL-F function | 930 |
| 15.96 | TRIM function | 932 |
| 15.97 | UPPER-CASE function | 934 |
| 15.98 | VARIANCE function | 936 |
| 15.99 | WHEN-COMPILED function | 937 |
| 15.100 | YEAR-TO-YYYY function | 939 |
| 16 | Standard classes | 941 |
| 16.1 | General | 941 |
| 16.2 | BASE class | 941 |
| 16.2.1 | New method | 941 |
| 16.2.2 | FactoryObject method | 942 |
| A | Language element lists | 943 |
| A.1 | Implementor-defined language element list | 943 |
| A.2 | Undefined language element list | 963 |
| A.3 | Processor-dependent language element list | 969 |
| A.4 | Optional language element list | 974 |
| B | Characters permitted in user-defined words | 980 |
| B.1 | General | 980 |

| | |
|--|------|
| B.2 Notation | 980 |
| B.3 Repertoire of characters permitted in user-defined words | 980 |
| C Mapping of uppercase letters to lowercase letters in the COBOL character repertoire | |
| C.1 Notations | 998 |
| C.2 General case mappings | 998 |
| D Concepts | |
| D.1 General | 1005 |
| D.2 Files | 1005 |
| D.3 Tables and dynamic-length elementary items | 1027 |
| D.4 Shared memory area | 1038 |
| D.5 Sharing of storage among data items | 1038 |
| D.6 Compilation group and run unit organization and communication | 1041 |
| D.7 Intrinsic function facility | 1059 |
| D.8 Types | 1061 |
| D.9 Addresses and pointers | 1065 |
| D.10 Boolean support and bit manipulation | 1067 |
| D.11 Character sets | 1072 |
| D.12 COBOL-WORDS directive | 1075 |
| D.13 Collating sequences | 1077 |
| D.14 Culturally-specific, culturally-adaptable, and multilingual applications | 1082 |
| D.15 External switches | 1090 |
| D.16 Common exception processing | 1091 |
| D.17 Rounding | 1095 |
| D.18 Forms of arithmetic | 1099 |
| D.19 Object oriented concepts | 1104 |
| D.20 Report writer | 1130 |
| D.21 Structured constant | 1140 |
| D.22 Validate facility | 1141 |
| D.23 Conditional expressions | 1146 |
| D.24 Examples of the use of the EDITING phrase | 1150 |
| D.25 Examples of the execution of the INSPECT statement | 1151 |
| D.26 Examples of the execution of the PERFORM statement with the VARYING phrase specified .. | 1155 |
| D.27 Example of free-form reference format | 1159 |
| D.28 Conditional compilation | 1160 |
| D.29 CALL-CONVENTION directive | 1162 |
| D.30 ENTRY-CONVENTION clause | 1162 |
| D.31 Date and time handling | 1162 |
| D.32 Alternatives to HIGHEST-ALGEBRAIC, LOWEST-ALGEBRAIC and SMALLEST-ALGEBRAIC FUNC- TIONS | 1169 |
| E Substantive changes list | |
| E.1 General | 1172 |
| E.2 Substantive changes potentially affecting existing programs | 1172 |

| | |
|--|------|
| E.3 Substantive changes probably not affecting existing programs | 1181 |
| F Archaic and obsolete language element lists | 1199 |
| F.1 Archaic language elements | 1199 |
| F.2 Obsolete language elements | 1199 |
| G Known errors | 1201 |
| G.1 Rationale | 1201 |
| G.2 List of errors | 1201 |
| BIBLIOGRAPHY | 1203 |
| Index | 1204 |

Tables

| | | |
|-----|--|------|
| 1 | COBOL character repertoire | 90 |
| 2 | Class and category relationships for elementary data items | 162 |
| 3 | Combinations of symbols in arithmetic expressions | 175 |
| 4 | Combination of symbols in boolean expressions | 183 |
| 5 | Combinations of conditions, logical operators, and parentheses | 202 |
| 6 | Relationship of alphabet-name to coded character set and collating sequence | 297 |
| 7 | Category and type of editing | 453 |
| 8 | Results of fixed insertion editing | 454 |
| 9 | Results of floating insertion editing | 455 |
| 10 | Format 1 picture symbol order of precedence | 459 |
| 11 | Format 2 picture symbol order of precedence | 460 |
| 12 | Procedural statements | 533 |
| 13 | Exception-names and exception conditions | 552 |
| 14 | Relationship of categories of physical files and the format of the CLOSE statement | 598 |
| 15 | Combination of operands in the EVALUATE statement | 620 |
| 16 | Validity of types of MOVE statements | 666 |
| 17 | Category of figurative constants used in the MOVE statement | 671 |
| 18 | Opening available and unavailable files (file not currently open) | 676 |
| 19 | Opening available shared files that are currently open by another file connector | 677 |
| 20 | Permissible I-O statements by access mode and open mode | 679 |
| 21 | Table of functions | 807 |
| A.1 | Summary of record lock acquisition and release | 1017 |
| A.2 | Examples of boolean operations | 1069 |
| A.3 | ROUNDED MODE examples | 1096 |

Figures

| | |
|---|------|
| 1 Fixed-form reference format | 36 |
| D.1 Format 1 SEARCH statement having two WHEN phrases | 1033 |
| D.2 Compilation group sample structure example | 1042 |
| D.3 Compilation group and run unit structures | 1044 |
| D.4 Manager class | 1112 |
| D.5 Banking hierarchy | 1113 |
| D.6 Example of page layout | 1131 |
| D.7 Evaluation of the condition-1 AND condition-2 AND ... condition-n | 1146 |
| D.8 Evaluation of the condition-1 OR condition-2 OR ... condition-n | 1146 |
| D.9 Evaluation of condition-1 OR condition-2 AND condition-3 | 1147 |
| D.10 Evaluation of (condition-1 OR NOT condition-2) AND condition-3 AND condition-4 | 1148 |
| D.11 The VARYING phrase of a PERFORM statement with the TEST BEFORE phrase having one condition | 1155 |
| D.12 The VARYING phrase of a PERFORM statement with the TEST BEFORE phrase having two condi- | 1155 |
| tions | |
| D.13 The VARYING phrase of a PERFORM statement with the TEST AFTER phrase having one condition | 1156 |
| D.14 The VARYING phrase of a PERFORM statement with the TEST AFTER phrase having two conditions | 1157 |