

This is a preview of "ISO/IEC 22536:2013". Click here to purchase the full version from the ANSI store.

Second edition  
2013-01-15

---

---

---

## **Information technology — Telecommunications and information exchange between systems — Near Field Communication Interface and Protocol (NFCIP-1) — RF interface test methods**

*Technologies de l'information — Télécommunications et échange  
d'information entre systèmes — Interface et protocole de  
communication en champ proche (NFCIP-1) — Méthodes d'essai pour  
interface RF*

---

---

---

Reference number  
ISO/IEC 22536:2013(E)



© ISO/IEC 2013

This is a preview of "ISO/IEC 22536:2013". Click here to purchase the full version from the ANSI store.



## **COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

This is a preview of "ISO/IEC 22536:2013". Click here to purchase the full version from the ANSI store.

## Contents

Page

<b>Foreword .....</b>	v
<b>1 Scope.....</b>	1
<b>2 Conformance .....</b>	1
<b>3 Normative references.....</b>	1
<b>4 Conventions and notations .....</b>	1
<b>4.1 Representation of numbers.....</b>	1
<b>4.2 Names .....</b>	2
<b>4.3 Test report.....</b>	2
<b>5 Abbreviations and acronyms .....</b>	2
<b>6 Default items applicable to the test methods .....</b>	2
<b>6.1 Test environment.....</b>	2
<b>6.2 Default tolerance .....</b>	2
<b>6.3 Spurious Inductance .....</b>	2
<b>6.4 Total measurement uncertainty .....</b>	2
<b>6.5 Antenna class .....</b>	2
<b>7 Test Set-up and test circuits .....</b>	3
<b>7.1 Digital sampling oscilloscope.....</b>	3
<b>7.2 Calibration coil.....</b>	3
<b>7.3 Test assembly .....</b>	3
<b>7.4 Reference Device.....</b>	3
<b>7.4.1 Dimensions of the Reference Device .....</b>	3
<b>7.4.2 Reference Device construction.....</b>	3
<b>7.4.3 Reference Device resonance frequency tuning .....</b>	4
<b>8 Functional Test – Initiator.....</b>	4
<b>8.1 Initiator RF field detection .....</b>	4
<b>8.1.1 Purpose .....</b>	4
<b>8.1.2 Test procedure.....</b>	4
<b>8.1.3 Test report.....</b>	4
<b>8.2 Initiator field strength in active and passive communication mode .....</b>	4
<b>8.2.1 Purpose .....</b>	4
<b>8.2.2 Test procedure.....</b>	5
<b>8.2.3 Test report.....</b>	5
<b>8.3 Initiator modulation index and waveform transmission in active and passive communication mode .....</b>	5
<b>8.3.1 Purpose .....</b>	5
<b>8.3.2 Test procedure.....</b>	5
<b>8.3.3 Test report.....</b>	5
<b>8.4 Initiator load modulation reception in passive communication mode .....</b>	5
<b>8.4.1 Purpose .....</b>	5
<b>8.4.2 Test procedure.....</b>	5
<b>8.4.3 Test report.....</b>	5
<b>8.5 Initiator modulation index and waveform reception in active communication mode .....</b>	5
<b>8.5.1 Purpose .....</b>	5
<b>8.5.2 Bit rate of 106 kbit/s .....</b>	5
<b>8.5.3 Bit rates of 212 kbit/s and 424 kbit/s .....</b>	6
<b>8.6 Initiator maximum loading effect test in active communication mode (Optional).....</b>	6
<b>8.6.1 Purpose .....</b>	6
<b>8.6.2 Test procedure.....</b>	6

This is a preview of "ISO/IEC 22536:2013". Click here to purchase the full version from the ANSI store.

8.6.3	Test report .....	6
9	Functional Test – Target .....	6
9.1	Target load modulation transmission in passive communication mode.....	6
9.1.1	Purpose.....	6
9.1.2	Test procedure .....	7
9.2	Target field strength in active communication mode .....	7
9.3	Target modulation index and waveform transmission in active communication mode .....	7
9.4	Target modulation index and waveform reception in active and passive communication mode .....	7
9.5	Target maximum loading effect test in Passive communication mode (Optional).....	7
	Annex A (informative) Test report template example .....	8

This is a preview of "ISO/IEC 22536:2013". Click here to purchase the full version from the ANSI store.

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Ecma International purposefully aligned this International Standard with ISO/IEC 10373-6 to allow testing laboratories to reuse equipment and expertise.

ISO/IEC 22536:2013 was prepared jointly by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*.

This second edition cancels and replaces the first edition (ISO/IEC 22536:2005), which has been technically revised.