

First edition
2014-06-01

Information technology — High efficiency coding and media delivery in heterogeneous environments —

Part 1: MPEG media transport (MMT)

Technologies de l'information — Codage à haute efficacité et livraison des médias dans des environnements hétérogènes —

Partie 1: Transport des médias MPEG

Reference number
ISO/IEC 23008-1:2014(E)



This is a preview of "ISO/IEC 23008-1:2014". [Click here to purchase the full version from the ANSI store.](#)



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

This is a preview of "ISO/IEC 23008-1:2014". Click here to purchase the full version from the ANSI store.

Contents

Page

Foreword	v
Introduction.....	vi
1 Scope.....	1
2 Normative references.....	1
3 Terms, definitions, symbols and abbreviated terms	2
3.1 Terms and definitions	2
3.2 Symbols and abbreviated terms	4
3.3 Conventions	6
4 Overview.....	6
5 MMT Data Model	9
5.1 Introduction.....	9
5.2 Package	10
5.3 Asset.....	10
5.4 Media Processing Unit (MPU)	11
6 ISOBMFF-based MPU	12
6.1 Introduction.....	12
6.2 MPU brand definition	13
6.3 MPU Box.....	14
7 MMT Hint Track.....	15
8 Packetized delivery of Package	18
8.1 Introduction.....	18
8.2 MMT protocol	18
8.3 The MMTP payload	21
8.4 MMTP Operation	30
9 Signalling	35
9.1 Introduction.....	35
9.2 Signalling message format.....	36
9.3 Signalling messages for Package Consumption	37
9.4 Signalling messages for Package Delivery	51
9.5 Descriptors.....	53
9.6 Syntax Element Groups	57
9.7 ID and Tags values	62
10 The Hypothetical Receiver Buffer Model	63
10.1 Introduction.....	63
10.2 The FEC Decoding Buffer	64
10.3 The De-jitter Buffer	64
10.4 The MMTP packet Decapsulation Buffer	65
10.5 Usage of Hypothetical Receiver Buffer Model	65
10.6 Estimation of end-to-end delay and buffer requirement	65
10.7 HRBM signalling	66
Annex A (informative) Jitter Calculation in MMTP.....	67
A.1 Introduction.....	67
A.2 Network jitter calculation.....	67
Annex B XML Syntax and MIME Type for Signalling message.....	68
B.1 XML Syntax	68
B.2 MIME Type.....	74

This is a preview of "ISO/IEC 23008-1:2014". [Click here to purchase the full version from the ANSI store.](#)

Annex C (normative)	Application Layer Forward Error Correction Framework for MMI	75
C.1	Introduction	75
C.2	FEC Coding Structure	76
C.3	Encoding Symbol Format	78
C.4	FEC Source or Repair Packet Format	82
C.5	FEC Signalling	83
C.6	FEC Message	86
Bibliography		91

This is a preview of "ISO/IEC 23008-1:2014". [Click here to purchase the full version from the ANSI store.](#)

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 23008-1 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

ISO/IEC 23008 consists of the following parts, under the general title *Information technology — High efficiency coding and media delivery in heterogeneous environments*:

- *Part 1: MPEG media transport (MMT)*
- *Part 2: High efficiency video coding (HEVC)*
- *Part 5: HEVC Conformance testing and reference software*
- *Part 8: Conformance Specification for HEVC*
- *Part 10: MPEG Media Transport Forward Error Correction (FEC) codes*
- *Part 11: MPEG Media Transport Composition Information (CI)*

Introduction

This part of ISO/IEC 23008 specifies the MPEG Media Transport (MMT) technologies for the transport and delivery of coded media data for multimedia services over heterogeneous packet-switched networks including Internet Protocol (IP) networks and digital broadcasting networks. In this specification, "coded media data" includes both timed audiovisual media data, and non-timed data.

MMT is designed under the assumption that the coded media data will be delivered over a packet-switched delivery network. Several characteristics of such delivery environment, such as non-constant end-to-end delay of each packet from the sending entity to the receiving entity, have been taken into consideration.

For efficient and effective delivery and consumption of coded media data over packet-switched delivery networks, this specification provides the following elements:

- the logical model to construct contents composed of components from various sources, for example components of mash-up applications;
- the formats to convey information about the coded media data, to enable delivery layer processing, such as packetization;
- the packetization method and the structure of the packet to deliver media content over packet-switched networks supporting media and coding independent hybrid delivery over multiple channels;
- the format of the signalling messages to manage delivery and consumption of media content.