

First edition
2008-12-15

Information technology — Open Systems Interconnection — Procedures for the operation of OSI Registration Authorities: Registration of object identifier arcs for applications and services using tag-based identification

Technologies de l'information — Interconnexion de systèmes ouverts (OSI) — Procédures opérationnelles pour les organismes d'enregistrement de l'OSI: Enregistrement des arcs d'identificateur d'objet pour applications et services utilisant l'identification basée sur des tags

Reference number
ISO/IEC 9834-9:2008(E)



This is a preview of "ISO/IEC 9834-9:2008". [Click here to purchase the full version from the ANSI store.](#)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published by ISO in 2009

Published in Switzerland

This is a preview of "ISO/IEC 9834-9:2008". [Click here to purchase the full version from the ANSI store.](#)

CONTENTS

	<i>Page</i>
1 Scope	1
2 Normative references	1
2.1 Identical Recommendations International Standards	1
3 Definitions	1
3.1 Imported definitions	1
3.2 Additional definitions	2
4 Abbreviations and acronyms	2
5 General.....	2
6 Responsibilities of the RA	2
7 Criteria for acceptance.....	3
8 Detailed procedures for the operation of the RA	3
8.1 Registration application.....	3
8.2 Registration announcement	3
8.3 Time-scale for processing applications and publication.....	3
8.4 Notice of rejection.....	4
8.5 Change of registration information	4
8.6 Fees.....	4
9 Appeals process	4
10 Re-appointment of the RA.....	4
Bibliography	6

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 9834-9 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems* in collaboration with ITU-T. The identical text is published as ITU-T Rec. X.668.

ISO/IEC 9834 consists of the following parts, under the general title *Information technology — Open Systems Interconnection — Procedures for the operation of OSI Registration Authorities*:

- *Part 1: General procedures and top arcs of the ASN.1 Object Identifier tree*
- *Part 2: Registration procedures for OSI document types*
- *Part 3: Registration of Object Identifier arcs beneath the top-level arc jointly administered by ISO and ITU-T*
- *Part 4: Register of VTE Profiles*
- *Part 5: Register of VT Control Object Definitions*
- *Part 6: Registration of application processes and application entities*
- *Part 7: Joint ISO and ITU-T Registration of International Organizations*
- *Part 8: Generation and registration of Universally Unique Identifiers (UUIDs) and their use as ASN.1 Object Identifier components*
- *Part 9: Registration of object identifier arcs for applications and services using tag-based identification*

This is a preview of "ISO/IEC 9834-9:2008". [Click here to purchase the full version from the ANSI store.](#)

Introduction

This Recommendation | International Standard enables the registration of object identifiers (OIDs) for applications and services using tag-based identification (see 3.2.) under the OID arc {**joint-iso-itu-t(2) tag-based(27)**}.

NOTE – For historical reasons, the secondary identifier **nid** is a synonym for **tag-based** on arc 27.

Tag-based applications and services may (if necessary) request from the Registration Authority an OID for their identification scheme that encodes in only two octets. This Recommendation | International Standard specifies the operation of the Registration Authority for the allocation of such OIDs.

For tag-based applications and services, the OID is stored in a transponder which has limited memory size and the length of the OID encoding needs to be minimized.