

ISO/IEC JTC 1

Secretariat: ANSI

Voting begins on:
2014-10-01

Voting terminates on:
2015-01-01

Information technology — Mathematical Markup Language (MathML) Version 3.0 2nd Edition

Titre manque

ICS: 35.240.30

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.



Reference number
ISO/IEC DIS 40314:2014(E)

© ISO/IEC 2014

Copyright notice

This ISO document is a Draft International Standard and is copyright-protected by ISO. Except as permitted under the applicable laws of the user's country, neither this ISO draft nor any extract from it may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, photocopying, recording or otherwise, without prior written permission being secured.

Requests for permission to reproduce should be addressed to either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Reproduction may be subject to royalty payments or a licensing agreement.

Violators may be prosecuted.

Contents

| | | |
|----------|--|-----------|
| 1 | Introduction | 9 |
| 1.1 | Mathematics and its Notation | 9 |
| 1.2 | Origins and Goals | 10 |
| 1.2.1 | Design Goals of MathML | 10 |
| 1.3 | Overview | 11 |
| 1.4 | A First Example | 11 |
| 2 | MathML Fundamentals | 14 |
| 2.1 | MathML Syntax and Grammar | 14 |
| 2.1.1 | General Considerations | 14 |
| 2.1.2 | MathML and Namespaces | 14 |
| 2.1.3 | Children versus Arguments | 15 |
| 2.1.4 | MathML and Rendering | 15 |
| 2.1.5 | MathML Attribute Values | 15 |
| 2.1.6 | Attributes Shared by all MathML Elements | 20 |
| 2.1.7 | Collapsing Whitespace in Input | 21 |
| 2.2 | The Top-Level <math> Element | 22 |
| 2.2.1 | Attributes | 22 |
| 2.2.2 | Deprecated Attributes | 24 |
| 2.3 | Conformance | 24 |
| 2.3.1 | MathML Conformance | 24 |
| 2.3.2 | Handling of Errors | 27 |
| 2.3.3 | Attributes for unspecified data | 27 |
| 3 | Presentation Markup | 28 |
| 3.1 | Introduction | 28 |
| 3.1.1 | What Presentation Elements Represent | 28 |
| 3.1.2 | Terminology Used In This Chapter | 29 |
| 3.1.3 | Required Arguments | 30 |
| 3.1.4 | Elements with Special Behaviors | 31 |
| 3.1.5 | Directionality | 32 |
| 3.1.6 | Displaystyle and Scriptlevel | 33 |
| 3.1.7 | Linebreaking of Expressions | 34 |
| 3.1.8 | Warning about fine-tuning of presentation | 35 |
| 3.1.9 | Summary of Presentation Elements | 37 |
| 3.1.10 | Mathematics style attributes common to presentation elements | 38 |
| 3.2 | Token Elements | 38 |
| 3.2.1 | Token Element Content Characters, <mglyph/> | 39 |
| 3.2.2 | Mathematics style attributes common to token elements | 41 |
| 3.2.3 | Identifier <mi> | 45 |

| | | |
|----------|---|------------|
| 3.2.4 | Number <code><mn></code> | 46 |
| 3.2.5 | Operator, Fence, Separator or Accent <code><mo></code> | 47 |
| 3.2.6 | Text <code><mtext></code> | 60 |
| 3.2.7 | Space <code><mspace/></code> | 62 |
| 3.2.8 | String Literal <code><ms></code> | 64 |
| 3.3 | General Layout Schemata | 64 |
| 3.3.1 | Horizontally Group Sub-Expressions <code><mrow></code> | 64 |
| 3.3.2 | Fractions <code><mfrac></code> | 67 |
| 3.3.3 | Radicals <code><msqrt></code> , <code><mroot></code> | 69 |
| 3.3.4 | Style Change <code><mstyle></code> | 69 |
| 3.3.5 | Error Message <code><merror></code> | 72 |
| 3.3.6 | Adjust Space Around Content <code><mpadded></code> | 73 |
| 3.3.7 | Making Sub-Expressions Invisible <code><mphantom></code> | 78 |
| 3.3.8 | Expression Inside Pair of Fences <code><mfenced></code> | 80 |
| 3.3.9 | Enclose Expression Inside Notation <code><enclose></code> | 83 |
| 3.4 | Script and Limit Schemata | 85 |
| 3.4.1 | Subscript <code><msub></code> | 86 |
| 3.4.2 | Superscript <code><msup></code> | 87 |
| 3.4.3 | Subscript-superscript Pair <code><msubsup></code> | 87 |
| 3.4.4 | Underscript <code><munder></code> | 88 |
| 3.4.5 | Overscript <code><mover></code> | 89 |
| 3.4.6 | Underscript-overscript Pair <code><munderover></code> | 91 |
| 3.4.7 | Prescripts and Tensor Indices <code><mmultiscripts></code> , <code><mprescripts/></code> , <code><none/></code> | 93 |
| 3.5 | Tabular Math | 95 |
| 3.5.1 | Table or Matrix <code><mtable></code> | 95 |
| 3.5.2 | Row in Table or Matrix <code><mtr></code> | 99 |
| 3.5.3 | Labeled Row in Table or Matrix <code><mlabeledtr></code> | 99 |
| 3.5.4 | Entry in Table or Matrix <code><mtd></code> | 101 |
| 3.5.5 | Alignment Markers <code><maligngroup/></code> , <code><malignmark/></code> | 101 |
| 3.6 | Elementary Math | 110 |
| 3.6.1 | Stacks of Characters <code><mstack></code> | 111 |
| 3.6.2 | Long Division <code><mlongdiv></code> | 113 |
| 3.6.3 | Group Rows with Similiar Positions <code><msgroup></code> | 114 |
| 3.6.4 | Rows in Elementary Math <code><msrow></code> | 115 |
| 3.6.5 | Carries, Borrows, and Crossouts <code><mscarries></code> | 115 |
| 3.6.6 | A Single Carry <code><mscarry></code> | 116 |
| 3.6.7 | Horizontal Line <code><msline/></code> | 117 |
| 3.6.8 | Elementary Math Examples | 118 |
| 3.7 | Enlivening Expressions | 124 |
| 3.7.1 | Bind Action to Sub-Expression <code><maction></code> | 124 |
| 3.8 | Semantics and Presentation | 126 |
| 4 | Content Markup | 127 |
| 4.1 | Introduction | 127 |
| 4.1.1 | The Intent of Content Markup | 127 |
| 4.1.2 | The Structure and Scope of Content MathML Expressions | 128 |
| 4.1.3 | Strict Content MathML | 128 |
| 4.1.4 | Content Dictionaries | 129 |
| 4.1.5 | Content MathML Concepts | 130 |
| 4.2 | Content MathML Elements Encoding Expression Structure | 131 |

| | | |
|----------|---|------------|
| 4.2.1 | Numbers <cn> | 132 |
| 4.2.2 | Content Identifiers <ci> | 138 |
| 4.2.3 | Content Symbols <csymbol> | 140 |
| 4.2.4 | String Literals <cs> | 142 |
| 4.2.5 | Function Application <apply> | 143 |
| 4.2.6 | Bindings and Bound Variables <bind> and <bvar> | 146 |
| 4.2.7 | Structure Sharing <share> | 148 |
| 4.2.8 | Attribution via semantics | 150 |
| 4.2.9 | Error Markup <cerror> | 151 |
| 4.2.10 | Encoded Bytes <cbytes> | 152 |
| 4.3 | Content MathML for Specific Structures | 152 |
| 4.3.1 | Container Markup | 153 |
| 4.3.2 | Bindings with <apply> | 154 |
| 4.3.3 | Qualifiers | 156 |
| 4.3.4 | Operator Classes | 162 |
| 4.3.5 | Non-strict Attributes | 169 |
| 4.4 | Content MathML for Specific Operators and Constants | 170 |
| 4.4.1 | Functions and Inverses | 170 |
| 4.4.2 | Arithmetic, Algebra and Logic | 180 |
| 4.4.3 | Relations | 200 |
| 4.4.4 | Calculus and Vector Calculus | 205 |
| 4.4.5 | Theory of Sets | 224 |
| 4.4.6 | Sequences and Series | 233 |
| 4.4.7 | Elementary classical functions | 243 |
| 4.4.8 | Statistics | 247 |
| 4.4.9 | Linear Algebra | 253 |
| 4.4.10 | Constant and Symbol Elements | 260 |
| 4.5 | Deprecated Content Elements | 268 |
| 4.5.1 | Declare <declare> | 268 |
| 4.5.2 | Relation <reln> | 268 |
| 4.5.3 | Relation <fn> | 268 |
| 4.6 | The Strict Content MathML Transformation | 268 |
| 5 | Mixing Markup Languages for Mathematical Expressions | 272 |
| 5.1 | Annotation Framework | 272 |
| 5.1.1 | Annotation elements | 272 |
| 5.1.2 | Annotation keys | 273 |
| 5.1.3 | Alternate representations | 274 |
| 5.1.4 | Content equivalents | 275 |
| 5.1.5 | Annotation references | 276 |
| 5.2 | Elements for Semantic Annotations | 276 |
| 5.2.1 | The <semantics> element | 276 |
| 5.2.2 | The <annotation> element | 277 |
| 5.2.3 | The <annotation-xml> element | 278 |
| 5.3 | Combining Presentation and Content Markup | 281 |
| 5.3.1 | Presentation Markup in Content Markup | 281 |
| 5.3.2 | Content Markup in Presentation Markup | 282 |
| 5.4 | Parallel Markup | 282 |
| 5.4.1 | Top-level Parallel Markup | 282 |
| 5.4.2 | Parallel Markup via Cross-References | 283 |

| | | |
|----------|---|------------|
| 6 | Interactions with the Host Environment | 286 |
| 6.1 | Introduction | 286 |
| 6.2 | Invoking MathML Processors | 286 |
| 6.2.1 | Recognizing MathML in XML | 286 |
| 6.2.2 | Recognizing MathML in HTML | 287 |
| 6.2.3 | Resource Types for MathML Documents | 287 |
| 6.2.4 | Names of MathML Encodings | 287 |
| 6.3 | Transferring MathML | 288 |
| 6.3.1 | Basic Transfer Flavor Names and Contents | 288 |
| 6.3.2 | Recommended Behaviors when Transferring | 289 |
| 6.3.3 | Discussion | 289 |
| 6.3.4 | Examples | 290 |
| 6.4 | Combining MathML and Other Formats | 292 |
| 6.4.1 | Mixing MathML and XHTML | 294 |
| 6.4.2 | Mixing MathML and non-XML contexts | 294 |
| 6.4.3 | Mixing MathML and HTML | 294 |
| 6.4.4 | Linking | 295 |
| 6.4.5 | MathML and Graphical Markup | 296 |
| 6.5 | Using CSS with MathML | 297 |
| 6.5.1 | Order of processing attributes versus style sheets | 298 |
| | | |
| 7 | Characters, Entities and Fonts | 299 |
| 7.1 | Introduction | 299 |
| 7.2 | Unicode Character Data | 299 |
| 7.3 | Entity Declarations | 300 |
| 7.4 | Special Characters Not in Unicode | 300 |
| 7.5 | Mathematical Alphanumeric Symbols | 300 |
| 7.6 | Non-Marking Characters | 303 |
| 7.7 | Anomalous Mathematical Characters | 303 |
| 7.7.1 | Keyboard Characters | 303 |
| 7.7.2 | Pseudo-scripts | 304 |
| 7.7.3 | Combining Characters | 306 |
| | | |
| A | Parsing MathML | 308 |
| A.1 | Use of MathML as Well-Formed XML | 308 |
| A.2 | Using the RelaxNG Schema for MathML3 | 308 |
| A.2.1 | Full MathML | 309 |
| A.2.2 | Elements Common to Presentation and Content MathML | 309 |
| A.2.3 | The Grammar for Presentation MathML | 311 |
| A.2.4 | The Grammar for Strict Content MathML3 | 323 |
| A.2.5 | The Grammar for Content MathML | 325 |
| A.2.6 | MathML as a module in a RelaxNG Schema | 332 |
| A.3 | Using the MathML DTD | 333 |
| A.3.1 | Document Validation Issues | 333 |
| A.3.2 | Attribute values in the MathML DTD | 333 |
| A.3.3 | DOCTYPE declaration for MathML | 334 |
| A.4 | Using the MathML XML Schema | 334 |
| A.4.1 | Associating the MathML schema with MathML fragments | 334 |
| A.5 | Parsing MathML in XHTML | 334 |
| A.6 | Parsing MathML in HTML | 334 |

| | | |
|----------|---|------------|
| B | Media Types Registrations | 335 |
| B.1 | Selection of Media Types for MathML Instances | 335 |
| B.2 | Media type for Generic MathML | 336 |
| B.3 | Media type for Presentation MathML | 337 |
| B.4 | Media type for Content MathML | 338 |
| C | Operator Dictionary (Non-Normative) | 340 |
| C.1 | Indexing of the operator dictionary | 340 |
| C.2 | Format of operator dictionary entries | 340 |
| C.3 | Notes on lspace and rspace attributes | 341 |
| C.4 | Operator dictionary entries | 341 |
| D | Glossary (Non-Normative) | 379 |
| E | Working Group Membership and Acknowledgments (Non-Normative) | 383 |
| E.1 | The Math Working Group Membership | 383 |
| E.2 | Acknowledgments | 386 |
| F | Changes (Non-Normative) | 387 |
| F.1 | Changes between MathML 3.0 First Edition and Second Edition | 387 |
| F.2 | Changes between MathML 2.0 Second Edition and MathML 3.0 | 390 |
| G | Normative References | 391 |
| H | References (Non-Normative) | 393 |
| I | Index (Non-Normative) | 395 |
| I.1 | MathML Elements | 395 |
| I.2 | MathML Attributes | 400 |