



GUIDE 98-3/Suppl.1

Uncertainty of measurement

Part 3:

**Guide to the expression of
uncertainty in measurement
(GUM:1995)**

Supplement 1:

**Propagation of distributions
using a Monte Carlo method**

This is a preview of "ISO/IEC Guide 98-3/S...". Click here to purchase the full version from the ANSI store.

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

This is a preview of "ISO/IEC Guide 98-3/S...". Click here to purchase the full version from the ANSI store.

Contents

Page

Foreword	v
Introduction.....	vi
1 Scope	1
2 Normative references	2
3 Terms and definitions	2
4 Conventions and notation	6
5 Basic principles	8
5.1 Main stages of uncertainty evaluation	8
5.2 Propagation of distributions	9
5.3 Obtaining summary information.....	9
5.4 Implementations of the propagation of distributions.....	10
5.5 Reporting the results	11
5.6 GUM uncertainty framework	12
5.7 Conditions for valid application of the GUM uncertainty framework for linear models	13
5.8 Conditions for valid application of the GUM uncertainty framework for non-linear models	14
5.9 Monte Carlo approach to the propagation and summarizing stages	15
5.10 Conditions for the valid application of the described Monte Carlo method	16
5.11 Comparison of the GUM uncertainty framework and the described Monte Carlo method	17
6 Probability density functions for the input quantities	18
6.1 General	18
6.2 Bayes' theorem.....	19
6.3 Principle of maximum entropy.....	19
6.4 Probability density function assignment for some common circumstances	20
6.4.1 General	20
6.4.2 Rectangular distributions.....	20
6.4.3 Rectangular distributions with inexactly prescribed limits	20
6.4.4 Trapezoidal distributions.....	22
6.4.5 Triangular distributions	23
6.4.6 Arc sine (U-shaped) distributions.....	24
6.4.7 Gaussian distributions.....	25
6.4.8 Multivariate Gaussian distributions	25
6.4.9 <i>t</i> -distributions.....	26
6.4.10 Exponential distributions	28
6.4.11 Gamma distributions.....	28
6.5 Probability distributions from previous uncertainty calculations	29
7 Implementation of a Monte Carlo method.....	29
7.1 General	29
7.2 Number of Monte Carlo trials	29
7.3 Sampling from probability distributions	29
7.4 Evaluation of the model	30
7.5 Discrete representation of the distribution function for the output quantity.....	30
7.6 Estimate of the output quantity and the associated standard uncertainty.....	31
7.7 Coverage interval for the output quantity.....	31
7.8 Computation time	32
7.9 Adaptive Monte Carlo procedure.....	32
7.9.1 General	32
7.9.2 Numerical tolerance associated with a numerical value.....	32
7.9.3 Objective of adaptive procedure.....	33

This is a preview of "ISO/IEC Guide 98-3/S...". [Click here to purchase the full version from the ANSI store.](#)

7.9.4	Adaptive procedure	33
8	Validation of results	35
8.1	Validation of the GUM uncertainty framework using a Monte Carlo method	35
8.2	Obtaining results from a Monte Carlo method for validation purposes	35
9	Examples	36
9.1	Illustrations of aspects of this Supplement	36
9.2	Additive model	37
9.2.1	Formulation	37
9.2.2	Normally distributed input quantities	37
9.2.3	Rectangularly distributed input quantities with the same width	39
9.2.4	Rectangularly distributed input quantities with different widths	41
9.3	Mass calibration	42
9.3.1	Formulation	42
9.3.2	Propagation and summarizing	43
9.4	Comparison loss in microwave power meter calibration	45
9.4.1	Formulation	45
9.4.2	Propagation and summarizing: zero covariance	46
9.4.3	Propagation and summarizing: non-zero covariance	51
9.5	Gauge block calibration	53
9.5.1	Formulation: model	53
9.5.2	Formulation: assignment of PDFs	55
9.5.3	Propagation and summarizing	58
9.5.4	Results	59
	Annex A Historical perspective	61
	Annex B Sensitivity coefficients and uncertainty budgets	62
	Annex C Sampling from probability distributions	63
C.1	General	63
C.2	General distributions	63
C.3	Rectangular distribution	64
C.4	Gaussian distribution	65
C.5	Multivariate Gaussian distribution	66
C.6	<i>t</i> -distribution	67
	Annex D Continuous approximation to the distribution function for the output quantity	69
	Annex E Coverage interval for the four-fold convolution of a rectangular distribution	72
	Annex F Comparison loss problem	74
F.1	Expectation and standard deviation obtained analytically	74
F.2	Analytic solution for zero estimate of the voltage reflection coefficient having associated zero covariance	75
F.3	GUM uncertainty framework applied to the comparison loss problem	76
	Annex G Glossary of principal symbols	78
	Bibliography	83
	Alphabetical index	86

This is a preview of "ISO/IEC Guide 98-3/S...". Click here to purchase the full version from the ANSI store.

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

Draft Guides adopted by the responsible Committee or Group are circulated to the member bodies for voting. Publication as a Guide requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

This first edition of Supplement 1 to ISO/IEC Guide 98-3 has been prepared by Working Group 1 of the JCGM, and has benefited from detailed reviews undertaken by member organizations of the JCGM and National Metrology Institutes. For further information, see the Introduction (0.2).

ISO/IEC Guide 98 consists of the following parts, under the general title *Uncertainty of measurement*:

- *Part 1: Introduction to the expression of uncertainty in measurement*
- *Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)*

The following parts are planned:

- *Part 2: Concepts and basic principles*
- *Part 4: Role of measurement uncertainty in conformity assessment*
- *Part 5: Applications of the least-squares method*

ISO/IEC Guide 98-3 has one supplement.

- *Supplement 1: Propagation of distributions using a Monte Carlo method*

The following supplements to ISO/IEC Guide 98-3 are planned:

- *Supplement 2: Models with any number of output quantities*
- *Supplement 3: Modelling*

Note that in this document, GUM is used to refer to the industry-recognized publication, adopted as ISO/IEC Guide 98-3:2008. When a specific clause or subclause number is cited, the reference is to ISO/IEC Guide 98-3:2008.

Introduction

0.1 General

This Supplement to the *Guide to the expression of uncertainty in measurement (GUM)* is concerned with the propagation of probability distributions through a mathematical model of measurement [ISO/IEC Guide 98-3:2008, 3.1.6] as a basis for the evaluation of uncertainty of measurement, and its implementation by a Monte Carlo method. The treatment applies to a model having any number of input quantities, and a single output quantity.

The described Monte Carlo method is a practical alternative to the GUM uncertainty framework [ISO/IEC Guide 98-3:2008, 3.4.8]. It has value when

- a) linearization of the model provides an inadequate representation or
- b) the probability density function (PDF) for the output quantity departs appreciably from a Gaussian distribution or a scaled and shifted t -distribution, e.g. due to marked asymmetry.

In case a), the estimate of the output quantity and the associated standard uncertainty provided by the GUM uncertainty framework might be unreliable. In case b), unrealistic coverage intervals (a generalization of "expanded uncertainty" in the GUM uncertainty framework) might be the outcome.

The GUM [ISO/IEC Guide 98-3:2008, 3.4.8] "...provides a framework for assessing uncertainty ...", based on the law of propagation of uncertainty [ISO/IEC Guide 98-3:2008, Clause 5] and the characterization of the output quantity by a Gaussian distribution or a scaled and shifted t -distribution [ISO/IEC Guide 98-3:2008, G.6.2, G.6.4]. Within that framework, the law of propagation of uncertainty provides a means for propagating uncertainties through the model. Specifically, it evaluates the standard uncertainty associated with an estimate of the output quantity, given

- 1) best estimates of the input quantities,
- 2) the standard uncertainties associated with these estimates, and, where appropriate,
- 3) degrees of freedom associated with these standard uncertainties, and
- 4) any non-zero covariances associated with pairs of these estimates.

Also within the framework, the PDF taken to characterize the output quantity is used to provide a coverage interval, for a stipulated coverage probability, for that quantity.

The best estimates, standard uncertainties, covariances and degrees of freedom summarize the information available concerning the input quantities. With the approach considered here, the available information is encoded in terms of PDFs for the input quantities. The approach operates with these PDFs in order to determine the PDF for the output quantity.

Whereas there are some limitations to the GUM uncertainty framework, the propagation of distributions will always provide a PDF for the output quantity that is consistent with the PDFs for the input quantities. This PDF for the output quantity describes the knowledge of that quantity, based on the knowledge of the input quantities, as described by the PDFs assigned to them. Once the PDF for the output quantity is available, that quantity can be summarized by its expectation, taken as an estimate of the quantity, and its standard deviation, taken as the standard uncertainty associated with the estimate. Further, the PDF can be used to obtain a coverage interval, corresponding to a stipulated coverage probability, for the output quantity.

This is a preview of "ISO/IEC Guide 98-3/S...". Click here to purchase the full version from the ANSI store.

The use of PDFs as described in this Supplement is generally consistent with the concepts underlying the GUM. The PDF for a quantity expresses the state of knowledge about the quantity, i.e. it quantifies the degree of belief about the values that can be assigned to the quantity based on the available information. The information usually consists of raw statistical data, results of measurement, or other relevant scientific statements, as well as professional judgement.

In order to construct a PDF for a quantity, on the basis of a series of indications, Bayes' theorem can be applied [27, 33]. When appropriate information is available concerning systematic effects, the principle of maximum entropy can be used to assign a suitable PDF [51, 56].

The propagation of distributions has wider application than the GUM uncertainty framework. It works with richer information than that conveyed by best estimates and the associated standard uncertainties (and degrees of freedom and covariances when appropriate).

Decimal sign: The decimal sign in the English text is the point on the line, and the comma on the line is the decimal sign in the French text. (See 4.12)

An historical perspective is given in Annex A.

NOTE 1 The GUM provides an approach when linearization is inadequate [ISO/IEC Guide 98-3:2008, 5.1.2 Note]. The approach has limitations: only the leading non-linear terms in the Taylor series expansion of the model are used, and the PDFs for the input quantities are regarded as Gaussian.

NOTE 2 Strictly, the GUM characterizes the variable $(Y - y)/u(y)$ by a t -distribution, where Y is the output quantity, y an estimate of Y , and $u(y)$ the standard uncertainty associated with y [ISO/IEC Guide 98-3:2008, G.3.1]. This characterization is also used in this Supplement. [The GUM in fact refers to the variable $(y - Y)u(y)$.]

NOTE 3 A PDF for a quantity is not to be understood as a frequency density.

NOTE 4 "The evaluation of uncertainty is neither a routine task nor a purely mathematical one; it depends on detailed knowledge of the nature of the measurand and of the measurement method and procedure used. The quality and utility of the uncertainty quoted for the result of a measurement therefore ultimately depends on the understanding, critical analysis, and integrity of those who contribute to the assignment of its value." [17].

0.2 JCGM background information

In 1997, the Joint Committee for Guides in Metrology (JCGM), chaired by the Director of the Bureau International des Poids et Mesures (BIPM), was created by the seven international organizations that had originally in 1993 prepared the *Guide to the expression of uncertainty in measurement (GUM)* and the *International vocabulary of basic and general terms in metrology (VIM)*. The JCGM assumed responsibility for these two documents from the ISO Technical Advisory Group 4 (TAG4).

The Joint Committee is formed by the BIPM with the International Electrotechnical Commission (IEC), the International Federation of Clinical Chemistry and Laboratory Medicine (IFCC), the International Organization for Standardization (ISO), the International Union of Pure and Applied Chemistry (IUPAC), the International Union of Pure and Applied Physics (IUPAP), and the International Organization of Legal Metrology (OIML). A further organization joined these seven international organizations, namely, the International Laboratory Accreditation Cooperation (ILAC).

JCGM has two Working Groups. Working Group 1, "Expression of uncertainty in measurement", has the task to promote the use of the GUM and to prepare Supplements and other documents for its broad application. Working Group 2, "Working Group on International vocabulary of basic and general terms in metrology (VIM)", has the task to revise and promote the use of the VIM. For further information on the activity of the JCGM, see www.bipm.org.

Supplements such as this one are intended to give added value to the GUM by providing guidance on aspects of uncertainty evaluation that are not explicitly treated in the GUM. The guidance will, however, be as consistent as possible with the general probabilistic basis of the GUM.