First edition 2022-10

Gears — Wear and damage to gear teeth —

Part 2: **Supplementary information**

Engrenages — Usure et défauts des dentures — Partie 2: Informations supplémentaires



ISO/TR 10825-2:2022(E)

This is a preview of "ISO/TR 10825-2:2022". Click here to purchase the full version from the ANSI store.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents							
Fore	word			vi			
Intro	oductio	n		vii			
1	Scop	e		1			
2	-		References				
3	Terms and definitions						
	Overview and warnings						
4	4.1		riew				
	4.2		ings				
5	Tribological damage (non-fatigue)						
	5.1	5.1 General					
	5.2	Polish	ning	2			
		5.2.1		2			
		5.2.2	Summary of methods that have been observed to reduce the risk of polishing	3			
	5.3	Scrato	ches				
	5.4	Abras	sive wear				
		5.4.1	General				
		5.4.2	Sources of particles that cause abrasive wear				
	5.5	5.4.3	Methods for reducing abrasive wearing				
	5.5	5.5.1					
		5.5.2	Methods for reducing the risk of scuffing				
		5.5.3	Summary of methods that have been observed to reduce the risk of scuffing.	7			
	5.6		sive wear (Adhesion)				
		5.6.1	General	8			
		5.6.2	Summary of methods that have been observed to reduce the risk of adhesive wear	9			
	5.7	Fretti	ing corrosion				
		5.7.1	General				
		5.7.2	False brinelling				
		5.7.3	Fretting corrosion				
	5.8	5.7.4	Summary of methods that have been observed to reduce the risk of fretting				
_							
6	Fatigue damage						
	6.1 6.2		ue cracks				
	0.2	6.2.1	General				
		6.2.2	Micropitting				
		6.2.3	Macropitting				
		6.2.4	Case crushing (subcase fatigue)				
		6.2.5	White layer flaking				
		6.2.6 6.2.7	Tooth flank fracture (TFF) (subsurface initiated bending fatigue)				
	6.3		ing fatigue				
	0.5	6.3.1	Tooth root fatigue fracture				
		6.3.2	Rim web and hub cracks				
7	Non-fatigue fracture						
	7.1		7al				
		7.1.1	Brittle fracture	29			
		7.1.2	Summary of methods that have been observed to reduce the risk of brittle	20			
		7.1.3	fractureDuctile fracture				
		/.1.5	Ductile Hucture	51			

		7.1.4 Mixed mode fracture				
	7.2	Tooth root rupture				
	7.3	Tooth end rupture				
	7.4	Tooth shear fracture	32			
8	Plastic Deformation					
U	8.1 General					
	8.2	Indentation				
	8.3	Brinelling				
	8.4					
		Cold flow				
	8.5					
	8.6					
	8.7					
	8.8					
	8.9	Tooth hammerRippling				
	8.10					
	8.11	Ridging				
	8.12	Burr	33			
	8.13	Interference deformation	34			
		8.13.1 Tip to root fillet interference	34			
		8.13.2 Tip-to-dedendum interference				
		8.13.3 Tight mesh				
0	N. //					
9		ufacturing problems	34			
	9.1	Forging cracks				
	9.2	Hardening cracks				
		9.2.1 General				
		9.2.2 Thermal stresses				
		9.2.3 Stress concentration due to heat treatment				
		9.2.4 Quench severity				
		9.2.5 Phase transformation				
		9.2.6 Material defects				
		9.2.7 Heat treating practice	35			
		9.2.8 Tempering practice	36			
		9.2.9 Detection of hardening cracks				
		9.2.10 Summary of methods that have been observed to reduce the risk				
		hardening cracks				
	9.3	Grinding cracks	36			
		9.3.1 General				
		9.3.2 Summary of methods that have been observed to reduce the risk				
		grinding cracks				
	9.4	Hydrogen and internal residual stress gear failures	37			
		9.4.1 General	37			
		9.4.2 Hydrogen flake term				
		9.4.3 Fish eye				
		9.4.4 Segregation cracks				
		9.4.5 Deferred breakage				
	9.5	Grinding burn (temper due to grinding)				
	9.5 9.6	Grinding notch				
	9.7	Scaling				
	9.8	Case/core separation				
		9.8.1 General				
		9.8.2 Summary of methods that have been observed to reduce the risk of ca				
		core separation	41			
10	Othe	er surface damage	41			
	10.1	Corrosion				
		10.1.1 General				
		10.1.2 Summary of methods that have been observed to reduce the risk				
		corrosion				
		~~. · · · · · · · · · · · · · · · · · ·				

ISO/TR 10825-2:2022(E)

This is a preview of "ISO/TR 10825-2:2022". Click here to purchase the full version from the ANSI store.

10.2	Cavitation	42		
10.3	3 Erosion			
10.4	Electric discharge			
	10.4.1 General	43		
	10.4.2 Summary of methods that have been observed to reduce the risk of			
	electrical discharge damage	43		
10.5	Overheating	44		
Bibliograph	V	45		

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 60, *Gears*, Subcommittee SC 1, *Nomenclature and wormgearing*.

This first edition of ISO/TR 10825-2, together with ISO 10825-1, cancels and replaces ISO 10825:1995, which has been technically revised.

The main changes are as follows:

— ISO 10825:1995 has now two parts: ISO 10825-1 and ISO/TR 10825-2 that gives additional information on failure modes.

A list of all parts of the ISO 10825 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document has been developed to assist readers in identifying possible causes of gear tooth damage and potential ways to avoid future damage. However, it is not intended to give a definitive reason for the damage observed. Some causes that are included are still a topic of research and discussion but are presented with the intent to provide possibilities. Also, in some cases, steps taken to reduce the risk of one type of damage can increase the risk of another type of damage.

This document is intended as a supplement to ISO 10825-1. To facilitate the correlation of the information in the two parts, both documents have the same structure. Some sections in this document are mainly place holders to keep the structures parallel.