

This is a preview of "ISO/TS 12025:2021". [Click here to purchase the full version from the ANSI store.](#)

Second edition
2021-05

Nanomaterials — Quantification of nano-object release from powders by generation of aerosols

*Nanomatériaux — Quantification de la libération de nano-objets par
les poudres par production d'aérosols*



Reference number
ISO/TS 12025:2021(E)

© ISO 2021



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

This is a preview of "ISO/TS 12025:2021". [Click here to purchase the full version from the ANSI store.](#)

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
3.1 General terms.....	1
3.2 Terms related to particle properties and measurement.....	2
4 Symbols	5
5 Factors influencing results of nano-object release from powders	5
5.1 Test generation method selection.....	5
5.2 Material properties influencing nano-object release from powder.....	5
5.3 Test stages.....	6
6 Test requirements	7
6.1 General.....	7
6.2 Safety assessment.....	7
6.3 Sample preparation.....	8
6.4 Sample treatment.....	8
6.4.1 Dustiness generation methods.....	8
6.4.2 Dispersing methods for aerosol generation.....	9
6.4.3 Sample treatment execution and report.....	9
6.5 Measurement of aerosolized nano-objects.....	10
6.5.1 Selection of the measuring method.....	10
6.5.2 Transport and sampling parameters.....	11
6.5.3 Considerations before testing.....	12
6.5.4 Size and concentration measurement results.....	12
6.5.5 Particle size distribution and other characteristic measurement parameters.....	14
7 Requirements for test setups and protocols	15
8 Test report	16
Annex A (informative) Considerations for the selection of the sample treatment procedure	17
Annex B (informative) Dustiness reference test methods	19
Annex C (informative) Dynamic method	22
Annex D (informative) Dispersing methods	26
Annex E (informative) Selection of the nano-object measuring method	27
Annex F (informative) Dry dispersion intensity in measuring devices	29
Bibliography	30

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 229, *Nanotechnologies*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 352, *Nanotechnologies*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO/TS 12025:2012), which has been technically revised.

The main changes compared to the previous edition are as follows:

- revised and updated the Introduction and the Bibliography;
- updated [6.4.1](#) and [6.4.2](#) and [Annex A](#) with regards to the description and selection of the sample treatment procedure in accordance with new European standards.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

This is a preview of "ISO/TS 12025:2021". [Click here to purchase the full version from the ANSI store.](#)

Introduction

Industrial powders when subjected to external energy or stress from handling and air flow will release particles entrained in the surrounding air to form aerosols. Aerosols in the nanoscale are more dynamic than micrometre sized particles because of greater sensitivity to physical effects such as Brownian diffusion. Porosity and cohesion of the powder can be much higher than for materials containing larger particles with more resistance to flow and lower volume-specific surface area. Nano-objects in powdered nanostructured materials can dominate relevant properties of the bulk material by particle-particle interactions that form clusters such as agglomerates.

Aerosol release characterization consists of three main stages: generation, transport and measurement. In general, to reduce transport losses and aerosol agglomeration, the distance between generation and measurement should be minimized. Although there are potentially many different approaches^[35], the generation of an aerosol is usually physically modelled on different representative scenarios (e.g. to simulate typical manual or machine powder handling processes or worst-case highly energetic dispersion).

This document is only applicable for measuring the release of nano-objects from powders. This allows comparisons of the nano-object release from different powders using the same generation and measurement system. The choice of the measurement method must take into account the characteristics (e.g. time-related dependence) of the generation system and the potential for losses and agglomeration during the transport and entry into the measuring instrumentation. Therefore, this document provides a summary of the generation and measurement methods currently available to assist material scientists and engineers in comparing the nano-object release from different powders.

The quantification of the release of nano-objects from powders described in this document cannot be used as a substitute for dustiness testing or for a health-related risk assessment.