

This is a preview of "ISO/TS 13725:2016". Click here to purchase the full version from the ANSI store.

Second edition  
2016-06-01

---

---

---

## Hydraulic fluid power — Method for evaluating the buckling load of a hydraulic cylinder

*Transmissions hydrauliques — Méthode d'évaluation du flambage  
d'un vérin*

---

---

---

Reference number  
ISO/TS 13725:2016(E)



© ISO 2016

This is a preview of "ISO/TS 13725:2016". Click here to purchase the full version from the ANSI store.



## **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Ch. de Blandonnet 8 • CP 401  
CH-1214 Vernier, Geneva, Switzerland  
Tel. +41 22 749 01 11  
Fax +41 22 749 09 47  
copyright@iso.org  
www.iso.org

This is a preview of "ISO/TS 13725:2016". Click [here](#) to purchase the full version from the ANSI store.

## Contents

	Page
<b>Foreword</b>	<b>iv</b>
<b>Introduction</b>	<b>v</b>
<b>1 Scope</b>	<b>1</b>
<b>2 Symbols and units</b>	<b>1</b>
2.1 General	1
2.2 Additional notations	2
<b>3 General principles</b>	<b>3</b>
3.1 Purpose	3
3.2 Description	3
3.3 Dimensional layout of hydraulic cylinder	3
3.4 Common calculation of maximum stress in the rod (for all mounting types) $\sigma_{\max}$	5
3.4.1 Deflection curve	6
3.4.2 Bending moment	6
3.4.3 Maximum value of the bending moment	6
3.4.4 Maximum stress of the piston rod	7
3.4.5 Mounting types of the cylinder tube and piston rod	7
<b>4 Case of pin-mounted hydraulic cylinders</b>	<b>8</b>
4.1 Model of the hydraulic cylinder and unknown values	8
4.2 Linear system	9
4.3 Critical buckling load	9
4.4 Greatest allowable compressive load	10
<b>5 Case of hydraulic cylinders fixed at the beginning of the cylinder tube and pin mounted at the end of the piston rod</b>	<b>10</b>
5.1 Critical buckling load	10
5.2 Linear system	10
<b>6 Case of hydraulic cylinders pin mounted at the beginning of the cylinder tube and fixed at the end of the piston rod</b>	<b>11</b>
6.1 Critical buckling load	11
6.2 Linear system	11
<b>7 Case of hydraulic cylinders fixed at both ends</b>	<b>12</b>
7.1 Critical buckling load	12
7.2 Linear system	12
<b>8 Case of hydraulic cylinders fixed at the beginning of the cylinder tube and free at the end of the piston rod</b>	<b>13</b>
8.1 Critical buckling load	13
8.2 Linear system	14
<b>9 Case of hydraulic cylinders fixed at both ends with free movement allowed at the end of the piston rod</b>	<b>15</b>
9.1 Critical buckling load	15
9.2 Linear system	15
<b>Annex A (informative) Example of numerical results</b>	<b>17</b>
<b>Bibliography</b>	<b>19</b>

This is a preview of "ISO/TS 13725:2016". Click here to purchase the full version from the ANSI store.

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 131, *Fluid power systems*, Subcommittee SC 3, *Cylinders*.

This second edition cancels and replaces the first edition (ISO/TS 13725:2001), which has been technically revised.

This is a preview of "ISO/TS 13725:2016". Click [here](#) to purchase the full version from the ANSI store.

## Introduction

Historically, cylinder manufacturers in the fluid power industry have experienced very few rod buckling failures, most likely due to the use of adequately conservative design factors employed during cylinder design and to the recommendation of factors of safety to the users. Many countries and some large companies have developed their own methods for evaluating buckling load.

The method presented in this Technical Specification has been developed to comply with the requirements formulated by ISO/TC 131.