

This is a preview of "ISO/TS 15029-2:2012". [Click here to purchase the full version from the ANSI store.](#)

First edition
2012-12-01

Petroleum and related products — Determination of spray ignition characteristics of fire-resistant fluids —

Part 2: Spray test — Stabilized flame heat release method

*Produits pétroliers et produits connexes — Détermination
des caractéristiques d'inflammation des fluides difficilement
inflammables en jet pulvérisé —*

*Partie 2: Essai de pulvérisation — Méthode par dégagement de
chaleur d'une flamme stabilisée*



Reference number
ISO/TS 15029-2:2012(E)

© ISO 2012



COPYRIGHT PROTECTED DOCUMENT

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

This is a preview of "ISO/TS 15029-2:2012". [Click here to purchase the full version from the ANSI store.](#)

Contents

	Page
Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	2
5 Reagents and materials	2
6 Apparatus	2
6.1 Test installation.....	2
6.2 Instrumentation.....	7
7 Sampling and sample preparation	9
8 Apparatus preparation	10
9 Procedure	10
9.1 Measurements at a propane flow rate of 0,13 Nm ³ /h.....	10
9.2 Measurements at a propane flow rate of 0,4 Nm ³ /h.....	11
9.3 Rejection of test data.....	11
9.4 Tabulation of measurements.....	12
9.5 Number of tests.....	12
10 Calculations	13
10.1 Ignitability factor.....	13
10.2 Flame length index.....	14
10.3 Smoke density.....	14
11 Expression of results	14
11.1 Individual results.....	14
11.2 Ranking system.....	14
12 Precision	15
13 Test report	15
Annex A (normative) Verification of propane pressure and flow rate	16
Annex B (normative) Verification of propane flame characteristics	17
Annex C (normative) Test apparatus calibration	22
Annex D (informative) Suggested fire-resistant classification scheme	24
Annex E (informative) Example pro-forma for test results	25
Bibliography	28

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

In other circumstances, particularly when there is an urgent market requirement for such documents, a technical committee may decide to publish other types of document:

- an ISO Publicly Available Specification (ISO/PAS) represents an agreement between technical experts in an ISO working group and is accepted for publication if it is approved by more than 50 % of the members of the parent committee casting a vote;
- an ISO Technical Specification (ISO/TS) represents an agreement between the members of a technical committee and is accepted for publication if it is approved by 2/3 of the members of the committee casting a vote.

An ISO/PAS or ISO/TS is reviewed after three years in order to decide whether it will be confirmed for a further three years, revised to become an International Standard, or withdrawn. If the ISO/PAS or ISO/TS is confirmed, it is reviewed again after a further three years, at which time it must either be transformed into an International Standard or be withdrawn.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO/TS 15029-2 was prepared by Technical Committee ISO/TC 28, *Petroleum products and lubricants*.

ISO/TS 15029 consists of the following parts, under the general title *Petroleum and related products — Determination of spray ignition characteristics of fire-resistant fluids*:

- *Part 1: Spray flame persistence — Hollow-cone nozzle method*
- *Part 2: Spray test — Stabilized flame heat release method* [Technical Specification]