

This is a preview of "ISO/TS 15926-8:2011". [Click here to purchase the full version from the ANSI store.](#)

First edition
2011-10-15

Industrial automation systems and integration — Integration of life-cycle data for process plants including oil and gas production facilities —

Part 8:

Implementation methods for the integration of distributed systems: Web Ontology Language (OWL) implementation

Systèmes d'automatisation industrielle et intégration — Intégration de données de cycle de vie pour les industries de «process», y compris les usines de production de pétrole et de gaz —

Partie 8: Méthodes de mise en œuvre pour l'intégration de systèmes distribués: Mise en œuvre du langage d'ontologie du Web (OWL)



Reference number
ISO/TS 15926-8:2011(E)

© ISO 2011

This is a preview of "ISO/TS 15926-8:2011". [Click here to purchase the full version from the ANSI store.](#)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

This is a preview of "ISO/TS 15926-8:2011". [Click here to purchase the full version from the ANSI store.](#)

Foreword	vi
Introduction	vii
1 Scope	1
2 Terms, definitions, and abbreviated terms	1
2.1 Terms and definitions	1
2.2 Abbreviated terms	7
3 Fundamental concepts and assumptions	8
3.1 General	8
3.2 ISO/TS 15926-7 templates and first order logic rules	8
3.3 ISO/TS 15926-4 reference data	8
3.4 User-defined taxonomy	8
3.5 Templates and specialized templates	9
3.6 Use of OWL	9
3.7 Namespaces	9
4 ISO 15926-2 data model	12
5 ISO/TS 15926-4 reference data	12
6 OWL template specifications	13
6.1 General	13
6.2 Contents	13
7 Templates	14
7.1 General	14
7.2 Template model	14
7.3 Metadata	15
7.4 Lifted templates	15
7.5 Lowered templates	16
7.5.1 Instantiating lowered templates	16
7.6 Templates in RDF	16
7.7 Example: A proto-template	16
7.8 Templates as template instances	16
7.8.1 p7tm classes for meta-templates	16
8 Object information models (OIMs) and specialized templates	17
8.1 General	17
8.2 OIM versus specialized template construct	18
8.3 Specialization	18
8.4 Cardinalities	19
8.5 OIM for assemblies	19
8.6 Naming convention on template roles	19
8.7 Uniqueness context of template roles	20
Annex A (normative) Information object registration	21
A.1 Document identification	21
A.2 Schema identification	21
A.2.1 OWL ontology for data model	21

A.2.4	OWL ontology for reference data	21
A.2.5	OWL ontology for metadata	22
Annex B	(normative) Templates as RDF/OWL n-ary relations	23
B.1	General	23
B.2	ISO/TS 15926-8 constructs for template signatures	24
Annex C	(normative) Rules for usage of OWL	27
C.1	OWL native representation	27
C.2	Template translation from EXPRESS-native to OWL-native instance model	28
C.3	Library object translation from EXPRESS-native to OWL-native instance model	28
C.4	owl:Class	28
C.5	Individual	29
C.6	Property	29
C.6.1	Object property	29
C.6.2	Datatype property	29
C.6.3	Annotation property	29
C.7	Identifiers	30
C.7.1	rdf:ID	30
C.7.2	rdf:about	30
C.7.3	URI reference for handed-over objects	30
C.8	Inheritance	31
C.8.1	Declaration	31
Annex D	(normative) Computer interpretable listings	32
D.1	Ontology for data model	32
D.2	Ontology for template model	32
D.3	Ontology for proto templates and templates initial set	32
D.4	Ontology for metadata	32
Annex E	(informative) Pattern for an ontology for reference data	33
Annex F	(normative) Metadata	34
F.1	General	34
F.2	Metadata declarations for provenance	34
F.3	Metadata declarations for security and rules	35
Annex G	(informative) Assertion versus terminological components	36
Annex H	(informative) Example use	37
H.1	General	37
H.2	Example: A proto-template	37
H.2.1	The template defined as a class	37
H.2.2	A statement using the template	37
H.3	Example: OIM	39
H.3.1	Description	39
H.3.2	Manchester syntax	39
H.4	Example: temporal parts	40
H.4.1	General	40
H.4.2	Generic representation	41
H.4.3	Specialized template IdentificationOfPhysicalObject	41
H.4.4	Specialized template IdentificationOfPhysicalObject-processplant	42

This is a preview of "ISO/TS 15926-8:2011". [Click here to purchase the full version from the ANSI store.](#)

Bibliography	47
------------------------	----

Index	49
-----------------	----

Figures

Figure 1 — Dependencies between ontologies	12
--	----

Figure B.1 — W3C's working group note: defining n-ary relations	23
---	----

Figure C.1 — Reified relationship	27
---	----

Figure C.2 — OWL-native relationship	27
--	----

Figure H.1 — Generic temporal parts, identification OIM	41
---	----

Figure H.2 — ProcessPlant temporal part, name OIM	43
---	----

Tables

Table 1 — URIs under control of the World Wide Web Consortium	9
---	---

Table 2 — Namespaces that are used for the examples in this part of ISO 15926.	10
--	----

Table F.1 — Examples of properties that are rdf:subPropertyOf OWL standard annotation properties	35
--	----

Table F.2 — Meta data elements from ISO/TS 15926-8	35
--	----

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75% of the member bodies casting a vote.

In other circumstances, particularly when there is an urgent market requirement for such documents, a technical committee may decide to publish other types of normative document:

- an ISO Publicly Available Specification (ISO/PAS) represents an agreement between technical experts in an ISO working group and is accepted for publication if it is approved by more than 50% of the members of the parent committee casting a vote;
- an ISO Technical Specification (ISO/TS) represents an agreement between the members of a technical committee and is accepted for publication if it is approved by 2/3 of the members of the committee casting a vote.

An ISO/PAS or ISO/TS is reviewed every three years with a view to deciding whether it can be transformed into an International Standard.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO/TS 15926-8 was prepared by Technical Committee ISO/TC 184, *Automation systems and integration*, Subcommittee SC 4, *Industrial data*.

ISO 15926 is organized as a series of parts, each published separately. The structure of ISO 15926 is described in ISO 15926-1.

Each part of ISO 15926 is a member of the following series: data model, reference data, implementation methods, conformance testing methodology and framework, characterization methods, abstract test suites. This part of ISO 15926 is a member of the implementation methods series.

A complete list of parts of ISO 15926 is available from the following URL:

http://www.tc184-sc4.org/titles/OIL_GAS_Titles.htm

This is a preview of "ISO/TS 15926-8:2011". [Click here to purchase the full version from the ANSI store.](#)

ISO 15926 is an International Standard for the representation of process plant life-cycle information. This representation is specified by a generic, conceptual data model that is suitable as the basis for implementation in a shared database or data warehouse. The data model is designed to be used in conjunction with reference data: standard instances that represent information common to a number of users, process plants, or both. The support for a specific life-cycle activity depends on the use of appropriate reference data in conjunction with the data model.

ISO 15926 is organized as a number of parts, each published separately. This part of ISO 15926 specifies the Web Ontology Language (OWL) implementation, using World Wide Web Consortium (W3C) Semantic Web technologies.

This part of ISO 15926 deals with the translation of ISO/TS 15926-4 classes, reference data and the ISO/TS 15926-7 template methodology to Resource Description Framework (RDF) and Web Ontology Language (OWL), which can be used in data modelling, integration and interoperability methods. This part of ISO 15926 is independent of infrastructure and test methods.

This part of ISO 15926 serves as the basis for data integration and interoperability infrastructure and test methods.

This part of ISO 15926 addresses:

- the method of translating ISO/TS 15926-4 classes to RDF/OWL;
- the method of translating ISO/TS 15926-7 templates to RDF/OWL;
- the constructs of specialized templates;
- the use of object information models;
- the constructs of metadata.

Readers of this part of ISO 15926 require an understanding of conceptual data models and of ISO/TS 15926-7.

The target audiences for this part of ISO 15926 are as follows:

- technical managers wishing to determine whether ISO 15926 is appropriate for their business needs;
- implementers wishing to make interface software between legacy systems and ISO 15926 compliant systems;
- implementers wishing to make software internally ISO 15926-compliant for the purpose of data integration.

In this part of ISO 15926, the same English language word might be used to refer to a real world thing, to an EXPRESS representation of the real world thing, or to an RDF/XML representation of the real-world thing. These uses are distinguished by the following typographic conventions:

This is a preview of "ISO/TS 15926-8:2011". [Click here to purchase the full version from the ANSI store.](#)

EXAMPLE 1 `cooling water pump`

- if the word or phrase occurs in **bold** typeface with underscores, it refers to the EXPRESS representation from the ISO 15926-2 data model;

EXAMPLE 2 `class.of.inanimate.physical.object`

- if the word or phrase occurs in **bold** typeface and in CamelCase, it refers to a subtype axiom as defined in ISO/TS 15926-7;

EXAMPLE 3 `ClassOfInanimatePhysicalObject`

- if the word occurs in *italic* typeface, it refers to an RDF/RDFS/OWL native entity type.

EXAMPLE 4 `rdfs:subClassOf`

References to identifiers in examples are fictitious.