First edition 2018-11

Biotechnology — Ancillary materials present during the production of cellular therapeutic products —

Part 3: Best practice guidance for ancillary material users

Biotechnologie — Matériaux auxiliaires présents lors de la production de produits thérapeutiques cellulaires —

Partie 3: Lignes directrices de bonne pratique pour les utilisateurs de matériaux auxiliaires



Reference number ISO/TS 20399-3:2018(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents Page			
Foreword			
Introduction			
1	Scop	9	
2	Normative references		
3	Terms and definitions		
4	Abbreviated terms		
5	Quality declarations for manufactured biological materials used in the manufacture of a cellular therapeutic product		
6	Evaluation criteria and mitigation of risk		sk4
	6.1 6.2	Evaluation criteria Mitigation of risk	
	0.2		6
		6.2.2 Supplier audit and question	onnaires 7
7	Characterization of biological materials		
8	Managing changes to materials		
	8.1 8.2	Impact of changes to materials	9
Bibliography			

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see <u>www.iso</u> .org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 276, Biotechnology.

A list of all parts in the ISO/TS 20399 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <u>www.iso.org/members.html</u>.

Introduction

Ancillary materials (AMs) are materials that come into contact with the cellular therapeutic product during the manufacturing process, but are not intended to be in the final product.

AMs include culture media and growth factors, among other biological and non-biological components. They can be a complex mixture of many components and variation in their lot-to-lot composition can hamper the ability to produce a consistent cellular therapeutic product with specified quality attributes.

As such, AMs can have implications with regard to the safety and effectiveness of a cellular therapeutic product. Appropriate control of ancillary material is determined by a risk-based approach.

This document specifies guidelines to AM users on best practice considerations for use of AMs, particularly those of biological origin, in the manufacture of cellular therapeutic product and contributes to their control by suppliers and users of such materials.

The ISO/TS 20399 series provides general requirements and guidance regarding ancillary materials to maintain a high level of lot-to-lot consistency, as well as the accompanying documentation, so that consistent ancillary material (AM) products and documentation provided by the AM suppliers can help AM users.