Third edition 2010-06-01

Petroleum, petrochemical and natural gas industries — Sector-specific quality management systems — Requirements for product and service supply organizations

Industries du pétrole, de la pétrochimie et du gaz naturel — Systèmes de management de la qualité spécifiques au secteur — Exigences pour les organismes de fourniture de produits et de services



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Page

This is a preview of "ISO/TS 29001:2010". Click here to purchase the full version from the ANSI store.

Contents

Forewo	ord	vi		
Introductionvii				
0.1	General			
0.2	Process approachv	/iii		
0.3	Relationship with ISO 9004	ix		
0.4	Compatibility with other management systems	.х		
0.5	Goal of this Technical Specification			
1	Scope	1		
1.1	General			
1.1.1	Field of Application — Supplemental			
1.2	Application			
1.2.1	Application — Supplemental			
	••			
2	Normative references	.2		
3	Terms and definitions	.2		
3.1	Terms and definitions for the petroleum, petrochemical and natural gas industries	.3		
4	Quality management system	.4		
4.1	General requirements			
4.1.1	Outsourced processes and/or services — Supplemental			
4.2	Documentation requirements			
4.2.1	General			
4.2.2	Quality manual			
4.2.2.1	Quality manual — Supplemental			
4.2.3	Control of documents			
4.2.3.1	Control of documents — Supplemental			
4.2.3.2	Control of document changes — Supplemental			
4.2.4	Control of records			
4.2.4.1	Control of records — Supplemental			
	••			
5	Management responsibility			
5.1	Management commitment			
5.2	Customer focus			
5.3	Quality policy			
5.3.1	Quality policy — Supplemental			
5.4	Planning			
5.4.1	Quality objectives			
5.4.2	Quality management system planning	.8		
5.5	Responsibility, authority and communication			
5.5.1	Responsibility and authority	.9		
5.5.2	Management representative	.9		
5.5.3	Internal communication	.9		
5.6	Management review	10		
5.6.1	General	10		
5.6.1.1	General — Supplemental	10		
5.6.2	Review input	10		
5.6.3	Review output			
6	Resource management	11		
6.1	Provision of resources			
6.2	Human resources			
6.2.1	General			
6.2.2	Competence, training and awareness			
U.Z.Z	Competence, training and awareness	14		

6.2.2.1	Training — Supplemental	
6.3	Infrastructure	
6.4	Work environment	.13
7	Product realization	.13
7.1	Planning of product realization	.13
7.1.1	Planning of product realization — Supplemental	.13
7.2	Customer-related processes	
7.2.1	Determination of requirements related to the product	
7.2.2	Review of requirements related to the product	
7.2.2.1	Review of requirements related to the product — Supplemental	14
7.2.3	Customer communication	
7.3	Design and development	
7.3.1	Design and development planning	
7.3.1.1	Design and development planning — Supplemental	
-		
7.3.1.2	Design documentation — Supplemental	
7.3.2	Design and development inputs	
7.3.2.1	Design and development inputs — Supplemental	
7.3.3	Design and development outputs	.16
7.3.3.1	Design and development outputs – Supplemental	
7.3.4	Design and development review	
7.3.4.1	Design and development review — Supplemental	
7.3.5	Design and development verification	
7.3.6	Design and development validation	.18
7.3.7	Control of design and development changes	.18
7.3.7.1	Control of design and development changes — Supplemental	.18
7.4	Purchasing	.18
7.4.1	Purchasing process	
7.4.1.1	Purchasing process — Supplemental	
7.4.1.2	Criteria for supplier selection, evaluation, and re-evaluation — Supplemental	
7.4.1.3	Supplier-provided processes that require validation — Supplemental	
7.4.2	Purchasing information	
7.4.2.1	Purchasing information — Supplemental	
7.4.3	Verification of purchased product	
7.4.3.1	Verification of purchased product — Supplemental	
7.5	Production and service provision	
7.5.1	Control of production and service provision	
7.5.1.1	Control of production and service provision — Supplemental	20 20
7.5.1.1	Process controls — Supplemental	
_	Validation of processes for production and service provision	
7.5.2 7.5.2.1	Validation of processes for production and service provision — Supplemental	.21
-		
7.5.3	Identification and traceability	
7.5.3.1	Identification and traceability — Supplemental	
7.5.3.2	Identification and traceability maintenance and replacement — Supplemental	
7.5.3.3	Product status — Supplemental	
7.5.4	Customer property	.22
7.5.4.1	Customer property — Supplemental	
7.5.5	Preservation of product	
7.5.5.1	Preservation of product — Supplemental	
7.5.5.2	Periodic assessment of stock — Supplemental	.22
7.6	Control of monitoring and measuring equipment	
7.6.1	Control of monitoring and measuring equipment — Supplemental	.23
7.6.2	Environmental conditions — Supplemental	
8	Measurement, analysis and improvement	.24
8.1	General	
8.2	Monitoring and measurement	
8.2.1	Customer satisfaction	
8.2.2	Internal audit	
8.2.2.1	Internal audit — Supplemental	
8.2.2.2	Response times — Supplemental	

8.2.3	Monitoring and measurement of processes	26
8.2.4	Monitoring and measurement of product	
8.2.4.1	Monitoring and measurement of product — Supplemental	
8.2.4.2		
8.3	Control of nonconforming product	
8.3.1	Release or acceptance of nonconforming product — Supplemental	
8.3.2	Field nonconformity analysis — Supplemental	
8.3.3	Customer notification — Supplemental	
8.4	Analysis of data	
8.4.1	Analysis of data — Supplemental	
8.5	Improvement	
8.5.1	Continual improvement	
8.5.2	Corrective action	
8.5.2.1	Corrective action — Supplemental	
8.5.2.2	Response times — Supplemental	
8.5.3	Preventive action	
8.5.3.1	Preventive action — Supplemental	
Diblian	••	
DOIIGIO	raphy	30

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

In other circumstances, particularly when there is an urgent market requirement for such documents, a technical committee may decide to publish other types of document:

- an ISO Publicly Available Specification (ISO/PAS) represents an agreement between technical experts in an ISO working group and is accepted for publication if it is approved by more than 50 % of the members of the parent committee casting a vote;
- an ISO Technical Specification (ISO/TS) represents an agreement between the members of a technical committee and is accepted for publication if it is approved by 2/3 of the members of the committee casting a vote.

An ISO/PAS or ISO/TS is reviewed after three years in order to decide whether it will be confirmed for a further three years, revised to become an International Standard, or withdrawn.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO/TS 29001 was prepared by Technical Committee ISO/TC 67, Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries.

This third edition cancels and replaces the second edition (ISO/TS 29001:2007), of which it constitutes a minor revision.

In this third edition of ISO/TS 29001, the boxed text has been revised in order to ensure that it constitutes the text of ISO 9001:2008 unaltered and in its entirety. No changes other than editorial have been made outside the boxed text.

The fourth edition of ISO 9001 (ISO 9001:2008) cancelled and replaced the third edition (ISO 9001:2000), which was amended to clarify points in the text and to enhance compatibility with ISO 14001:2004.

Since the third edition, the title of ISO 9001 has been revised such that it no longer includes the term "Quality Assurance". This reflects the fact that the quality management system requirements specified in ISO 9001 now also aim to enhance customer satisfaction, in addition to the quality assurance of a product.

Introduction

0.1 General

ISO 9001:2008, Quality management systems — Requirements

Introduction

0.1 General

The adoption of a quality management system should be a strategic decision of an organization. The design and implementation of an organization's quality management system is influenced by

- a) its organizational environment, changes in that environment, and the risks associated with that environment,
- b) its varying needs,
- c) its particular objectives,
- d) the products it provides,
- e) the processes it employs,
- f) its size and organizational structure.

It is not the intent of this International Standard to imply uniformity in the structure of quality management systems or uniformity of documentation.

The quality management system requirements specified in this International Standard are complementary to requirements for products. Information marked "NOTE" is for guidance in understanding or clarifying the associated requirement.

This International Standard can be used by internal and external parties, including certification bodies, to assess the organization's ability to meet customer, statutory and regulatory requirements applicable to the product and the organization's own requirements.

The quality management principles stated in ISO 9000 and ISO 9004 have been taken into consideration during the development of this International Standard.

NOTE This Technical Specification does not address competitive or commercial matters such as price, warranties, guarantees or clauses intended to sustain commercial objectives.

© ISO 2010 – All rights reserved

0.2 Process approach

ISO 9001:2008, Quality management systems — Requirements

0.2 Process approach

This International Standard promotes the adoption of a process approach when developing, implementing and improving the effectiveness of a quality management system, to enhance customer satisfaction by meeting customer requirements.

For an organization to function effectively, it has to determine and manage numerous linked activities. An activity or set of activities using resources, and managed in order to enable the transformation of inputs into outputs, can be considered as a process. Often the output from one process directly forms the input to the next.

The application of a system of processes within an organization, together with the identification and interactions of these processes, and their management to produce the desired outcome, can be referred to as the "process approach".

An advantage of the process approach is the ongoing control that it provides over the linkage between the individual processes within the system of processes, as well as over their combination and interaction.

When used within a quality management system, such an approach emphasizes the importance of

- a) understanding and meeting requirements,
- b) the need to consider processes in terms of added value,
- c) obtaining results of process performance and effectiveness, and
- d) continual improvement of processes based on objective measurement.

The model of a process-based quality management system shown in Figure 1 illustrates the process linkages presented in Clauses 4 to 8. This illustration shows that customers play a significant role in defining requirements as inputs. Monitoring of customer satisfaction requires the evaluation of information relating to customer perception as to whether the organization has met the customer requirements. The model shown in Figure 1 covers all the requirements of this International Standard, but does not show processes at a detailed level.


NOTE In addition, the methodology known as "Plan-Do-Check-Act" (PDCA) can be applied to all processes. PDCA can be briefly described as follows.

Plan: establish the objectives and processes necessary to deliver results in accordance with customer requirements and the organization's policies.

Do: implement the processes.

Check: monitor and measure processes and product against policies, objectives and requirements for the product and report the results.

Act: take actions to continually improve process performance.



0.3 Relationship with ISO 9004

ISO 9001:2008, Quality management systems — Requirements

0.3 Relationship with ISO 9004

ISO 9001 and ISO 9004 are quality management system standards which have been designed to complement each other, but can also be used independently.

ISO 9001 specifies requirements for a quality management system that can be used for internal application by organizations, or for certification, or for contractual purposes. It focuses on the effectiveness of the quality management system in meeting customer requirements.

At the time of publication of this International Standard, ISO 9004 is under revision. The revised edition of ISO 9004 will provide guidance to management for achieving sustained success for any organization in a complex, demanding, and ever changing, environment. ISO 9004 provides a wider focus on quality management than ISO 9001; it addresses the needs and expectations of all interested parties and their satisfaction, by the systematic and continual improvement of the organization's performance. However, it is not intended for certification, regulatory or contractual use.

NOTE ISO 9004:2009 has now been published, and has cancelled and replaced ISO 9004:2000.

0.4 Compatibility with other management systems

ISO 9001:2008, Quality management systems — Requirements

0.4 Compatibility with other management systems

During the development of this International Standard, due consideration was given to the provisions of ISO 14001:2004 to enhance the compatibility of the two standards for the benefit of the user community. Annex A shows the correspondence between ISO 9001:2008 and ISO 14001:2004.

This International Standard does not include requirements specific to other management systems, such as those particular to environmental management, occupational health and safety management, financial management or risk management. However, this International Standard enables an organization to align or integrate its own quality management system with related management system requirements. It is possible for an organization to adapt its existing management system(s) in order to establish a quality management system that complies with the requirements of this International Standard.

NOTE For this Technical Specification, Annex A, as described above, is not provided and is not considered part of this Technical Specification. If the comparison of ISO 9001:2008 and ISO 14001:2004 is required, the reader is encouraged to review Annex A of the referenced ISO 9001:2008 document.

0.5 Goal of this Technical Specification

The goal of this Technical Specification is the development of a quality management system that provides for continual improvement, emphasizing defect prevention and the reduction of variation and waste in the supply chain and from service providers.

This Technical Specification, coupled with applicable customer-specific requirements, defines the fundamental quality management system requirements for those subscribing to this Technical Specification.

This Technical Specification is intended to avoid multiple certification audits and provide a common approach to a quality management system for the petroleum, petrochemical and natural gas industries.