First edition 2013-07-01

Corrected version 2013-11-01

# Geometrical product specifications (GPS) — Dimensional and geometrical tolerances for moulded parts —

## Part 2: **Rules**

Spécification géométrique des produits (GPS) — Tolérances dimensionnelles et géométriques des pièces moulées —

Partie 2: Règles d'utilisation



#### ISO/TS 8062-2:2013(E)

This is a preview of "ISO/TS 8062-2:2013". Click here to purchase the full version from the ANSI store.



#### COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Cor	ntents	Page
Fore	eword	iv
Intro	oduction	v
1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Symbols	
5	Designation on drawings	
6	Drawing type indicator	
	6.1 Single and combined drawings	
	6.2 Final moulded part drawings	
	6.3 Intermediate machined moulded part drawings	
	6.4 Final machined moulded part drawings	
_		
7	Drawing indications 7.1 Surface texture symbols 5.1	
	7.1 Surface texture symbols	
	7.3 Required machining allowance, RMA	
8	Indication of general tolerances	
	8.1 General tolerances according to ISO 8062-3	
	8.2 General surface profile tolerance	
9	Types of specifications	
	9.1 General 9.2 Specification of final moulded-part condition	
	9.3 Specification of intermediate machined moulded-part conditions	
	9.4 Specification of final machined moulded-part condition	
10	Tolerancing	15
	10.1 General	
	10.2 Tolerancing of final moulded parts	
	<ul><li>10.3 Tolerancing of intermediate machined moulded parts</li><li>10.4 Tolerancing of final machined moulded part</li></ul>	
Anna	ex A (normative) Proportions and dimensions of graphical symbols	
	ex B (informative) Accumulation method, relationship between moulded part and	
AIIII	moulded part	
Anne	ex C (informative) Calculation of moulded part nominal dimensions of features to be machined	27
Anne	ex D (informative) Examples for the multiple tolerancing method	
	ex E (informative) Drawing examples	
	ex F (informative) Task assignment	
	ex G (informative) Relation to the GPS matrix model	
	iography	

#### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. www.iso.org/patents

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

The committee responsible for this document is ISO/TC 213, *Dimensional and geometrical product specifications and verification*.

ISO 8062 consists of the following parts, under the general title *Geometrical product specifications (GPS)* — *Dimensional and geometrical tolerances for moulded parts*:

- Part 1: Vocabulary
- Part 2: Rules [Technical Specification]
- Part 3: General dimensional and geometrical tolerances and machining allowances for castings

The following part is under preparation:

Part 4: General tolerances for castings (according to the GPS rules)

This corrected version of ISO 8062:2013 incorporates a change in 7.2.2, Figure 8.

### Introduction

This part of ISO 8062 is to be regarded as a complementary process-specific tolerance geometrical production specification (GPS) standard (see ISO/TR 14638). It influences chain links 1, 2 and 3 of the chain of standards on mouldings.

The ISO/GPS Masterplan given in ISO/TR 14638 gives an overview of the ISO/GPS system of which this document is a part. The fundamental rules of ISO/GPS given in ISO 8015 apply to this document and the default decision rules given in ISO 14253-1 apply to specifications made in accordance with this document, unless otherwise indicated.

For more detailed information about the relation of this part of ISO 8062 to other standards and the GPS matrix model, see <u>Annex F</u>.

This part of ISO 8062 takes into account experiences with the application of previous standards (e.g. ISO 8062:1994, ASME Y14-8M:1996, and ISO 1101).

The tolerancing methods in this part of ISO 8062 are not yet fully developed within the new approach of geometrical product specifications (GPS) according to ISO 17450. The requirements for castings (mainly due to the uncertainty in the calculation of the shrinking of the casting) remain incompatible with the GPS standards. Therefore, this Technical Specification has been issued in order to gather further experience in the tolerancing of castings.

It is intended that the next version of this document will include more realistic ways of calculating the nominal dimension  $d_{\mathbb{C}}$  of the final moulded part by elaborating GPS-conformant ways of combining linear dimensions and tolerance zones.

This document is intended to cover all types of moulded parts. However, most of the examples refer to castings.

When the methods of this part of ISO 8062 are used in 3D models, provisions have to be made in order to distinguish between theoretically exact dimensions (TEDs) and linear and angular dimensions with plus/minus tolerances.