This is a preview of "ANSI MH10.8.17-2017". Click here to purchase the full version from the ANSI store.

ANSI MH10.8.17-2017



Item Unique Identification (IUID) Data Matrix Encoding Guideline



Material Handling Committee (MHC) MHI 8720 Red Oak Blvd., Suite 201 Charlotte, NC 28217-3992 standards@mhi.org

American National Standard

Approval of an American National Standard requires verification by the American National Standards Institute (ANSI) that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Published by Material Handling Committees MHI 8720 Red Oak Blvd., Suite 201, Charlotte, NC, 28217-3992 Telephone: (704) 676-1190 Fax: (704) 676-1199 www.mhi.org/standards standards@mhi.org

© 2017 by MHI All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without prior written permission of the publisher.

ANSI MH10.8.17-2017

American National Standard

Item Unique Identification (IUID) Data Matrix Encoding Guideline

Standards Developer: Material Handling Committees MH10 Committee, Unit-Loads and Transport-Packages Subcommittee 8, Coding & Labelling of Unit-Loads

Approved February 14, 2017 American National Standards Institute, Inc. **FOREWORD**. This standard represents suggested performance requirements and test procedures for pressure-sensitive labels incorporating linear bar code and two-dimensional (2D) symbols. It was developed by the MH10 Committee for Unit Loads and Transport Packages, Subcommittee 8, Coding and Labelling of Unit Loads. MH10 is promulgated under the Material Handling Committees (MHC) for which MHI is the Secretariat. This standard is intended to provide useful information and guidance for owners, users, designers, purchasers or specifiers of shipping label equipment. It is advisory only and should only be regarded as a simple tool that its intended audience may or may not choose to follow, adopt, modify, or reject. A standard may be part of, but does not constitute a comprehensive effectiveness program that cannot guard against pitfalls in operating, selecting and purchasing such a system, and should not be relied upon as such. Such a program should be developed by a qualified professional.

VOLUNTARY. The use of this document is completely voluntary. Its existence does not in any respect preclude anyone, whether it has approved this standard or not, from following procedures and assuming responsibilities not conforming to this standard.

DISCLAIMER OF LIABILITY. MHI, MH10 Subcommittee 8 and their members assume no responsibility and disclaim all liability of any kind, however arising, as a result of acceptance or use or alleged use of this standard. Anyone using this standard specifically understands and agrees that MHI, MH10 Subcommittee 8, their members, officers, agents, and employees shall not be liable under any legal theory of any kind for any action or failure to act with respect to the design, erection, installation, manufacture, and preparation for sale, sale, characteristics, features, or delivery of anything covered by this standard or any other activity covered by this standard. Any use of this information must be determined by the user to be in accordance with applicable federal, state, and local laws and regulations.

DISCLAIMER OF WARRANTY. MHI, MH10 Subcommittee 8 and their members make NO WARRANTIES of any kind, express or implied, in connection with the information in this standard and SPECIFICALLY DISCLAIM ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR PARTICULAR PURPOSE.

INDEMNIFICATION. By referring to or otherwise employing this standard, its user agrees to defend, protect, indemnify, and hold MHI, MH10 Subcommittee 8, their members, officers, agents, and employees harmless from and against all claims, losses, expenses, damages, and liabilities, direct, incidental, or consequential, arising from acceptance or use or alleged use of this standard, including loss of profits and reasonable attorneys' fees which may arise out of the acceptance or use or alleged use of this document. The intent of this provision is to absolve and protect MHI, MH10 Subcommittee 8, their members, officers, agents, and employees from any and all loss relating in any way to this document, including those resulting from the user's own negligence.

At the time of approval, the MH10/SC 8 committee consisted of the following members:

- AIAG (Automotive Industry Action Group), Bill Hoffman
- Boeing Corporation, John Engel
- CDO Technologies, Don Ertel
- DoD Logistics AIT Office, Dan Kimball
- R Fox Enterprise. Bob Fox
- Evanhoe & Associates, Chuck Evanhoe
- FedEx Services, David Grus
- Fibre Box Association, David Carlson
- FLEXcon, Jim Potter
- GS1 GO, Dan Kimball
- High Tech Aid, Steve Halliday
- Honeywell, Sprague Ackley
- Larry Huseby
- Monode Marking Products, J.T. Mackey
- PackWise Consulting, Jan Gates
- Product Identification & Processing Systems (PIPS), George Wright IV
- United Parcel Service, Brian Swearingin
- United States DoD Office of the Under Secretary of Defense (AT&L)/DPAP/PDI, Craig MacDougall
- United States Library of Congress, Michele Youket

Item Unique Identification (IUID) Data Matrix Encoding Guideline

Table of Contents

FOREWORDiv
Table of Contentsvi
1. Objective 1
2. Requirements and Assumptions1
2.1. Requirements
2.2. Assumptions 1
2.3. Pertinent Documents 1
3. Conceptual Constructs
3.1. Top-Down Hierarchy Concept 3
3.2. Decision Flow Chart Concept 4
3.3 Compliance Pyramid Concept 5
3.3.1 ISO/IEC 15434 Compliance5
3.3.2. Swim Lane Standard Compliance6
3.3.3. Business Rule Compliance7
3.3.4. Correct Encoding7
3.3.5. Proper Decoding
3.3.6. IUID Compliance
4. Examples
4.1 Examples of Variations within the ECC200 Data Matrix Symbology Standard
4.2 Examples of Diversity in Unique Item Identifier Construction and Encoding
4.3 Examples of Symbols Intentionally Encoded Wrong
5. Conclusion10
6. Definitions (including acronyms, terms and data qualifiers)11
Annex A. Symbols For Testing Decoder Output of Non-Printable Control Characters12
Annex B. Table of Data Matrix symbols to Test Reader Functionality14
Annex C. Table of IUID Data Matrix symbols18
Annex D. Partial Table of Non-compliant Data Matrix symbols

AMERICAN NATIONAL STANDARD

ANSI MH10.8.17-2017

Item Unique Identification (IUID) Data Matrix Encoding Guideline

1. Objective

This standard has been developed as a guideline to address two related objectives:

- a) to provide a conceptual understanding of the various standards and how they interrelate to form requirements of Item Unique Identification (IUID). The specific facet of IUID this guideline focuses on is how to encode data into the proper machine readable symbol (like a barcode) the proper way; and
- b) to provide a troubleshooting guide for checking markers and readers of IUID Data Matrix symbols¹.

2. Requirements and Assumptions

2.1. Requirements

Current version of all applicable standards that apply to the United States Department of Defense (DoD) IUID requirement (see section 2.3).

2.2. Assumptions

This document is written under the assumption the user has read and understands all standards applicable to their industry that have been referenced in the DoD IUID requirements.

2.3. Pertinent Documents²

The following nine documents are the authoritative sources from which the information within this guide is drawn. These documents are occasionally reviewed and updated. If the current version of any of them is different from what is listed below, the reader should be aware the change could affect the usefulness of this guide. In cases where contracts are relevant and cite specific versions of standards, the cited versions must be followed and may be different from what has been used within this guide.

a) MIL-STD-130N w/CHANGE 1, Department of Defense Standard Practice Identification Marking of U.S. Military Property, 16 November 2012

¹ For the purpose of this document, the term "IUID Data Matrix" is used to describe a Data Matrix symbol compliant with all DoD IUID policies and business rules. This is equivalent to the terms "UII Data Matrix Symbol", "IUID compliant Data Matrix, IUID MRI mark", and "Data Matrix containing the UII data set" used in other IUID documents. A Data Matrix not meeting all DoD IUID policies and business rules is referred to as a "non-compliant Data Matrix". The term "Data Matrix" is used to describe a Data Matrix symbol which may or may not meet all DoD IUID requirements.

² Many other documents exist which are crucial to the understanding of IUID as a whole. They have been omitted because they do not pertain to the purpose of this guide. (e.g., information about the IUID Registry does not contribute to the understanding of how to form IUID Data Matrix symbols.)