ITIGG GI -UU-LUU	M:	SS	SP	-80	-20	0:	3
------------------	----	----	----	-----	-----	----	---

Bronze Gate, Globe, Angle, and Check Valves

Standard Practice
Developed and Approved by the
Manufacturers Standardization Society of the
Valv and Fittings Industry, Inc.
127 Park Street, NE

Vi nna, Virginia 22180 Phone: (703) 281-6613

Fax: (703) 281-6671

-mail: info@m .hq.com



This is a preview of "MSS SP-80-2003". Click here to purchase the full ve	rsion from the ANSI store.

STANDARD PRACTICE

SP-80

This MSS Standard Practice was developed under the consensus of the MSS Technical Committee 203 and the MSS Coordinating Committee. The content of this Standard Practice is the result of the efforts of competent and concerned volunteers to provide an effective, clear, and non-exclusive specification that will benefit the industry as a whole. This MSS Standard Practice is intended as a basis for common practice by the manufacturer, the user, and the general public. The existence of an MSS Standard Practice does not in itself preclude the manufacture, sale, or use of products not conforming to the Standard Practice. Mandatory conformance is established only by reference in a code, specification, sales contract, or public law, as applicable.

Unless otherwise specifically noted in this MSS SP, any standard referred to herein is identified by the date of issue that was applicable to the referenced standard(s) at the date of issue of this MSS SP. (See Annex C.)

U.S. customary units in this SP are the standard; the metric units are for reference only.

This document has been substantially revised from the previous 1997 edition. It is suggested that if the user is interested in knowing what changes have been made, that direct page by page comparison should be made of this document.

Any part of this standard may be quoted. Credit lines should read 'Extracted from MSS SP-80, 2003 with permission of the publisher, the Manufacturers Standardization Society.' Reproduction prohibited under copyright convention unless written permission is granted by the Manufacturers Standardization Society of the Valve and Fittings Industry, Inc.

Originally Approved November, 1974

<u>MSS</u>

Copyright ©, 2003 by

Manufacturers Standardization Society
of the

Valve and Fittings Industry, Inc.
Printed in U.S.A.

MSS

STANDARD PRACTICE

SP-80

TABLE OF CONTENTS

<u>SECTION</u>			PAGE					
0	PURP	OSE	1					
1		E AND VALVE TYPES						
2								
3	MATERIALS							
4	DESIC	DESIGN						
5		KINGS						
6		RANCE						
7		CTION AND TESTING						
TABLES	1	Pressure-Temperature Ratings	3					
	2	List of Material Specifications	5					
	3	Minimum Length and Depth of Thread	8					
	4	Bronze Gate Valves-Diameter of Stem						
	5	Bronze Globe and Angle Valves-Diameter of Stem						
	6	Bronze Gate Valves - Diameter of Handwheel						
	7	Bronze Globe and Angle Valves-Diameter of Handwheel						
	8	Shell Test-Threaded and Solder End Valves	13					
	9	Shell Test-Flanged End Valves						
	10	Seat Test-Threaded and Solder End Valves	1 <i>J</i>					
	11	Seat Test-Flanged End Valves						
	Al	Pressure-Temperature Limitations						
	X1-1	Pressure-Temperature Limitations						
	X1-1 X1-2	Pressure-Temperature Editions						
	X1-2 X1-3	Minimum Length and Depth of Thread						
	X1-3 X1-4							
		Bronze Gate Valves-Diameter of Stem						
	X1-5	Bronze Globe and Angle Valves-Diameter of Stem						
	X1-6	Bronze Gate Valves-Diameter of Handwheel						
	X1-7	Bronze Globe and Angle Valves-Diameter of Handwheel						
	X1-8	Shell Test-Threaded and Solder End Valves						
	X1-9	Shell Test-Flanged End Valves						
	X1-10	Seat Test-Threaded and Solder End Valves						
	X1-11	Seat Test-Flanged End Valves	30					
FIGURES	B1	Gate Valve-Type 1A, Solid Wedge, Non-Rising Stem, External Stuffing Box						
	B2	Gate Valve-Type 1B, Solid Wedge, Non-Rising Stem, Internal Retaining Nut	16					
	B3	Gate Valve-Type 2, Solid Wedge, Inside Screw, Rising Stem	17					
	B4	Gate Valve-Type 3, Split Wedge (Double Disc), Inside Screw, Rising Stem						
	B5	Gate Valve-Type 4, Double Disc, Parallel Seat, Inside Screw, Rising Stem						
	B6	Globe and Angle Valves-Type 1, Metal Disc, Integral Seat						
	B7	Globe and Angle Valves-Type 2, Non-Metal Disc, Integral Seat						
	B8	Globe and Angle Valves-Type 3, Metal Disc, Removable Seat						
	B9	Check Valve-Type 1, Horizontal Lift Check - Metal to Metal Seat						
	B10	Check Valve-Type 1, Angle Lift Check - Metal to Metal Seat	21					
	BII	Check Valve-Type 2, Horizontal Lift Check - Non-Metallic to Metal Seat	22					
	B12	Check Valve-Type 2, Vertical Lift Check - Non-Metallic to Metal Seat	22					
	B13	Check Valve - Type 3, Swing Check, Metal to Metal Seat	23					
	B14	Check Valve - Type 4, Swing Check, Non-Metalic Disc to Metal Seat						
ANNEXA		Strength of Solder Joints	15					
ANNEX B		Valve Types						
ANNEXC		Referenced Standards and Applicable Dates						
appendd	KX1	Metric References	25					

BRONZE GATE, GLOBE, ANGLE, AND CHECK VALVES

0. PURPOSE

0.1 This MSS Standard Practice establishes requirements for bronze gate, globe, angle, and check valves in Classes 125 (PN 20), 150, 200, 300 (PN 50) and 350 for threaded and solder ends and Classes 150 (PN 20) and 300 (PN 50) for flanged ends. Pressures in this Standard Practice are gauge pressure in pounds per square inch (kPa). Hereafter the pressure will appear as psi (kPa).

1. SCOPE AND VALVE TYPES

- 1.1 **Scope** This Standard Practice establishes requirements for bronze gate, globe, angle, and check valves for general purpose services and provides requirements for the following:
 - a) Pressure-Temperature Ratings
 - b) Materials
 - c) End Connections
 - d) Dimensions
 - e) Markings
 - f) Testing and Inspections

1.2 Valve Types

1.2.1 Gate Valves

- a) Type 1A Solid Wedge: Non-Rising Stem (NRS), External Stuffing Box for Stem Retention Fig. B1, Annex B.
- b) Type 1B Solid Wedge: Non-Rising Stem (NRS), Internal Stem Retaining Nut for Stem Retention Fig. B2, Annex B.
- c) Type 2 Solid Wedge (Double Disc): Inside Screw, Rising Stem (ISRS) Fig. B3, Annex B.

- d) Type 3 Split Wedge (Double Disc): Inside Screw, Rising Stem, (ISRS) Fig. B4, Annex B.
- e) Type 4 Double Disc: Parallel Seat, Inside Screw, Rising Stem (ISRS) Fig. B5, Annex B.

1.2.2. Globe and Angle Valves

- a) Type 1 Metal Disc, Integral Seat Fig.B6, Annex B.
- b) Type 2 Non-Metallic Disc, Integral Seat Fig. B7, Annex B.
- c) Type 3 Metal Disc, Renewable Seat Fig. B8, Annex B.

1.2.3 Check Valves

- a) Type 1 Horizontal, Angle Lift Check, Metal Disc to Metal Seat Figures B9 and B10, Annex B.
- b) Type 2 Horizontal, Angle, and Vertical Lift Check, Non-Metallic Disc to Metal Seat Figs. B11 & B12, Annex B.
- c) Type 3 Swing Check, Metal Disc to Metal Seat Fig. B13, Annex B.
- d) Type 4 Swing Check, Non-Metallic Disc to Metal Seat Fig. B14, Annex B.

1.3 Nominal Pipe Sizes

- a) Threaded Ends NPS 1/8-3 (DN 6-80)
- b) Solder Ends NPS 1/4-3 (DN 8-80)
- c) Flanged Ends NPS 1/2-3 (DN 15-80)