

ANSI C12/IEC 62056-5-3 ED3

American National Standard for Electricity Metering Data Exchange – The DLMS/ COSEM Suite Part 5-3:DLMS/COSEM Application Layer

This is a preview of "ANSI C12/IEC 62056-5". Click here to purchase the full version from the ANSI store.

ANSI C12/IEC 62056-5-3 ED3

American National Standard for Electricity Metering Data Exchange – The DLMS/ COSEM Suite Part 5-3:DLMS/COSEM Application Layer

This is a preview of "ANSI C12/IEC 62056-5". Click here to purchase the full version from the ANSI store.

NOTICE AND DISCLAIMER

The information in this publication was considered technically sound by the consensus of persons engaged in the development and approval of the document at the time it was developed. Consensus does not necessarily mean that there is unanimous agreement among every person participating in the development of this document.

ANSI standards and guideline publications, of which the document contained herein is one, are developed through a voluntary consensus standards development process. This process brings together volunteers and/or seeks out the views of persons who have an interest in the topic covered by this publication. While NEMA administers the process to promote fairness in the development of consensus, it does not write the document and it does not independently test, evaluate, or verify the accuracy or completeness of any information or the soundness of any judgments contained in its standards and guideline publications.

NEMA disclaims liability for any personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, application, or reliance on this document. NEMA disclaims and makes no guaranty or warranty, express or implied, as to the accuracy or completeness of any information published herein, and disclaims and makes no warranty that the information in this document will fulfill any of your particular purposes or needs. NEMA does not undertake to guarantee the performance of any individual manufacturer or seller's products or services by virtue of this standard or guide.

In publishing and making this document available, NEMA is not undertaking to render professional or other services for or on behalf of any person or entity, nor is NEMA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. Information and other standards on the topic covered by this publication may be available from other sources, which the user may wish to consult for additional views or information not covered by this publication.

NEMA has no power, nor does it undertake to police or enforce compliance with the contents of this document. NEMA does not certify, test, or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of compliance with any health- or safety-related information in this document shall not be attributable to NEMA and is solely the responsibility of the certifier or maker of the statement.

AMERICAN NATIONAL STANDARD

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

Caution Notice: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Published by

National Electrical Manufacturers Association 1300 North 17th Street, Suite 900, Rosslyn, Virginia 22209

© 201x National Electrical Manufacturers Association

All rights, including translation into other languages, reserved under the Universal Copyright Convention, the Berne Convention for the Protection of Literary and Artistic Works, and the International and Pan American copyright conventions.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without prior written permission of the publisher.

Printed in the United States of America



FOREWORD FOR U.S. ADOPTION

This American National Standard is an adoption of IEC 62056-5-3 Ed. 3 *Electricity Metering Data Exchange – The DLMS/ COSEM Suite Part 5-3: DLMS/COSEM Application Layer.* Any reference in this standard to an IEC 62056 part is understood to mean a reference to the equivalent ANSI/IEC 62056 part, where it exists.

This standard contains all the original text from IEC 62056-5-3 Ed.3 without change.

Suggestions for the improvement of this standard are welcome and should be submitted to:

Vice President, Technical Services National Electrical Manufacturers Association 1300 North 17th Street, Suite 900 Rosslyn, VA 22209

This standard was processed and approved by committee of interested stakeholders as required by ANSI for adoption. In this particular situation, all committee members voted for its approval. At the time this standard was approved, the committee consisted of the following members:

Organization Represented	Name of Representative	Organization Represented	Name of Representative
General Interest Elevate Energy ERCOT EnerNex LLC Future DOS R&D Inc. MET Laboratories, Inc.	L. Kotewa D. Tucker A. Snyder A. Moise J. Reed	NIST Power Measurements, LLC UL, LLC	T. Nelson W. Hardy S. Hunter
Producer Aclara Honeywell Itron Inc. Landis+Gyr Inc.	C. Crittenden M. Yarbrough B. Cain J. Voisine	Schweitzer Engineering Laboratories Sensus, A Xylem Brand Technology for Energy Corp TESCO	S. Nalla K. O'Dell S. Hudson T. Lawton
Milbank Manufacturing Co. Radian Research, Inc. Schneider Electric	S. Glasgow J. Canine S. Pedro	Watthour Engineering Co.	L. Wren
User Alabama Power Co. Baltimore Gas & Electric Consumers Energy DTE Energy Duke Energy Eversource Energy Hydro Quebec	D. Rhoades J. Thurber D. Jirikovic K. Tolios K. Barnette G. Belcher J. Sabourin	Florida Power & Light Oncor Electric Delivery Co. LLC Pacific Gas & Electric Public Service Electric & Gas SASK Power Xcel Energy	J. DeMars M. DeVillers D. Y. Nguyen D. Ellis C. Kasian D. Nordell

CONTENTS

Ε(JKEWORD		14
IN	ITRODUCT	ION	16
1	Scope		17
2	Normati	ve references	17
3	Terms, o	definitions, abbreviated terms and symbols	19
	3.1 Ge	neral DLMS/COSEM definitions	19
	3.2 De	finitions related to cryptographic security	22
	3.3 De	finitions and abbreviated terms related to the Galois/Counter Mode	32
	3.4 Ge	neral abbreviated terms	33
	3.5 Sy	mbols related to the Galois/Counter Mode	37
	3.6 Sy	mbols related the ECDSA algorithm	38
	3.7 Sy	mbols related to the key agreement algorithms	38
4	Overvie	w of DLMS/COSEM	38
	4.1 Inf	ormation exchange in DLMS/COSEM	38
	4.1.1	General	38
	4.1.2	Communication model	39
	4.1.3	Naming and addressing	40
	4.1.4	Connection oriented operation	43
	4.1.5	Application associations	44
	4.1.6	Messaging patterns	45
	4.1.7	Data exchange between third parties and DLMS/COSEM servers	
	4.1.8	Communication profiles	46
	4.1.9	Model of a DLMS/COSEM metering system	
	4.1.10	Model of DLMS/COSEM servers	
	4.1.11	Model of a DLMS/COSEM client	
	4.1.12	Interoperability and interconnectivity in DLMS/COSEM	
	4.1.13	Ensuring interconnectivity: the protocol identification service	
	4.1.14	System integration and meter installation	
		MS/COSEM application layer main features	
	4.2.1	General	
	4.2.2	DLMS/COSEM application layer structure	
	4.2.3	The Association Control Service Element, ACSE	
	4.2.4	The xDLMS application service element	
	4.2.5	Layer management services	
	4.2.6	Summary of DLMS/COSEM application layer services	
_	4.2.7	DLMS/COSEM application layer protocols	
5		ion security in DLMS/COSEM	
		erview	
		e DLMS/COSEM security concept	
	5.2.1	Overview	
	5.2.2	Identification and authentication	
	5.2.3	Security context	67

	5.2.4	Access rights	67
	5.2.5	Application layer message security	67
	5.2.6	COSEM data security	70
	5.3	Cryptographic algorithms	70
	5.3.1	Overview	70
	5.3.2	Hash function	70
	5.3.3	Symmetric key algorithms	71
	5.3.4	Public key algorithms	77
	5.3.5	Random number generation	88
	5.3.6	Compression	89
	5.3.7	Security suite	89
	5.4	Cryptographic keys – overview	90
	5.5	Key used with symmetric key algorithms	90
	5.5.1	Symmetric keys types	90
	5.5.2	Key information with general-ciphering APDU and data protection	91
	5.5.3	Key identification	92
	5.5.4	Key wrapping	92
	5.5.5	Key agreement	93
	5.5.6	Symmetric key cryptoperiods	94
	5.6	Keys used with public key algorithms	
	5.6.1	Overview	
	5.6.2	Key pair generation	94
	5.6.3	Public key certificates and infrastructure	
	5.6.4	Certificate and certificate extension profile	
	5.6.5	Suite B end entity certificate types to be supported by DLMS/COSEM	
		servers	106
	5.6.6	Management of certificates	106
	5.7	Applying cryptographic protection	111
	5.7.1	Overview	111
	5.7.2	Protecting xDLMS APDUs	111
	5.7.3	Multi-layer protection by multiple parties	124
	5.7.4	HLS authentication mechanisms	125
	5.7.5	Protecting COSEM data	128
6	DLMS	S/COSEM application layer service specification	129
	6.1	Service primitives and parameters	129
	6.2	The COSEM-OPEN service	
	6.3	The COSEM-RELEASE service	136
	6.4	COSEM-ABORT service	139
	6.5	Protection and general block transfer parameters	140
	6.6	The GET service	
	6.7	The SET service	
	6.8	The ACTION service	
	6.9	The ACCESS service	
	6.9.1	Overview – Main features	
	6.9.2	Service specification	
	6.10	The DataNotification service	
	6.11	The EventNotification service	
	6.12	The TriggerEventNotificationSending service	
	6.13	Variable access specification	
	5.15		

	6.14	The Read service	165
	6.15	The Write service	169
	6.16	The UnconfirmedWrite service	172
	6.17	The InformationReport service	174
	6.18	Client side layer management services: the SetMapperTable.request	
	6.19	Summary of services and LN/SN data transfer service mapping	
7	DLM:	S/COSEM application layer protocol specification	
	7.1	The control function	
	7.1.1	State definitions of the client side control function	
	7.1.2		
	7.2	The ACSE services and APDUs	
	7.2.1	ACSE functional units, services and service parameters	
	7.2.2		
	7.2.3	APDU encoding rules	
	7.2.4	Protocol for application association establishment	
	7.2.5	Protocol for application association release	
	7.3	Protocol for the data transfer services	
	7.3.1	Negotiation of services and options – the conformance block	
	7.3.2	Confirmed and unconfirmed service invocations	
	7.3.3	Protocol for the GET service	
	7.3.4	Protocol for the SET service	
	7.3.5	Protocol for the ACTION service	
	7.3.6	Protocol for the ACCESS service	
	7.3.7		
	7.3.8	Protocol for the EventNotification service	
	7.3.9	Protocol for the Read service	
	7.3.1		
	7.3.1		
	7.3.1		
	7.3.1	·	
8	Abstr	act syntax of ACSE and COSEM APDUs	
9		EM APDU XML schema	
•	9.1	General	
	9.1	XML Schema	
۸ ۰		normative) Using the DLMS/COSEM application layer in various	240
ΗI		nunications profiles	267
	A.1	General	
	A.2	Targeted communication environments	
	A.3	The structure of the profile	
	A.4	Identification and addressing schemes	
	A.5	Supporting layer services and service mapping	
	A.6	Communication profile specific parameters of the COSEM AL services	
	A.7	Specific considerations / constraints using certain services within a given	200
	73.1	profile	268
	A.8	The 3-layer, connection-oriented, HDLC based communication profile	
	A.9	The TCP-UDP/IP based communication profiles (COSEM_on_IP)	
	A.10	The wired and wireless M-Bus communication profiles	
	A.11	The S-FSK PLC profile	268

Annex B (normative) SMS short wrapper	269
Annex C	normative) Gateway protocol	270
C.1	General	270
C.2	The gateway protocol	
C.3	HES in the WAN/NN acting as Initiator (Pull operation)	
C.4	End devices in the LAN acting as Initiators (Push operation)	
C.4.1	· · · · · · · · · · · · · · · · · · ·	
C.4.2	End device with WAN/NN knowledge	273
C.4.3	End devices without WAN/NN knowledge	274
C.5	Security	274
Annex D	informative) AARQ and AARE encoding examples	275
D.1	General	275
D.2	Encoding of the xDLMS InitiateRequest / InitiateResponse APDU	
D.3	Specification of the AARQ and AARE APDUs	
D.4	Data for the examples	279
D.5	Encoding of the AARQ APDU	280
D.6	Encoding of the AARE APDU	283
	informative) Encoding examples: AARQ and AARE APDUs using a ciphered cation context	289
E.1	A-XDR encoding of the xDLMS InitiateRequest APDU, carrying a dedicated key	280
E.2	Authenticated encryption of the xDLMS InitiateRequest APDU	
E.3	The AARQ APDU	
E.4	A-XDR encoding of the xDLMS InitiateResponse APDU	
E.5	Authenticated encryption of the xDLMS InitiateResponse APDU	
E.6	The AARE APDU	
E.7	The RLRQ APDU (carrying a ciphered xDLMS InitiateRequest APDU)	
E.8	The RLRE APDU (carrying a ciphered xDLMS InitiateResponse APDU)	
Annex F (informative) Data transfer service examples	
F.1	GET / Read, SET / Write examples	
F.2	ACCESS service example	
F.3	Compact array encoding example	
F.3.1	. , , , , , , , , , , , , , , , , , , ,	
F.3.2		
F.3.3		
F.3.4		
F.3.5		
	(normative) NSA Suite B elliptic curves and domain parameters	
	informative) Example of an End entity signature certificate using P-256	02-1
	ed with P-256	326
Annex I (r	normative) Use of key agreement schemes in DLMS/COSEM	328
I.1	Ephemeral Unified Model C(2e, 0s, ECC CDH) scheme	328
1.2	One-Pass Diffie-Hellman C(1e, 1s, ECC CDH) scheme	331
1.3	Static Unified Model C(0e, 2s, ECC CDH) scheme	336
Annex J (informative) Exchanging protected xDLMS APDUs between TP and server	340
J.1	General	340
J.2	Example 1: Protection is the same in the two directions	340

J.3 Example 2: Protection is different in the two directions	341
Annex K (informative) Significant technical changes with respect to IEC 62056-5-3:2016	343
Bibliography	
Index	
Figure 1 – Client–server model and communication protocols	40
Figure 2 - Naming and addressing in DLMS/COSEM	41
Figure 3 – A complete communication session in the CO environment	43
Figure 4 – DLMS/COSEM messaging patterns	46
Figure 5 – DLMS/COSEM generic communication profile	47
Figure 6 – Model of a DLMS/COSEM metering system	48
Figure 7 – DLMS/COSEM server model	49
Figure 8 – Model of a DLMS/COSEM client using multiple protocol stacks	50
Figure 9 – The structure of the DLMS/COSEM application layers	53
Figure 10 – The concept of composable xDLMS messages	
Figure 11 – Summary of DLMS/COSEM AL services	63
Figure 12 – Authentication mechanisms	65
Figure 13 – Client – server message security concept	68
Figure 14 – End-to-end message security concept	
Figure 15 – Hash function	
Figure 16 – Encryption and decryption	
Figure 17 – Message Authentication Codes (MACs)	73
Figure 18 – GCM functions	
Figure 19 – Digital signatures	81
Figure 20 – $C(2e,0s)$ scheme: each party contributes only an ephemeral key pair	83
Figure 21 – C(1e, 1s) schemes: party U contributes an ephemeral key pair, and party V contributes a static key pair	84
Figure 22 - C(0e, 2s) scheme: each party contributes only< a static key pair	86
Figure 23 – Architecture of a Public Key Infrastructure (example)	97
Figure 24 – MSC for provisioning the server with CA certificates	107
Figure 25 – MSC for security personalisation of the server	108
Figure 26 – Provisioning the server with the certificate of the client	109
Figure 27 - Provisioning the client / third party with a certificate of the server	110
Figure 28 – Remove certificate from the server	110
Figure 29 - Cryptographic protection of information using AES-GCM	114
Figure 30 – Structure of service-specific global / dedicated ciphering xDLMS APDUs \dots	116
Figure 31 – Structure of general-glo-ciphering and general-ded-ciphering xDLMS APDUs	117
Figure 32 – Structure of general-ciphering xDLMS APDUs	118
Figure 33 – Structure of general-signing APDUs	124
Figure 34 – Service primitives	129
Figure 35 – Time sequence diagrams	130
Figure 36 – Additional service parameters to control cryptographic protection and GBT $\!$	141

Figure 37 – Partial state machine for the client side control function	177
Figure 38 – Partial state machine for the server side control function	
Figure 39 – MSC for successful AA establishment preceded by a successful lower layer connection establishment	
Figure 40 – Graceful AA release using the A-RELEASE service	
Figure 41 – Graceful AA release by disconnecting the supporting layer	
Figure 42 – Aborting an AA following a PH-ABORT.indication	
Figure 43 – MSC of the GET service	
Figure 44 – MSC of the GET service with block transfer	
Figure 45 – MSC of the GET service with block transfer, long GET aborted	
Figure 46 – MSC of the SET service	
Figure 47 – MSC of the SET service with block transfer	
Figure 48 – MSC of the ACTION service	
Figure 49 – MSC of the ACTION service with block transfer	206
Figure 50 – ACCESS Service with long response	
Figure 51 – ACCESS Service with long request and response	207
Figure 52 – MSC of the Read service used for reading an attribute	211
Figure 53 – MSC of the Read service used for invoking a method	211
Figure 54 – MSC of the Read service used for reading an attribute, with block transfer	212
Figure 55 – MSC of the Write service used for writing an attribute	216
Figure 56 – MSC of the Write service used for invoking a method	217
Figure 57 – MSC of the Write service used for writing an attribute, with block transfer	218
Figure 58 – MSC of the UnconfirmedWrite service used for writing an attribute	219
Figure 59 – Partial service invocations and GBT APDUs	222
Figure 60 – GET service with GBT, switching to streaming	224
Figure 61 – GET service with partial invocations, GBT and streaming, recovery of 4 th block sent in the 2nd stream	225
Figure 62 – GET service with partial invocations, GBT and streaming, recovery of 4 th and 5 th block	226
Figure 63 – GET service with partial invocations, GBT and streaming, recovery of last block	227
Figure 64 – SET service with GBT, with server not supporting streaming, recovery of	
3rd block	
Figure 65 – ACTION-WITH-LIST service with bi-directional GBT and block recovery	
Figure 66 – DataNotification service with GBT with partial invocation	
Figure B.1 – Short wrapper	
Figure C.1 – General architecture with gateway	
Figure C.2 – The fields used for pre-fixing the COSEM APDUs	
Figure C.3 – Pull message sequence chart	
Figure C.4 – Push message sequence chart	2/3
Figure I.1 – MSC for key agreement using the Ephemeral Unified Model C(2e, 0s, ECC CDH) scheme	328
Figure I.2 – Ciphered xDLMS APDU protected by an ephemeral key established using the One-pass Diffie-Hellman (1e, 1s, ECC CDH) scheme	332

Figure I.3 – Ciphered xDLMS APDU protected by an ephemeral key established using the Static Unified Model C(0e, 2s, ECC CDH) scheme	337
Figure J.1 – Exchanging protected xDLMS APDUs between TP and server: example 1	
Figure J.2 – Exchanging protected xDLMS APDUs between TP and server: example 2	
Table 1 – Client and server SAPs	42
Table 2 – Clarification of the meaning of PDU size for DLMS/COSEM	61
Table 3 – Elliptic curves in DLMS/COSEM security suites	79
Table 4 – Ephemeral Unified Model key agreement scheme summary	83
Table 5 – One-pass Diffie-Hellman key agreement scheme summary	85
Table 6 – Static Unified Model key agreement scheme summary	87
Table 7 – OtherInfo subfields and substrings	88
Table 8 – Cryptographic algorithm ID-s	88
Table 9 – DLMS/COSEM security suites	89
Table 10 – Symmetric keys types	91
Table 11 – Key information with general-ciphering APDU and data protection	92
Table 12 – Asymmetric keys types and their use	94
Table 13 – X.509 v3 Certificate structure	98
Table 14 – X.509 v3 tbsCertificate fields	99
Table 15 – Naming scheme for the Root-CA instance (informative)	100
Table 16 – Naming scheme for the Sub-CA instance (informative)	100
Table 17 – Naming scheme for the end entity instance	101
Table 18 – X.509 v3 Certificate extensions	103
Table 19 – Key Usage extensions	104
Table 20 – Subject Alternative Name values	104
Table 21 – Issuer Alternative Name values	105
Table 22 – Basic constraints extension values	105
Table 23 – Certificates handled by DLMS/COSEM end entities	106
Table 24 – Security policy values ("Security setup" version 1)	111
Table 25 – Access rights values ("Association LN" ver 3 "Association SN" ver 4)	112
Table 26 – Ciphered xDLMS APDUs	113
Table 27 – Security control byte	115
Table 28 – Plaintext and Additional Authenticated Data	115
Table 29 – Use of the fields of the ciphering xDLMS APDUs	119
Table 30 – Example: glo-get-request xDLMS APDU	120
Table 31 – ACCESS service with general-ciphering, One-Pass Diffie-Hellman C(1e, 1s, ECC CDH) key agreement scheme	122
Table 32 – DLMS/COSEM HLS authentication mechanisms	126
Table 33 – HLS example using authentication-mechanism 5 with GMAC	127
Table 34 – HLS example using authentication-mechanism 7 with ECDSA	128
Table 35 – Codes for AL service parameters	131
Table 36 – Service parameters of the COSEM-OPEN service primitives	132
Table 37 – Service parameters of the COSEM-RELEASE service primitives	136

Table 38 – Service parameters of the COSEM-ABORT service primitives	139
Table 39 – Additional service parameters	142
Table 40 – Security parameters	143
Table 41 – APDUs used with security protection types	144
Table 42 – Service parameters of the GET service	146
Table 43 – GET service request and response types	147
Table 44 – Service parameters of the SET service	149
Table 45 – SET service request and response types	150
Table 46 – Service parameters of the ACTION service	152
Table 47 – ACTION service request and response types	153
Table 48 – Service parameters of the ACCESS service	159
Table 49 – Service parameters of the DataNotification service primitives	162
Table 50 – Service parameters of the EventNotification service primitives	163
Table 51 – Service parameters of the TriggerEventNotificationSending.request_service primitive	164
Table 52 – Variable Access Specification	165
Table 53 – Service parameters of the Read service	166
Table 54 – Use of the Variable_Access_Specification variants and the Read.response choices	167
Table 55 – Service parameters of the Write service	170
Table 56 – Use of the Variable_Access_Specification variants and the Write.response choices	171
Table 57 – Service parameters of the UnconfirmedWrite service	173
Table 58 – Use of the Variable_Access_Specification variants	173
Table 59 – Service parameters of the InformationReport service	174
Table 60 – Service parameters of the SetMapperTable.request service primitives	175
Table 61 – Summary of ACSE services	175
Table 62 – Summary of xDLMS services	176
Table 63 – Functional Unit APDUs and their fields	181
Table 64 – COSEM application context names	184
Table 65 – COSEM authentication mechanism names	185
Table 66 – Cryptographic algorithm ID-s	186
Table 67 – xDLMS Conformance block	196
Table 68 – GET service types and APDUs	198
Table 69 – SET service types and APDUs	201
Table 70 – ACTION service types and APDUs	204
Table 71 – Mapping between the GET and the Read services	209
Table 72 – Mapping between the ACTION and the Read services	210
Table 73 – Mapping between the SET and the Write services (1 of 2)	213
Table 74 – Mapping between the ACTION and the Write service	215
Table 75 – Mapping between the SET and the UnconfirmedWrite services	219
Table 76 – Mapping between the ACTION and the UnconfirmedWrite services	219
Table 77 – Mapping between the EventNotification and InformationReport services	220
Table B.1 – Reserved Application Processes	269

Table D.1 – Conformance block	276
Table D.2 – A-XDR encoding of the xDLMS InitiateRequest APDU	277
Table D.3 – A-XDR encoding of the xDLMS InitiateResponse APDU	278
Table D.4 – BER encoding of the AARQ APDU	281
Table D.5 – Complete AARQ APDU	283
Table D.6 – BER encoding of the AARE APDU	284
Table D.7 – The complete AARE APDU	288
Table E.1 – A-XDR encoding of the xDLMS InitiateRequest APDU	290
Table E.2 – Authenticated encryption of the xDLMS InitiateRequest APDU	291
Table E.3 – BER encoding of the AARQ APDU	292
Table E.4 – A-XDR encoding of the xDLMS InitiateResponse APDU	294
Table E.5 – Authenticated encryption of the xDLMS InitiateResponse APDU	295
Table E.6 – BER encoding of the AARE APDU	296
Table E.7 – BER encoding of the RLRQ APDU	297
Table E.8 – BER encoding of the RLRE APDU	298
Table F.1 – The objects used in the examples	299
Table F.2 – Example: Reading the value of a single attribute without block transfer	300
Table F.3 – Example: Reading the value of a list of attributes without block transfer	301
Table F.4 – Example: Reading the value of a single attribute with block transfer	303
Table F.5 – Example: Reading the value of a list of attributes with block transfer	305
Table F.6 – Example: Writing the value of a single attribute without block transfer	308
Table F.7 – Example: Writing the value of a list of attributes without block transfer	309
Table F.8 – Example: Writing the value of a single attribute with block transfer	311
Table F.9 – Example: Writing the value of a list of attributes with block transfer	313
Table F.10 – Example: ACCESS service without block transfer	316
Table G.1 – ECC_P256_Domain_Parameters	324
Table G.2 – ECC_P384_Domain_Parameters	325
Table I.1 – Test vector for key agreement using the Ephemeral Unified Model C(2e, 0s, ECC CDH) scheme	330
Table I.2 – Test vector for key agreement using the One-pass Diffie-Hellman (1e, 1s, ECC CDH) scheme	334
Table I.3 – Test vector for key agreement using the Static-Unified Model (0e, 2s, ECC CDH) scheme	337

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTRICITY METERING DATA EXCHANGE – THE DLMS/COSEM SUITE –

Part 5-3: DLMS/COSEM application layer

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this International Standard may involve the use of a maintenance service concerning the stack of protocols on which the present standard IEC 62056-5-3 is based.

The IEC takes no position concerning the evidence, validity and scope of this maintenance service.

The provider of the maintenance service has assured the IEC that he is willing to provide services under reasonable and non-discriminatory terms and conditions for applicants throughout the world. In this respect, the statement of the provider of the maintenance service is registered with the IEC. Information may be obtained from:

DLMS¹ User Association Zug/Switzerland www.dlms.com

Device Language Message Specification.

International Standard IEC 62056-5-3 has been prepared by IEC technical committee 13: Electrical energy measurement and control.

This third edition cancels and replaces the second edition of IEC 62056-5-3, published in 2016. It constitutes a technical revision.

The significant technical changes with respect to the previous edition are listed in Annex K (Informative).

The text of this International Standard is based on the following documents:

FDIS	Report on voting
13/1744/FDIS	13/1747/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 62056 series, published under the general title *Electricity* metering data exchange – The DLMS/COSEM suite, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- · amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This third edition of IEC 62056-5-3 has been prepared by IEC TC13 WG14 with a significant contribution of the DLMS User Association, its D-type liaison partner.

This edition is in line with DLMS UA 1000-2, the "Green Book" Ed. 8.2:2017. The main new features are the ACCESS service, the new security suites 1 and 2 supporting symmetric key and public key cryptography, the general protection mechanism and the XML schema for COSEM APDUs.

Clause 5 is based on parts of NIST documents. Reprinted courtesy of the National Institute of Standards and Technology, Technology Administration, U.S. Department of Commerce.

ELECTRICITY METERING DATA EXCHANGE – THE DLMS/COSEM SUITE –

Part 5-3: DLMS/COSEM application layer

1 Scope

This part of IEC 62056 specifies the DLMS/COSEM application layer in terms of structure, services and protocols for DLMS/COSEM clients and servers, and defines rules to specify the DLMS/COSEM communication profiles.

It defines services for establishing and releasing application associations, and data communication services for accessing the methods and attributes of COSEM interface objects, defined in IEC 62056-6-2 using either logical name (LN) or short name (SN) referencing.

Annex A (normative) defines how to use the COSEM application layer in various communication profiles. It specifies how various communication profiles can be constructed for exchanging data with metering equipment using the COSEM interface model, and what are the necessary elements to specify in each communication profile. The actual, media-specific communication profiles are specified in separate parts of the IEC 62056 series.

Annex B (normative) specifies the SMS short wrapper.

Annex C (normative) specifies the gateway protocol.

Annex D, Annex E and Annex F (informative) include encoding examples for APDUs.

Annex G (normative) provides NSA Suite B elliptic curves and domain parameters.

Annex H (informative) provides an example of an End entity signature certificate using P-256 signed with P-256.

Annex I (normative) specifies the use of key agreement schemes in DLMS/COSEM.

Annex J (informative) provides examples of exchanging protected xDLMS APDUs between a third party and a server.

Annex K (informative) lists the main technical changes in this edition of the standard.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61334-4-41:1996, Distribution automation using distribution line carrier systems – Part 4: Data communication protocols – Section 41: Application protocol – Distribution line message specification

IEC 61334-6:2000, Distribution automation using distribution line carrier systems – Part 6: A-XDR encoding rule

IEC TR 62051:1999, Electricity metering – Glossary of terms