



**ANSI Z535.3-2011(R2017)**  
Reaffirmation of  
ANSI Z535.3-2011

*American National Standard  
Criteria for Safety Symbols*

Secretariat:

**National Electrical Manufacturers Association**

Approved October 20, 2017

**American National Standards Institute, Inc.**

## NOTICE AND DISCLAIMER

The information in this publication was considered technically sound by the consensus of persons engaged in the development and approval of the document at the time it was developed. Consensus does not necessarily mean that there is unanimous agreement among every person participating in the development of this document.

ANSI standards and guideline publications, of which the document contained herein is one, are developed through a voluntary consensus standards development process. This process brings together volunteers and/or seeks out the views of persons who have an interest in the topic covered by this publication. While NEMA administers the process to promote fairness in the development of consensus, it does not write the document, and it does not independently test, evaluate, or verify the accuracy or completeness of any information or the soundness of any judgments contained in its standards and guideline publications.

NEMA disclaims liability for any personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, application, or reliance on this document. NEMA disclaims and makes no guaranty or warranty, expressed or implied, as to the accuracy or completeness of any information published herein, and disclaims and makes no warranty that the information in this document will fulfill any of your particular purposes or needs. NEMA does not undertake to guarantee the performance of any individual manufacturer or seller's products or services by virtue of this standard or guide.

In publishing and making this document available, NEMA is not undertaking to render professional or other services for or on behalf of any person or entity, nor is NEMA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. Information and other standards on the topic covered by this publication may be available from other sources, which the user may wish to consult for additional views or information not covered by this publication.

NEMA has no power, nor does it undertake to police or enforce compliance with the contents of this document. NEMA does not certify, test, or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of compliance with any health- or safety-related information in this document shall not be attributable to NEMA and is solely the responsibility of the certifier or maker of the statement.

## **AMERICAN NATIONAL STANDARD**

Approval of an American National Standard requires verification by The American National Standards Institute, Inc. (ANSI) that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer. An American National Standard implies a consensus of those substantially concerned with its scope and provisions. Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly, and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered and that a concerted effort be made toward their resolution.

The existence of an American National Standard does not in any respect preclude anyone, whether s/he has approved the standard or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards. It is intended as a guide to aid the manufacturer, the consumer, and the general public.

The American National Standards Institute, Inc., does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute, Inc. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on this title page.

**CAUTION NOTICE:** This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute, Inc. require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute, Inc.

Published by

**National Electrical Manufacturers Association  
1300 North 17th Street, Suite 900  
Rosslyn, VA 22209**

© 2017 National Electrical Manufacturers Association

All rights, including translation into other languages, reserved under the Universal Copyright Convention, the Berne Convention for the Protection of Literary and Artistic Works, and the International and Pan American copyright conventions.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Printed in the United States of America

## CONTENTS

Foreword .....	v
1 Introduction .....	1
2 Scope and purpose .....	1
2.1 Scope .....	1
2.2 Purpose .....	1
3 Application .....	1
3.1 Intent .....	1
3.2 Existing American National Standards .....	1
4 Definitions .....	1
5 Safety symbol types, surround shapes, and colors .....	3
5.1 General .....	3
5.2 Hazard Alerting .....	3
5.3 Mandatory Action .....	3
5.4 Prohibition .....	3
5.5 Information .....	3
6 Graphic design considerations .....	4
6.1 Procedure for the design of new safety symbols .....	4
6.2 Safety symbol size .....	4
6.3 Safety symbol placement .....	4
6.4 Safety symbol environment .....	4
7 Safety symbol selection criteria .....	4
7.1 With demonstrated understandability .....	4
7.2 Without demonstrated understandability .....	4
7.2.1 Safety symbol training/recognition procedure .....	4
8 Normative references .....	4
8.1 General .....	4
8.2 American National Standards .....	4

## Figures

1 The Safety Alert Symbol .....	2
A1 Multi-Panel Safety Sign without Surround Shape and Color on Symbol .....	6
A2 Safety Alert Symbol .....	7
A3 Prohibition Symbol .....	7
A4 Multi-Panel Safety Sign with Surround Shape and Color on Symbol .....	7

A5	Examples of Hazard Alerting Symbols.....	8
A6	Layout for Hazard Alerting Safety Symbol.....	8
A7	Examples of Mandatory Action Symbols .....	9
A8	Layout for Mandatory Action Safety Symbol.....	9
A9	Examples of Prohibition Symbols .....	9
A10	Layout for Prohibition Safety Symbol.....	10
A11	Examples of Safe Condition Symbols.....	10
A12	Layout for Information—Safe Condition Safety Symbol .....	11
A13	Examples of Fire Safety Symbols .....	11
A14	Layout for Information—Fire Safety Symbol.....	12
A15	Consistent Versus Non-Consistent Symbols for Personal Protective Equipment .....	12
A16	Representational Versus Abstract Symbols for Fire Alarm Call Point.....	13
A17	Hazard Description and Hazard Avoidance Symbols.....	14
A18	Dramatic Action Versus Abstract Symbol for Electric Shock.....	14
A19	Solid Graphic Form Represents Hazardous Element; Outline Form Puts Hazardous Element in Context.....	15
A20	Symbols Showing Use of Solid Human Form.....	16
A21	Correct and Conflicting Directions .....	16
A22	Examples of Determinants.....	17
A23	Abstract Symbol with Text .....	17
A24	Prohibition Symbol: Correct Use and Incorrect Use .....	19
A25	Arrows as Defined in ISO 11684 and IEC 60418 .....	20
A26	The Human Figure Unit System.....	21
A27	Stationary Freestanding Human Figure.....	21
A28	Animation of the Human Figure .....	22
A29	Profile Heads.....	22
A30	Upper Body .....	23
A31	Standardized Hand Positions.....	23
A32	Examples of Symbols Using Hand Profiles.....	24
A33	Symbols Showing the Upper Body with Hands .....	24
A34	Foot .....	25
A35	Feet Added.....	25
A36	Depicting Hazard with and without Blood .....	25
B1	Flowchart for Evaluating Candidate Safety Symbols.....	33
B2	Example of Respondent Information Sheet.....	35
B3	Example of Questionnaire for Comprehension Estimation .....	36
B4	Sample Symbol Test Administration Instructions and Booklet .....	37

B5 Sample Pictorial Context..... 40

**Tables**

B1 Comprehension Equivalencies ..... 32

**Annexes**

A Principles and Guidelines for Graphical Design of Safety Symbols ..... 6  
B General Procedures for Evaluating Candidate Safety Symbols ..... 26  
C Informative References ..... 41

## Foreword

In 1979, the ANSI Z53 Committee on Safety Colors was combined with the ANSI Z35 Committee on Safety Signs to form the ANSI Z535 Committee on Safety Signs and Colors. The Z535 Committee has the following scope:

To develop standards for the design, application, and use of signs, colors, and symbols intended to identify and warn against specific hazards and for other accident prevention purposes.

While the basic mission and fundamental purpose of the ANSI Z535 Committee is to develop, refine, and promote a single, uniform graphic system used for communicating safety and accident prevention information, the Z535 Committee recognizes that this information can also be effectively communicated using other graphic systems.

The Z535 Committee created subcommittees to update the ANSI Z53 and Z35 standards, and to write new standards. To date, the following six standards comprise the ANSI Z535 series:

- ANSI Z535.1 *Safety Colors* [ANSI Z53.1-1979 was updated and combined into this standard in 1991]
- ANSI Z535.2 *Environmental and Facility Safety Signs* [ANSI Z35.1-1972 and Z35.4-1972 were updated and combined into this standard in 1991]
- ANSI Z535.3 *Criteria for Safety Symbols* [new in 1991]
- ANSI Z535.4 *Product Safety Signs and Labels* [new in 1991]
- ANSI Z535.5 *Safety Tags and Barricade Tapes (for Temporary Hazards)* [ANSI Z35.2-1974 was updated and combined into this standard in 1991]
- ANSI Z535.6 *Product Safety Information in Product Manuals, Instructions, and Other Collateral Materials* [new in 2006]

Together, these six standards contain information needed to specify formats, colors, and symbols for safety signs used in environmental and facility applications, product applications, temporary safety tags and barricade tapes, and for safety information in literature that accompanies products.

Published separately is the ANSI Z535 *Safety Color Chart*. This chart gives the user a sample of each of the safety colors: red, orange, yellow, green, blue, purple, brown, grey, white and black. It also describes each color's ink formulation and closest PANTONE® color.

This ANSI Z535.3 standard was prepared by Subcommittee Z535.3 on Criteria for Safety Symbols. Other Z535 standards have provisions for a safety sign with an optional center symbol panel containing a graphic depiction of the message in the message panel, using the safety symbol criteria contained in this standard. The foreword and all annexes in this standard are considered to be "informative" which, in the vocabulary of standards writing, means that the content presented is for informational purposes only and is not considered to be mandatory or prescriptive in nature. The body of this standard is "normative" which means that the content is considered to be mandatory or prescriptive.

The ANSI Z535.3 standard was first published in 1991 and revised in 1998. The 1998 revision refined and added substance to the structure of the 1991 version (see Deppa et al., 1997; Annex C5, Reference 6). The forty-one referents in the original ANSI Z535.3 standard were selected because they addressed some of the most common, general, or critical hazards. The ANSI Subcommittee Z535.3 on Criteria for Safety Symbols reassessed the symbol examples illustrating these referents, both to ensure that the symbols had passed comprehension testing, and to improve the depiction of these symbols in the standard. Further, the ANSI Z535 Committee recognized that this finite set of referents addressed only a fraction of the hazard referents for which safety symbols are needed. Since the committee's philosophy was not to alter the scope of referents in the standard, their approach to meeting the need for new symbols was twofold: 1) provide the guidance necessary to create legible, standardized symbols; and 2) provide general procedures for comprehension testing symbols. Therefore, the 1998 revision contained

the following changes:

- Safety Symbol Example and Depiction Changes

Non-passing symbols were: 1) replaced with passing symbols or deleted; or 2) in the case of borderline comprehension, moved from the body of the standard to an annex. These changes resulted from researching the symbol testing results and determining that some symbols had not passed the required 85% recognition testing. The subcommittee had non-passing, and non-tested symbols comprehension tested, along with other symbol alternatives that address the same referents, in an attempt to identify symbols that could pass the comprehension testing for those referents.

Surround shapes were discouraged from use with most symbols, except for prohibition and the safety alert symbol. Illustrating the symbols in the 1991 version with surround shapes misled users to think that surround shapes were preferred, when in fact, a surround shape competes with the actual symbol for the available space. It was clarified that color generally should be used only for the safety red Prohibition symbol and safety red fire-related symbols. The 1991 version was probably not clear enough in that it appeared to mandate symbols with background colors. Test references were added so potential users could access testing details to determine whether previous testing is analogous to their situation or whether they may need to retest before using a symbol on their product.

- Addition of Safety Symbol Creation Guidelines

In order to encourage both good symbol design and a degree of consistency between existing and new symbols, the revision included expanded guidelines for the creation of new symbols for new referents.

- Test Procedure Changes

Multiple choice tests were discouraged since these tests are typically less accurate than open-ended testing in measuring the subjects' comprehension of symbols, primarily because they limit the range of answers allowed. Testing safety symbols in context were encouraged, since using words or pictures to convey where a label would be located is a fairer test of a symbol than testing without giving context. Progressive testing was described and encouraged to screen out poor symbols early, thereby limiting resource expenditures prior to full open-ended testing. Information on how to conduct comprehension tests was improved and expanded, including providing detailed guidance and actual examples of test administration materials.

In revising the ANSI Z535.3-1998 standard, work to retest the symbol examples and to rewrite the testing procedures was carried out simultaneously. Using this process, the subcommittee received valuable feedback not only on the symbols being tested but also on the problems and features of the test methodologies themselves. Lessons learned from each test iteration were used to improve test procedures and clarify test instructions. As a result, in addition to thoroughly-tested symbol examples, this revision provided well-tested procedures for evaluating symbols. The Z535.3 Subcommittee believed that these improvements to ANSI Z535.3 facilitated the creation of symbols with improved legibility and consistency that are reliably comprehension tested.

In the 2002 revision, only minor revisions were made. In the 2007 revision, the safety alert symbol was expanded to harmonize with color alternatives contained in the ISO 3864-2 standard. In Annex A, Principles and Guidelines for Graphical Design of Safety Symbols, guidance was expanded, and more figures were added to illustrate the principles and guidelines presented. No significant changes were made to Annex B, General Procedures for Evaluating Candidate Safety Symbols. In Annex C, Safety Symbol Examples, guidance was also expanded. Safety symbols were moved from the normative body of this standard to this informative annex, and information symbols were added related to fire safety and safe condition that are contained in the ISO 7010 standard. A new Annex D, Informative References, was created which contained references relocated from the body of the standard.

The biggest revision in the 2011 edition was to delete the separate Annex C, Safety Symbol Examples, and move relevant parts to Annex A. Over the years since the committee's philosophy was not to alter the



scope of referents, some of these symbols might be outdated, or ISO 7010 might have adopted other symbols. Instead of "symbol examples" in a separate annex, many of the safety symbols were moved to Annex A to illustrate principles and guidelines for graphical design. Further, graphical design guidelines duplicated in the body of the standard were deleted, so they now are in one location. Other revisions included refining Annex B General Procedures for Evaluating Candidate Safety Symbols by 1) adding a table of equivalent scoring if less than 50 subjects must be used; 2) providing controls and safeguards if the comprehension test must be administered over the Internet; 3) providing a minimum symbol size to test when the actual symbol size is unknown; and 4) adding an optional test question about the consequences of not following instructions.

Because of the differences in color printing technologies and color monitors, the appearance of colors in this document may not be accurate. See the ANSI Z535-2011 Safety Color Chart for the purpose of viewing accurate colors.

The 2011 version of this standard was reaffirmed in 2017.

Proposals for improvement of this standard are welcome. Information concerning submittal of proposals can be found at the back of this standard.

This standard was processed and approved for submittal to ANSI by the Accredited Standards Committee Z535 on Safety Signs and Colors . Committee approval of this standard does not necessarily imply that all committee members voted for its approval. At the time of approval, the ANSI Z535 Committee had the following members:

**Geoffrey Peckham, Chair**

J. Paul Frantz, Vice Chair

Paul Orr, Secretary

*Organization Represented:*

*Name of Representative:*

American Society of Safety Engineers

J. Paul Frantz  
Thomas F. Bresnahan (Alt.)  
Timothy Rhoades (Alt.)

American Welding Society

August F. Manz

Applied Materials

Edward Karl  
Edwin Palmero (Alt.)

Applied Safety and Ergonomics

Steve Hall  
Judith J. Isaacson (Alt.)  
Stephen Young (Alt.)

Association for Manufacturing Technology

David Felinski

Association of Equipment Manufacturers

Valerie Lynch

Bell Product Safety

Gary Bell

Browning Arms Company

Larry D. Nelson  
Genta Shalon (Alt.)

Caterpillar, Inc.

Charles Crowell  
Mark Steffen (Alt.)

ANSI Z535.3-2011(R2017)  
Page viii

Clarion Safety Systems, LLC

Geoffrey Peckham

Dorris and Associates International, LLC

Nathan T. Dorris  
Alan Dorris (Alt.)  
Eric Boelhouwer (Alt.)

Eagle Crusher Co.

Ryan Parsell

Edison Electric Institute

David Young

Human Factors & Ergonomics Society

Michael Kalsher  
Harvey Cohen (Alt.)

Human Factors & Safety Analytics, Inc.

B. Jay Martin

Institute of Electrical & Electronics Engineers

Sue Vogel

International Safety Equipment Association

Cristine Fargo

International Staple, Nail, and Tool  
Association

Rick Allen  
Jeffrey Makino (Alt.)

Law Office of Mathew Kunding

Mathew Kunding

Marhefka & Associates

Russell E. Marhefka

National Association of Graphic Product  
Identification Manufacturers

Russ Butchko  
Donna Ehrmann (Alt.)

National Marker Company

Michael Black  
Alice Campbell (Alt.)  
Marianne Pepin (Alt.)

National Spray Equipment Manufacturers Association

Angela Redlund-Spieker

National Electrical Manufacturers Association

Bill Pratt  
David Werba (Alt.)

Power Tool Institute

Brett Cohen  
Mark Hickok (Alt.)  
Charles M. Stockinger (Alt.)

Rockwell Automation

Steven Chybowski

Rural Utilities Service

Trung Hiu

Safety and Forensic Enterprises, LLC

Loren Mills

Scaffold Industry Association

Dave Merrifield

Snap-on Tools	Dan Eggert
System Safety Society	Robert J. Cunitz
Taylor Communications	Linda LeBlanc Jody Dombeck (Alt.)
Travelers Insurance Company	David Roy Joe Bailey (Alt.)
Underwriters Laboratories	Richard Olesen
Whirlpool Corporation	Sondra McAndrew Evelyn Fisher (Alt.)
World Kitchen, LLC	Celeste Levindoski

At the time of preparation for this edition of ANSI Z535.3, the Subcommittee Z535.3 on Criteria for Safety Symbols had the following members:

**Michael Kalsher, Chair**  
Paul Orr, Secretary

Lewis Barbe	World Safety Organization
Eric Boelhouwer	Dorris and Associates
Brett Cohen	Power Tool Institute
Robert J. Cunitz	System Safety Society
Nathan Dorris	Dorris and Associates International, LLC
Donna Ehrmann	National Association of Graphic and Product Identification Manufacturers
Geoffrey Peckham	Clarion Safety Systems, LLC
Judith J. Issacson	Applied Safety and Ergonomics, Inc
Mathew Kunding	Law Office of Mathew Kunding
Valerie Lynch	Association of Equipment Manufacturers
Larry Nelson	Browning Arms Co.
David Roy	Travelers Insurance Company
Michael Weber	Association of Manufacturers

**< This page intentionally left blank. >**

## **1 Introduction**

The U.S. population is multi-ethnic, highly mobile, and derived from a multiplicity of social and educational backgrounds, with different reading and word comprehension skills. These factors complicate the effectiveness of word-only signs. Effective safety symbols have demonstrated their ability to provide critical information for accident prevention and personal protection. Signs with safety symbols can promote greater and more rapid communication of the safety message, and therefore greater safety for the general population. Methodologies for designing and evaluating safety symbols are presented.

## **2 Scope and Purpose**

### **2.1 Scope**

This standard provides general criteria for the design, evaluation, and use of safety symbols to identify and warn against specific hazards and to provide information to avoid personal injury.

### **2.2 Purpose**

It is the purpose of this standard to promote the adoption and use of uniform and effective safety symbols for safety communication. This standard also provides a procedure for evaluating image effectiveness in communicating the intended message, as well as considerations for graphic design of safety symbols.