



NFPA/T3.28.9 R1-1989 (R2009)

Second edition

16 January 1989

AN INDUSTRY STANDARD FOR FLUID POWER

Fluid power systems and products – Moving parts fluid controls – Method of diagramming

(Revision and redesignation of ANSI/B93.38-1976)

Descriptors: accessory devices and logic systems, fluid controls, fluid logic systems, input devices, interface devices, sensing devices

published by

NATIONAL FLUID POWER ASSOCIATION, INC.

3333 N. Mayfair Road / Milwaukee, WI 53222-3219 USA

PHONE: +1 414 778 3344 / FAX: +1 414 778 3361 / E-mail: nfpa@nfpa.com

Copyright 2005 by the
NATIONAL FLUID POWER ASSOCIATION
Printed in the USA

All standards, recommended practices, information reports, and bibliographies (collectively, "NFPA Documents") are advisory only. Use thereof by anyone for any purpose is entirely voluntary and in any event without risk of any nature to the National Fluid Power Association (NFPA), its officers, directors or authors of such work. There is no agreement by or between anyone to adhere to any NFPA Document. In formulating and approving NFPA Documents, NFPA and/or its councils and committees will not investigate or consider citations, references or patents which may or may not apply to such subject matter since prospective users of such NFPA Documents alone are responsible for establishing necessary safeguards in connection with utilization of such matters, including technical data, proprietary rights or patentable materials.

The information and data contained in NFPA Documents has been obtained from sources believed to be reliable. However, it should not be assumed that all acceptable or applicable sources of information, procedures, methods or techniques are contained in NFPA Documents, or that additional measures may not be required under certain circumstances or conditions.

NFPA Documents and/or policies and procedures are subject to periodic review and may be changed without notice. NFPA Documents are only current as of their publication date. NFPA Documents, after publication, may be revised or withdrawn at any time and current information on all NFPA Documents may be received by calling or writing NFPA. Additionally, the various codes and regulations referenced in NFPA Documents may be amended from time to time and it should not be assumed that the versions referenced therein are the most current versions of such codes and regulations. Please consult the appropriate regulatory authorities for the most up-to-date versions.

NFPA Documents imply a consensus of those substantially concerned with their scope and provisions and are intended as a guide to aid the manufacturer, the consumer and the general public. The publication of NFPA Documents does not in any respect preclude anyone, whether they have participated in the development of or approved such NFPA Documents or not, from manufacturing, marketing, purchasing, or using of products, processes or procedures not conforming to the NFPA Documents. NFPA Documents do not constitute or indicate a warranty of any sort, express or implied, including but not limited to a warranty or representation as to quality, merchantability or fitness for a particular use or purpose.

Participation by federal agency representative(s) or person(s) affiliated with the industry is not to be interpreted as government or industry endorsement of an NFPA Document(s).

NOTICE

NFPA Documents do not express or imply any judgment, certification or endorsement of or with respect to, the safety, design or performance of any product, component, or its use.

NFPA does not examine, investigate, test, recommend, or certify the design, use or safety of any product or component, even those which may incorporate one or more NFPA Documents. NFPA Documents therefore have no application to and do not express or imply any recommendation, representation or warranty, with respect to the safety, design, use, performance, or functional interchangeability of components or products which incorporate NFPA Documents.

This publication may not, in whole or in part, be reproduced, copied or disseminated, entered into or stored in a computer database or retrieval system, or otherwise utilized without the prior written permission of NFPA.

Foreword

This Foreword is not part of *Fluid power systems and products — Moving parts fluid controls — Method of diagramming, (NFPA) T3.28.9 R1-1989*, (revision and redesignation of ANSI/B93.38-1976).

It was decided at the T3.28 Section meeting on 17 November 1978 that the areas of exploration in the proposed revision of ANSI/B93.38 would be solenoid, attached or detached counters, predetermined counters and mechanical timers. These proposed additions were forwarded to Headquarters 21 June 1978.

The proposed additions and revisions to ANSI/B93.38 (NFPA/T3.28.9) were discussed at length by Section T3.28 on 8 November 1979. A TSP for the project was prepared by the Project Group. Headquarters assigned the Project Number NFPA/T3.28.9 R1 to the project.

The TSP was forwarded to and granted approval by the Technical Board on 7 May 1980.

On 23 October 1980 the proposed revisions and additions to NFPA/T3.28.9 were submitted to the Section for discussion. Other proposed revisions and additions were circulated among the Fluid Logic Devices Section on 27 September 1980.

While revisions to NFPA/T3.28.9 (ANSI/B93.38) were underway, Section T3.28 recommended reaffirmation of ANSI/B93.38. This recommendation was forwarded to the Technical Board where it received unanimous approval on 11 February 1979.

The Project Group reviewed comments received on the proposed additions and revisions. NFPA/T3.28.9 R1 was forwarded to Headquarters for General Review.

Headquarters Staff prepared the document for First General Review on 14 May 1982. The First General Review closed with comments 14 June 1982.

On 29 September 1982 it was reported to the T3.28 Fluid Logic Device Section that negative comments were received and were being resolved.

After the resolution of the negative comments the document was forwarded to the Technical Board where approval to ballot was granted on 17 May 1984.

The document was forwarded to Headquarters and the Technical Staff prepared T3.28.9 R1 for ballot on 27 July 1984.

On 16 May 1985 the Technical Board voted unanimously to recommend to the Board of Directors that NFPA/T3.28.9 R1, be approved as an NFPA Recommended Standard

The Board of Directors concurred with the recommendations and granted final approval to NFPA/T3.28.9 R1 on 5 June 1985.

Project Group members who developed this standard:

Bruce McCord
Project Chairman & Section Vice Chairman
Aro Corp.

Ralph Culbertson *
Section Chairman
Dynamco Inc.

Paul Olson
Section Secretary
WABCO Fluid Power Div.

Paul Schacht
Technical Auditor
Dana Corp./Racine Hydraulics Div.

Allen E. Tucker *
Director of Technical Services
National Fluid Power Association

S. Moore
Aro Corp.

P. Huff
Dynamco Inc.

T. DeStefani
Hydro-Line Manufacturing Co.

D. Duggar
Miller Fluid Power Corp.

J. Martin
Miller Fluid Power Corp.

J. Berninger
Parker Hannifin Corp.

R. Hoffman
Parker Hannifin Corp.

J. Fischer, Jr. **
Schrader Bellows Div.

* Company affiliation has changed.

** Retired.

Contents

	Page
Section one — General	1
0 Introduction	1
1 Scope and field of application	1
2 References	1
3 Terms and definitions	1
4 Symbol rules	3
5 Line techniques	3
Section two — Symbols — Input devices	4
6 Symbols — Manual controls	4
7 Symbols for position sensors	11
8 Symbols for pressure sensors	14
9 Symbols for temperature sensors	15
10 Symbols for flow sensors	15
Section three — Power control valves and interfaces	16
11 Solenoid operated valves	16
12 Counters	16
13 Mechanical timers	16
14 Power control valves	17
15 Symbols for pressure switches	19
Section four — Attached method of diagramming (logic devices)	19
16 Graphic symbols, attached method	19
17 Diagram rules, attached method	24
18 Logic diagrams, attached method	26
Section five — Detached method of diagramming (relay valves and logic devices)	27
19 Symbols for relay valves	27
20 Symbols for off-return fluid memory relay valves	30
21 Symbols for time delay valves	31
22 Counters	33
23 Symbols for resistance devices	33
24 Symbols for relay valves in a timing circuit	34
25 Symbols for one-shot relay valves	34
26 Symbols for electric-to-air relay valves	35
Section six — Miscellaneous devices	36
27 Visual indicators	36
28 Test point	37
29 Pressure indicator	37
30 Pressure gage	37
31 Pressure control valve (pressure regulation)	37
32 Fluid containers	37
33 Check valve	38
34 Shuttle valve (two-input passive OR)	38
35 Identification statement	38

	Page
Tables	
1 — Typical push button symbols	7
2 — Typical limit valve symbols	12
3 — Truth table for AND output	19
4 — Truth table for OR output	20
5 — Truth table for NOT output	20
6 — Truth table for inhibitor (nonimplication) output	20
7 — Truth table for fluid memory device	21
8 — Truth table for flip-flop device	21
9 — Truth table for one shot device	22
10 — Truth table for delay, timing in	22
11 — Truth table for delay, timing out	23
12 — Truth table for amplifier device	24
Annexes	
A — Symbol cross reference chart	39
B — References	40
C — Sample diagrams — Attached method	41
D — Sample power control diagram	42
E — Sample diagrams — Detached method	44
F — Sample power control diagram	45

This is a preview of "NFPA/T3.28.9 R1-1989...". [Click here to purchase the full version from the ANSI store.](#)

NFPA/T3.28.9 R1-1989 (R2009)

Fluid power systems and products — Moving parts fluid controls — Method of diagramming

Section one: General

0 Introduction

In fluid power systems, power is transmitted and/or controlled through a fluid (liquid or gas) under pressure within an enclosed circuit.

Moving parts fluid controls achieve control thru the use of devices having moving parts.

With the growth of technology, there has arisen within the technology of fluid power a major field of controls endeavor involving the use of air and other fluids as the operating media for logic controls systems.

1 Scope and field of application

1.1 This Standard is intended to include the updating of existing graphic symbols for fluid logic devices and circuits by developing symbols for the following:

- a) sensing and input devices commonly used with fluid logic systems;
- b) interface devices commonly used with fluid logic systems;
- c) accessory devices commonly used with fluid logic systems;
- d) logic symbols.

1.2 This Standard is intended to select those symbols for publication with this revised standard along with the proper reference to existing standards in cases where symbols already exist in other standards.

1.3 This Standard is intended to provide standard graphic symbols whereby complete fluid logic systems can be represented.

2 References

ANSI/Y14.17, *Drafting practices for fluid power diagrams*.

ISO 1219, *Fluid power systems and components — Graphic symbols*.

ANSI/B93.2, *Fluid power systems and products — Glossary*

3 Terms and definitions

For definitions of other terms used, see ANSI/B93.2.

3.1 circuit, logic control: A circuit which gathers and processes information to signal power controls and interfaces.

3.2 circuit, power control: A circuit which directs and regulates fluid power to working devices.

3.3 control diagram: A schematic showing control devices and their connections.