



**NFPA Recommended Standard  
NFPA/T3.5.29 R1-2007 (R2017)**

Second edition  
16 February 2007

---

**AN INDUSTRY STANDARD FOR FLUID POWER**

**Fluid power systems and components —  
Electrically-controlled industrial valves —  
Interface dimensions for electrical connectors**

**(Revision and redesignation of ANSI/B93.55M-1981)**

**Descriptors:** dimensions, electrical connector, valve, fluid power, requirements, specification, hydraulic, pneumatic

---

published by

**NATIONAL FLUID POWER ASSOCIATION, INC.**

6737 W. Washington St. Ste. 2350/ Milwaukee, WI 53214 USA  
PHONE: +1 414 778 3344 / FAX: +1 414 778 3361 / E-mail: [nfpa@nfpa.com](mailto:nfpa@nfpa.com)

Copyright 2007 by the  
**NATIONAL FLUID POWER ASSOCIATION**  
Printed in the USA

All standards, recommended practices, information reports, and bibliographies (collectively, "NFPA Documents") are advisory only. Use thereof by anyone for any purpose is entirely voluntary and in any event without risk of any nature to the National Fluid Power Association (NFPA), its officers, directors or authors of such work. There is no agreement by or between anyone to adhere to any NFPA Document. In formulating and approving NFPA Documents, NFPA and/or its councils and committees will not investigate or consider citations, references or patents which may or may not apply to such subject matter since prospective users of such NFPA Documents alone are responsible for establishing necessary safeguards in connection with utilization of such matters, including technical data, proprietary rights or patentable materials.

The information and data contained in NFPA Documents has been obtained from sources believed to be reliable. However, it should not be assumed that all acceptable or applicable sources of information, procedures, methods or techniques are contained in NFPA Documents, or that additional measures may not be required under certain circumstances or conditions.

NFPA Documents and/or policies and procedures are subject to periodic review and may be changed without notice. NFPA Documents are only current as of their publication date. NFPA Documents, after publication, may be revised or withdrawn at any time and current information on all NFPA Documents may be received by calling or writing NFPA. Additionally, the various codes and regulations referenced in NFPA Documents may be amended from time to time and it should not be assumed that the versions referenced therein are the most current versions of such codes and regulations. Please consult the appropriate regulatory authorities for the most up-to-date versions.

NFPA Documents imply a consensus of those substantially concerned with their scope and provisions and are intended as a guide to aid the manufacturer, the consumer and the general public. The publication of NFPA Documents does not in any respect preclude anyone, whether they have participated in the development of or approved such NFPA Documents or not, from manufacturing, marketing, purchasing, or using of products, processes or procedures not conforming to the NFPA Documents. NFPA Documents do not constitute or indicate a warranty of any sort, express or implied, including but not limited to a warranty or representation as to quality, merchantability or fitness for a particular use or purpose.

Participation by federal agency representative(s) or person(s) affiliated with the industry is not to be interpreted as government or industry endorsement of an NFPA Document(s).

**NOTICE**

NFPA Documents do not express or imply any judgment, certification or endorsement of or with respect to, the safety, design or performance of any product, component, or its use.

NFPA does not examine, investigate, test, recommend, or certify the design, use or safety of any product or component, even those which may incorporate one or more NFPA Documents. NFPA Documents therefore have no application to and do not express or imply any recommendation, representation or warranty, with respect to the safety, design, use, performance, or functional interchangeability of components or products which incorporate NFPA Documents.

This publication may not, in whole or in part, be reproduced, copied or disseminated, entered into or stored in a computer database or retrieval system, or otherwise utilized without the prior written permission of NFPA.

## Foreword

This Foreword is not part of NFPA Recommended Standard *Fluid power systems and components – Electrically controlled industrial valves – Interface dimensions for electrical connectors*, NFPA/T3.5.29 R1-2007 (revision and redesignation of ANSI/B93.55M-1981).

On 18 August 1993, the NFPA/T3.5 Hydraulic valve section met and discussed whether the ANSI standard should be reaffirmed or revised. Several of the references were outdated and it was recommended that the standard be revised to update these references. Larry Coleman (Continental Hydraulics) agreed to serve as Project Chair. On 16 September 1993, the NFPA Technical Board approved the Title, Scope and Purpose (TSP).

On 17 November 1993, project group members reviewed draft no. 1. The TSP was revised and approved at the 20 January 1994 Technical Board meeting.

Project Chair Coleman updated the document and draft no. 2 was reviewed at the 25 May 1994 meeting. At this meeting, it was agreed to send the document out for general review.

On 6 July 1994, the general review ballot was circulated.

On 30 September 1998, at the NFPA/T3.5 and U.S. TAG to ISO/TC 131/SC 5/WG 2 joint Hydraulic valve meeting, members approved NFPA/T3.5.29 R1 for second general review. Comments were reviewed at the February 1999 meeting of this project group. The document was sent out for second general review on 23 December 1998.

On 10 February 1999, at the NFPA/T3.5 and U.S. TAG to ISO/TC 131/SC 5/WG 2 joint Hydraulic valve meeting, members approved a motion to send NFPA/T3.5.29 R1 to the Technical Board for recommendation for final ballot once resolution of comments from the second general review had been completed.

On 18 November 1999, NFPA Technical Board members tabled NFPA/T3.5 members' recommendation of approval to final ballot, due to unavailability of feedback from project group members on the unresolved negative ballot. Project group members were asked to review draft no. 3 and forward comments to Headquarters.

On 9 February 2000, Mr. Coleman updated members on the status of the commentator letters. Festo maintained its disapproval ballot. Festo preferred an exclusive standard for pneumatic valves, but this is not within the scope of this standard. Mr. Coleman agreed to attend the NFPA Technical Board meeting in April 2000 to ask for approval to final ballot NFPA/T3.5.29 R1, despite the unresolved negative ballot.

On 11 January 2001, the final ballot was circulated.

On 7 February 2001, project group members reviewed the ballot tally (nine approvals with three comments, one disapproval and 10 not voting) and made changes to the document. Members approved a recommendation for second final ballot.

On 23 August 2001, the second final ballot was circulated.

On 19 September 2001, project group members reviewed the ballot tally (seven approvals with three comments, zero disapprovals and three not voting) and made changes to the document. Members approved a recommendation for third final ballot.

On 7 September 2002, the third final ballot was circulated.

On 18 September 2002, project group members reviewed comments received from the third final ballot and made changes to the document. Members approved a recommendation to publish NFPA/T3.5.29 R1.

At its 3 April 2003 meeting, the Technical Board approved the document for publication.

Project group members who developed this standard:

**Larry Coleman**  
Project Group Chair  
Continental Hydraulics

**Thomas M. Weinkauff**  
Section Chair  
Daman Products Company Inc.

**Richard McAfee\*\***  
Section Chair  
Eaton Corporation

**Wayland Tenkku**  
Past Section Chair  
Sun Hydraulics Corp.

**Wayne Hays\*\***  
Technical Auditor  
Bimba Mfg.

**Barry Verdegan**  
Technical Auditor  
Nelson Division of Fleetguard Inc.

**June M. VanPinsker\*\***  
Technical Coordinator  
National Fluid Power Association

**Shirley C. Seal\***  
Manager of Standards Development  
Industry/National  
National Fluid Power Association

**Jerry Carlin**  
Eaton Corporation

**Bill Hotchkiss**  
SunSource

**Martin F. McAllister**  
Lexair, Inc.

**Kenneth G. Rasmussen**  
Eaton Corporation

**Donald C. Reinicker**  
HUSCO International

**Ron Rueter**  
Hydraforce, Inc.

**John F. Walrad**  
Consultant

\* Retired

\*\* Company affiliation changed

jmv

This is a preview of "NFPA/T3.5.29 R1-2007...". [Click here to purchase the full version from the ANSI store.](#)

## **Introduction**

In fluid power systems, power is transmitted and controlled through a fluid (liquid or gas) under pressure within an enclosed circuit. Valves control the flow direction, pressure or flow rate.

When valves are solenoid-operated, some designs use an electrical connector to connect the valve to the electrical control system. Users of solenoid-operated valves benefit when valves from various manufacturers have a common electrical connector interface and, therefore, can be interchanged when service or replacement is required.

# Fluid power systems and components – Electrically-controlled industrial valves – Interface dimensions for electrical connectors

## 1 Scope

**1.1** This standard includes interface dimensions and configurations for electrical plug-type connectors (not intended for current interruption) used with a single or double electrically-controlled fluid power control valve used in industrial (in-plant) applications.

**1.2** This standard is intended to:

- a) simplify variety and facilitate installation and servicing; and
- b) promote interchangeability and greater use of electrically-controlled fluid power controls.

**1.3** This standard applies to the dimensional criteria, pin usage and installation requirements of products manufactured in conformance with this standard. It does not fully define their functional characteristics.

## 2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this NFPA document. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this NFPA document are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referenced applies. NFPA maintains registers of currently valid NFPA Standards. Standards development organization contact information and links can be found on the NFPA website ([www.nfpa.com](http://www.nfpa.com)).

CSA C22.2 No. 42 (*latest edition*), *General Use Receptacle Attachment Plugs and Similar Wiring Devices*.

IEEE/ASTM SI 10 (*latest edition*), *Standard for Use of the International System of Units (SI): The Modern Metric System*.

IEC 60529 (*latest edition*), *Degrees of protection provided by enclosures (IP Code)*.

ISO 1000 (*latest edition*), *SI units and recommendations for the use of their multiples and of certain other units*.

ISO 5598 (*latest edition*), *Fluid power systems and components – Vocabulary*.

NEMA FB11 (*latest edition*), *Plugs, Receptacles, and Connectors of the Pin and Sleeve Type for Hazardous Locations*.

NEMA 250 (*latest edition*), *Enclosures for Electrical Equipment (1000 Volts Maximum)*.

SAE J2051 (*latest edition*), *Qualifications for four-way subbase mounted air valves for automotive manufacturing applications*.

UL-498 (*latest edition*), *Standard for Safety Attachment Plugs and Receptacles*.