



NFPA Recommended Standard
NFPA/T3.5.14 R2-2009 (R2019)
Third edition
2 April 2009

AN INDUSTRY STANDARD FOR FLUID POWER

**Hydraulic fluid power —
Directional control valve —
Method for determining the metering
characteristics**

**(Revision of NFPA/T3.5.14 R2-2009)
Reaffirmed 2019**

Descriptors: control variable, displacement control variable; specified flow rate; flow rate; work port; specified pressure differential bar; pressure, load bar; pressure differential, measured bar; pressure, specified bar; pressure differential, tare bar; viscosity; aeration; filtration.

published by

NATIONAL FLUID POWER ASSOCIATION, INC.

6737 W. Washington St., Suite 2350 / Milwaukee, WI 53214 USA
PHONE: +1 414 778 3344 / FAX: +1 414 778 3361 / E-mail: nfpa@nfpa.com

**Copyright 2010 by the
NATIONAL FLUID POWER ASSOCIATION
Printed in the USA**

All standards, recommended practices, information reports, and bibliographies (collectively, "NFPA Documents") are advisory only. Use thereof by anyone for any purpose is entirely voluntary and in any event without risk of any nature to the National Fluid Power Association (NFPA), its officers, directors or authors of such work. There is no agreement by or between anyone to adhere to any NFPA Document. In formulating and approving NFPA Documents, NFPA and/or its councils and committees will not investigate or consider citations, references or patents which may or may not apply to such subject matter since prospective users of such NFPA Documents alone are responsible for establishing necessary safeguards in connection with utilization of such matters, including technical data, proprietary rights or patentable materials.

The information and data contained in NFPA Documents has been obtained from sources believed to be reliable. However, it should not be assumed that all acceptable or applicable sources of information, procedures, methods or techniques are contained in NFPA Documents, or that additional measures may not be required under certain circumstances or conditions.

NFPA Documents and/or policies and procedures are subject to periodic review and may be changed without notice. NFPA Documents are only current as of their publication date. NFPA Documents, after publication, may be revised or withdrawn at any time and current information on all NFPA Documents may be received by calling or writing NFPA. Additionally, the various codes and regulations referenced in NFPA Documents may be amended from time to time and it should not be assumed that the versions referenced therein are the most current versions of such codes and regulations. Please consult the appropriate regulatory authorities for the most up-to-date versions.

NFPA Documents imply a consensus of those substantially concerned with their scope and provisions and are intended as a guide to aid the manufacturer, the consumer and the general public. The publication of NFPA Documents does not in any respect preclude anyone, whether they have participated in the development of or approved such NFPA Documents or not, from manufacturing, marketing, purchasing, or using of products, processes or procedures not conforming to the NFPA Documents. NFPA Documents do not constitute or indicate a warranty of any sort, express or implied, including but not limited to a warranty or representation as to quality, merchantability or fitness for a particular use or purpose.

Participation by federal agency representative(s) or person(s) affiliated with the industry is not to be interpreted as government or industry endorsement of an NFPA Document(s).

NOTICE

NFPA Documents do not express or imply any judgment, certification or endorsement of or with respect to, the safety, design or performance of any product, component, or its use.

NFPA does not examine, investigate, test, recommend, or certify the design, use or safety of any product or component, even those which may incorporate one or more NFPA Documents. NFPA Documents therefore have no application to and do not express or imply any recommendation, representation or warranty, with respect to the safety, design, use, performance, or functional interchangeability of components or products which incorporate NFPA Documents.

This publication may not, in whole or in part, be reproduced, copied or disseminated, entered into or stored in a computer database or retrieval system, or otherwise utilized without the prior written permission of NFPA.

Foreword

This Foreword is not part of NFPA standard *Hydraulic fluid power — Directional control valve — Method for determining the metering characteristics*, NFPA/T3.5.14 R2-2009.

The Hydraulic Valve Section, NFPA/T3.5, recommended at their 23 August 2003 meeting that this standard should be revised, noting that the document needed to be updated to revise the references and add other information.

At the 18 February 2004 meeting of NFPA/T3.5, the proposed Title, Scope and Purpose (TSP) was reviewed. Jerry Carlin (Eaton Corp.) agreed to serve as project chairman. The TSP and initial revision draft were reviewed and approved at the 19 May 2004 meeting of NFPA/T3.5. The TSP was approved by the Technical Board at their 12 August 2004 meeting. The project group met on 22 September 2004 and on 16 March 2005, making several revisions to the document draft.

A revised TSP limiting the scope to open center valves was approved by the Technical Board at their 11 August 2005 meeting. The project group met on 21 September 2005 and agreed on several revisions. The document was circulated for general review on 22 December 2005. The voting resulted in seven approval votes and five abstentions, and the comments were satisfactorily resolved.

At the 20 September 2006 joint meeting of NFPA/T3.5 and U.S. TAG to ISO/TC 131/SC 5/WG 2, a motion was approved to ask the NFPA Technical Board for permission to circulate the document for simultaneous NFPA final and ANSI approval ballots. The NFPA Technical Board gave such approval on 11 January 2007.

The document was circulated for simultaneous NFPA final and ANSI approval ballots on 7 August 2007. As a result of a decision made by the NFPA Board of Directors at its meeting on 27 June 2009, NFPA discontinued its activities as an ANSI Accredited Standards Developer.

The voting from the NFPA ballot resulted in eleven approval votes, three abstentions and zero disapprovals. All comments were satisfactorily resolved. At the 11 February 2009 joint meeting of NFPA/T3.5 and U.S. TAG to ISO/TC 131/SC 5/WG 2, a motion was approved to ask the NFPA Technical Board for permission to publish the document. At its meeting on 2 April 2009, the NFPA Technical Board approved the document for publication.

Project Group Members who developed this standard:

Jerry Carlin
Project Chairman
Eaton Corp.

Thomas Weinkauff
Section Chairman
Daman Products Co., Inc.

Jack Walrad
Consultant

Jim Janecke
Parker Hannifin Corp.

Bill Hotchkiss
SunSource

John Tackes
Delta Fluid Power

Tom Wanke
Technical Auditor
MSOE

Carrie Tatman Schwartz
Industry/National Standards Dev. Mgr.
National Fluid Power Association

/cts

Introduction

In hydraulic fluid power systems, power is transmitted and controlled through a liquid under pressure within an enclosed circuit. Some hydraulic valves are required to modulate flow or pressure with some specific relationship between the valve control input and resultant output. The relationships between the valve control input and the output flows for a given inlet pressure and output pressure are the metering characteristics of the product. The metering characteristics of a hydraulic directional control valve may be an important consideration when selecting a valve as part of a system.

Hydraulic fluid power — Directional control valve — Method for determining the metering characteristics

1 Scope

This standard is intended to provide a uniform procedure for obtaining and reporting the metering characteristics of an open center hydraulic directional control valve.

2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this document. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this NFPA document are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referenced applies. NFPA maintains registers of currently valid NFPA Standards. Standards development organization contact information and links can be found on the NFPA website (www.nfpa.com).

IEEE/ASTM SI 10 (latest edition), *Standard for Use of the International System of Units (SI): The Modern Metric System*.

ISO 1000 (latest edition), *SI units and recommendations for the use of their multiples and of certain other units*.

ISO 1219-1 (latest edition), *Fluid power systems and components — Graphic symbols and circuit diagrams — Part 1: Graphic symbols for conventional use and data processing applications*.

ISO 3448 (latest edition), *Industrial liquid lubricants — ISO viscosity classification*.

ISO 4406 (latest edition), *Hydraulic fluid power — Fluids — Method for coding the level of contamination by solid particles*.

ISO 5598 (latest edition), *Fluid power systems and components — Vocabulary*.

NFPAT2.12.1 (latest edition), *Hydraulic fluid power — Systems and products — Methods of measuring average steady state pressure*.

NFPAT2.12.10 (latest edition), *Recommended practice — Hydraulic fluid power — Systems and products — Testing general measurement principles and tolerances*.

ASTM/D 445 (latest edition), *Standard Test Methods for Kinematic Viscosity of Transparent and Opaque Liquids*.

3 Definitions

For definitions of other terms used, see ISO 5598.

displacement control variable: Mechanical displacement, pilot pressure or electrical current used to control the valve metering element. For hydraulic piloted or electrically operated valves, the metering element position must be recorded as well as the input variable.