



**NFPA Recommended Standard
NFPA/T3.21.16-1997 (R2019)**

First edition
14 January 1997

AN INDUSTRY STANDARD FOR FLUID POWER

**Pneumatic fluid power – Labeling and communication
of pneumatic products**

**(Revision of NFPA/T3.21.16-1997)
Reaffirmed 2019**

Descriptors: air - oil tanks, components, cylinders, directional control valves, filters, flow control valves, lubricators, pneumatic fluid power, pneumatic system, regulators, relief valves

published by

NATIONAL FLUID POWER ASSOCIATION, INC.

6737 W. Washington St., Suite 2350 / Milwaukee, WI 53214 USA
PHONE: +1 414 778 3344 / FAX: +1 414 778 3361 / E-mail: nfpa@nfpa.com

Copyright 2005 by the
NATIONAL FLUID POWER ASSOCIATION
Printed in the USA

All standards, recommended practices, information reports, and bibliographies (collectively, "NFPA Documents") are advisory only. Use thereof by anyone for any purpose is entirely voluntary and in any event without risk of any nature to the National Fluid Power Association (NFPA), its officers, directors or authors of such work. There is no agreement by or between anyone to adhere to any NFPA Document. In formulating and approving NFPA Documents, NFPA and/or its councils and committees will not investigate or consider citations, references or patents which may or may not apply to such subject matter since prospective users of such NFPA Documents alone are responsible for establishing necessary safeguards in connection with utilization of such matters, including technical data, proprietary rights or patentable materials.

The information and data contained in NFPA Documents has been obtained from sources believed to be reliable. However, it should not be assumed that all acceptable or applicable sources of information, procedures, methods or techniques are contained in NFPA Documents, or that additional measures may not be required under certain circumstances or conditions.

NFPA Documents and/or policies and procedures are subject to periodic review and may be changed without notice. NFPA Documents are only current as of their publication date. NFPA Documents, after publication, may be revised or withdrawn at any time and current information on all NFPA Documents may be received by calling or writing NFPA. Additionally, the various codes and regulations referenced in NFPA Documents may be amended from time to time and it should not be assumed that the versions referenced therein are the most current versions of such codes and regulations. Please consult the appropriate regulatory authorities for the most up-to-date versions.

NFPA Documents imply a consensus of those substantially concerned with their scope and provisions and are intended as a guide to aid the manufacturer, the consumer and the general public. The publication of NFPA Documents does not in any respect preclude anyone, whether they have participated in the development of or approved such NFPA Documents or not, from manufacturing, marketing, purchasing, or using of products, processes or procedures not conforming to the NFPA Documents. NFPA Documents do not constitute or indicate a warranty of any sort, express or implied, including but not limited to a warranty or representation as to quality, merchantability or fitness for a particular use or purpose.

Participation by federal agency representative(s) or person(s) affiliated with the industry is not to be interpreted as government or industry endorsement of an NFPA Document(s).

NOTICE

NFPA Documents do not express or imply any judgment, certification or endorsement of or with respect to, the safety, design or performance of any product, component, or its use.

NFPA does not examine, investigate, test, recommend, or certify the design, use or safety of any product or component, even those which may incorporate one or more NFPA Documents. NFPA Documents therefore have no application to and do not express or imply any recommendation, representation or warranty, with respect to the safety, design, use, performance, or functional interchangeability of components or products which incorporate NFPA Documents.

This publication may not, in whole or in part, be reproduced, copied or disseminated, entered into or stored in a computer database or retrieval system, or otherwise utilized without the prior written permission of NFPA.

Foreword

This Foreword is not part of NFPA Recommended Standard *Pneumatic fluid power — Labeling and communication of pneumatic products*, NFPA/T3.21.16-1997 (R2009).

A TSP was prepared at the 14 November 1989 T3.21 meeting. The NFPA Technical Board approved the TSP on 10 May 1990. John Berninger from Parker Hannifin agreed to be the Project Chairman.

On 15 November 1990 at the T3.21 meeting, Draft No. 1 was distributed and reviewed. At the 6 March 1991 T3.21 meeting written comments from the project group were reviewed.

Draft No. 2 was completed 7 July 1991. At the 21 August 1991 T3.21 meeting, it was agreed to change the title from "Labeling" to "Labeling and communication of pneumatic products."

Draft No. 3 was distributed with the 13 November 1991 minutes. Copies of the document were forwarded to T3.6, the Cylinder Section, for their review.

On 8 April 1992 T3.6 met and accepted Draft No. 3 of the document. T3.21 also met that day and made some minor revisions to the document.

NFPA's Technical Staff prepared the document for General Review on 15 May 1992. The General Review closed with comments from four companies. Many of the comments were incorporated into the document and the document was approved for balloting at the 21 January 1993 Technical Board meeting.

Headquarters sent the document out for Ballot on 19 April 1993. Balloting closed with comments from three companies. The negative ballots were all resolved with editorial changes plus the addition of maximum temperature requirements. Project Chairman Berninger updated the document and sent it to Headquarters on 27 July 1994.

Headquarters updated the document and sent it to NFPA legal counsel to be reviewed on 3 August 1994. T3.21 asked for comments on the functional versus safety aspect and what obligation does the manufacturer have once this standard is approved on products that are already out in the industry. On 7 November 1994 Project Chairman John Berninger sent an updated document to Headquarters with the changes from NFPA legal counsel. These changes were discussed at the T3.21 meeting on 21 September 1994 and approved. T3.21 agreed that this document should be sent out for a Second Ballot because of the editorial and technical changes made. The reasoning behind the Second Ballot was included in the cover letter for the Second Ballot.

Headquarters sent the document out for Second Ballot on 18 November 1994. The Second Ballot closed with three negative votes. On 13 February 1995 Project Chairman Berninger wrote to all three commentators. One negative commentator wrote back that their company would still like to vote negative on this document.

With this outstanding negative comment, this document was put on the 13 April 1995 Technical Board agenda for final approval. At the Technical Board meeting the item was tabled so that the unresolved comment could be addressed by the Cylinder Section.

The document and the negative vote were discussed at the 20 September 1995 Cylinder Section meeting. A motion was made and passed at this meeting to change the document as discussed.

At the 14 February 1996 Pneumatic Valve meeting, Project Chairman Berninger discussed the changes to the document, from a letter dated 3 January 1996, that were agreed upon by the Cylinder Section and the Pneumatic Valve Section. A motion was made to accept these changes. At the 14 February 1996 Cylinder Section meeting, these changes to the document were reviewed.

At the 22 May 1996 Pneumatic Valve Section meeting it was decided upon that the document should be put on the 15 August 1996 Technical Board agenda for final approval contingent upon a resolution of the negative ballot from the Cylinder Section.

At the 22 May 1996 Cylinder Section meeting it was decided to accept the changes in the 3 January 1996 letter from John Berninger and put the document on the Technical Board agenda for final approval.

The document was placed on the 15 August 1996 Technical Board agenda for final approval with the one negative vote. At the Technical Board meeting the history of the document was reviewed in detail. It was explained that the changes that the negative commentator had asked for were made to the document but the company still wanted to retain their negative vote. The Technical Board voted to grant approval to this document.

Project Group Members who developed this standard:

John Berninger
Project Chairman
Parker Hannifin Corp.

Logan Mathis
Section Chairman
Ross Controls

Clifford Allen
Section Vice Chairman
Lexair, Inc.

E. Wayne Hays
Technical Auditor
Bimba Mfg.

Linda E. Gasso
Technical Coordinator
National Fluid Power Association

Shirley C. Seal
Manager of Standards Development
Industry/National
National Fluid Power Association

Gary Baumgardner
Parker Hannifin Corp.

Bruce McCord †
The Aro Corp.

Michael Lyons
Rexroth Corp.

† Deceased

This is a preview of "NFPA/T3.21.16-1997 (...". [Click here to purchase the full version from the ANSI store.](#)

Introduction

In pneumatic fluid power systems, power is transmitted and controlled through a gas under pressure within an enclosed circuit. To the extent that labels are used on the components in a pneumatic system to communicate certain information to users, it is beneficial that such information be communicated in a uniform manner.

It is helpful that as new products are developed and as existing products are modified, that a standard format be available by which new labeling can be designed. It is intended that this standard fulfill that purpose.

Pneumatic fluid power — Labeling and communication of pneumatic products

1 Scope

1.1 This standard provides a common reference for communicating information on a number of pneumatic components.

1.2 This standard includes:

— Descriptions for component manufacturers identification, product ratings, fluid power symbols and certain warning statements common to particular components.

— Application only to service with air as the medium.

— The following pneumatic components:

Air-oil tanks	Flow control valves
Cylinders	Lubricators
Directional control valves	Regulators
Filters	Relief valves

1.3 This standard does not include information on how to incorporate or apply components in a system (i.e., what is the appropriate selection of components or their use).

1.4 This standard applies only to products of a size to reasonably contain the information described.

1.5 This standard may be supplanted by other, reasonable alternative provisions for those pneumatic components where it is deemed appropriate.

1.6 This standard applies specifically to products manufactured after the date of adoption as an American National Standard.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this document. At the time of publication, the editions indicated were valid. All documents are subject to revision, and parties to agreements based on this document are encouraged to investigate the possibility of applying the most recent editions of the documents indicated below. NFPA maintains registers of currently valid NFPA standards.

ANSI/B93.2, *Fluid power systems and products — Glossary*.

ISO 1000:., *SI Units and Recommendations for the Use of Their Multiples and of Certain Other Units*.

ISO 1219-1:., *Fluid power systems and components — Graphic symbols and circuit diagrams — Part 1: Graphic symbols*.