



*NSF International Standard /  
American National Standard*

## NSF/ANSI 14 - 2008

Plastics Piping System Components  
and Related Materials



*NSF International, an independent, not-for-profit, non-governmental organization, is dedicated to being the leading global provider of public health and safety-based risk management solutions while serving the interests of all stakeholders.*

*This Standard is subject to revision.  
Contact NSF to confirm this revision is current.*

Users of this Standard may request clarifications and interpretations, or propose revisions by contacting:

Chair, Joint Committee on Plastics  
c/o NSF International  
789 North Dixboro Road, P. O. Box 130140  
Ann Arbor, Michigan 48113-0140 USA  
Phone: (734) 769-8010 Telex: 753215 NSF INTL  
FAX: (734) 769-0109 E-mail: [info@nsf.org](mailto:info@nsf.org)  
Web: <http://www.nsf.org>

NSF International Standard/  
American National Standard  
for Plastics —

# **Plastics piping system components and related materials**

Standard Developer  
**NSF International**

Adopted May 20, 2008  
**NSF International**

**Designated as an ANSI Standard**  
May 20, 2008  
**American National Standards Institute**

Prepared by  
**The NSF Joint Committee on Plastics**

Recommended for adoption by  
**The NSF Council of Public Health Consultants**

Adopted by  
**NSF International**  
**October 1965**

Revised February 1977  
Revised November 1978  
Revised November 1980  
Revised November 1983  
Revised November 1984  
Revised November 1985  
Revised August 1986  
Revised October 1987  
Revised December 1988  
Revised November 1990  
Revised September 1996  
Revised November 1998  
Revised December 1999  
Revised February 2001  
Revised January 2002  
Revised January 2003  
Revised September 2004  
Revised August 2006  
Revised March 2007  
Revised May 2008

Published by

**NSF International**  
**PO Box 130140, Ann Arbor, Michigan 48113-0140, USA**

For ordering copies or for making inquiries with regard to this Standard, please reference the designation "NSF/ANSI 14 – 2008."

Copyright 2006 NSF International

Previous editions © 2007, 2006, 2004, 2003, 2002, 2001, 1999, 1998, 1996, 1990, 1988, 1987, 1986, 1985, 1984, 1983, 1980, 1978, 1977.

Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from NSF International.

Printed in the United States of America.

## Disclaimers<sup>1</sup>

NSF, in performing its functions in accordance with its objectives, does not assume or undertake to discharge any responsibility of the manufacturer or any other party. The opinions and findings of NSF represent its professional judgment. NSF shall not be responsible to anyone for the use of or reliance upon this Standard by anyone. NSF shall not incur any obligation or liability for damages, including consequential damages, arising out of or in connection with the use, interpretation of, or reliance upon this Standard.

NSF Standards provide basic criteria to promote sanitation and protection of the public health. Provisions for mechanical and electrical safety have not been included in this Standard because governmental agencies or other national standards-setting organizations provide safety requirements.

Participation in NSF Standards development activities by regulatory agency representatives (federal, local, state) shall not constitute their agency's endorsement of NSF or any of its Standards.

Preference is given to the use of performance criteria measurable by examination or testing in NSF Standards development when such performance criteria may reasonably be used in lieu of design, materials, or construction criteria.

The illustrations, if provided, are intended to assist in understanding their adjacent standard requirements. However, the illustrations may not include *all* requirements for a specific product or unit, nor do they show the only method of fabricating such arrangements. Such partial drawings shall not be used to justify improper or incomplete design and construction.

Unless otherwise referenced, the annexes are not considered an integral part of NSF Standards. The annexes are provided as general guidelines to the manufacturer, regulatory agency, user, or certifying organization.

---

<sup>1</sup> The information contained in this Disclaimer is not part of this American National Standard (ANS) and has not been processed in accordance with ANSI's requirements for an ANS. Therefore, this Disclaimer may contain material that has not been subjected to public review or a consensus process. In addition, it does not contain requirements necessary for conformance to the Standard.

This page is intentionally left blank.

## Contents

1	General .....	1
1.1	Purpose .....	1
1.2	Scope .....	1
1.3	Materials, design, and construction .....	1
2	Normative references .....	1
2.1	Normative references for plastic pipe and related components .....	1
2.2	Normative references for compounds and other materials .....	7
2.3	Other normative references .....	8
3	Definitions .....	9
4	Requirements for plastic piping system components and related materials .....	13
4.1	Materials .....	13
4.2	Physical and performance requirements .....	14
4.3	Potable water requirements .....	14
4.4	Special engineered products .....	14
4.5	Marking requirements .....	14
4.6	Quality assurance .....	14
5	Physical and performance requirements .....	14
5.1	General .....	14
5.2	Long-term strength of plastic pipe .....	14
5.3	Requirements for PVC resins .....	15
5.4	Critical dimensions .....	15
5.5	PVC ingredients .....	15
5.6	Monitoring .....	15
6	Special engineered (SE) product requirements .....	16
6.1	General .....	16
6.2	SE specifications .....	16
7	Requirements for potable water plastic piping system components and related materials .....	16
7.1	General .....	16
7.2	Requirements for generic ingredients .....	16
7.4	Monitoring .....	18
8	Marking requirements .....	18
8.1	General .....	18
8.2	Pipe .....	18
8.3	Fittings and appurtenances .....	18
8.4	Thread compounds, sealants, gasket lubricants, solvent cement, and adhesives .....	19
8.5	Special engineered products .....	19
8.6	Ingredients .....	19
9	Quality assurance .....	19
9.1	General .....	19
9.2	Start-up and qualification of molds .....	19
9.3	Generic ingredients .....	20
9.4	Verification of the calibration of equipment .....	20
9.5	Quality assurance records .....	20
9.6	Production code identification .....	20
9.7	Number of test specimens .....	20
9.8	Formulation verification for solvent cements and primers .....	20
9.9	Product-specific quality assurance requirements .....	21
	Table 1 – Calcium carbonate and titanium dioxide summary of exposure durations .....	23
	Table 2 – Minimum number of test specimens for a sample .....	23
	Table 3 – Solvent analysis methods .....	23
	Table 4 – Solvent control limits .....	23
	Table 5 – Acrylonitrile-butadiene-styrene (ABS) pipe testing frequency .....	24
	Table 6 – Acrylonitrile-butadiene-styrene (ABS) fitting test frequency .....	25
	Table 7 – Continuous waste tubing and fittings ABS, PVC and PP test frequency .....	26

Table 8 – Chlorinated poly(vinyl chloride) (CPVC) pipe test frequency .....	26
Table 9 – Chlorinated poly(vinyl chloride) (CPVC) fittings test frequency.....	27
Table 10 – PE-water, PE-gas and PB pipe and tubing test frequency.....	28
Table 11 – Fittings for PE, PEX and PB tubing test frequency .....	29
Table 12 – Poly(vinyl chloride) (PVC) pipe test frequency .....	31
Table 13 – Poly(vinyl chloride) fittings and pipe bell ends test frequency.....	32
Table 14 – Thermoset pipe and thermoset mortar pipe testing requirements and frequency .....	33
Table 15 – Solvent cements and primers <sup>1,2</sup> test frequency .....	33
Table 16 – Polyolefin pipe for corrosive waste drainage systems .....	33
Table 17 – Polyolefin fittings for corrosive waste drainage systems.....	34
Table 18 – Composite pipe test frequency .....	34
Table 19 – Fittings for composite pipe .....	35
Table 20 – PP pipe and fittings test frequency.....	35
Table 21 – Air admittance valve test frequency .....	35
Table 22 – Pressure rated composite pipe for elevated temperature services .....	36
Table 23 – Fittings for pressure rated composite pipe for elevated temperature services .....	36
Table 24 – Poly(vinyl chloride) (PVC) gasketed sewer fittings.....	36
Table 25 – PVC plastic schedule 40 drainage and DWV fabricated fittings .....	37
Table 26 – Flexible water connectors.....	37
Table 27 – Multilayer pipe type 2, compression fittings, and compression joints .....	38
for hot and cold drinking-water systems .....	38
Table 28 –Fittings or appurtenances used in poly(vinyl chloride) (PVC) .....	39
or chlorinated poly(vinyl chloride)(CPVC) systems.....	39
Table 29 – Quality assurance requirements for materials suppliers and .....	39
special compounds <sup>1</sup> .....	39
Annex A .....	A1
Annex B .....	B1
Table B1 – Abbreviations .....	B1



This page is intentionally left blank.

## Foreword<sup>2</sup>

The purpose of this Standard is to establish minimum physical, performance, and health effects requirements for plastics piping system components and related materials.

In this edition of NSF/ANSI 14, the following revisions have been incorporated:

### **Issue 21**

Normative References were updated including the addition of the following:

ASTM F 1483-05. *Standard Specification for Oriented Poly(Vinyl Chloride), PVCO, Pressure Pipe*

ASTM F1673-04. *Standard Specification for Polyvinylidene Fluoride (PVDF) Corrosive Waste Drainage Systems*

ASTM F 2306-05. *Standard Specification for 12 to 60 in. [300 to 1500 mm] Annular Corrugated Profile-Wall Polyethylene (PE) Pipe and Fittings for Gravity-Flow Storm Sewer and Subsurface Drainage Applications*

ASTM F 2623-07. *Standard Specification for Polyethylene of Raised Temperature (PE-RT) SDR Tubing<sup>5</sup>*

AWWA C904-06. *Cross-Linked Polyethylene (PEX) Pressure Pipe, 1/2 In. (12mm) Through 3 In. (76 mm), for Water Service*

AWWA C909-02. *Molecularly Oriented Polyvinyl Chloride (PVCO) Pressure Pipe, 4 IN through 12 IN. (100 MM through 600 MM), for Water Distribution*

UL 1285 (4<sup>th</sup> edition), *Standard for Safety Pipe and Couplings, Polyvinyl Chloride (PVC), for Underground Fire Service*

ASTM F 2023-05. *Test Method for Evaluating the Oxidative Resistance of Crosslinked Polyethylene (PEX Tubing and Systems to Hot Chlorinated Water*

and deletion of the following:

ASTM D 2666-96a, *Standard Specification for Polybutylene (PB) Plastic Tubing*

ASTM D 4181-00. *Standard Classification for Acetal (POM) Molding and Extrusion Materials*

ASTM F 2023-2003. *Test Method for Evaluating the Oxidative Resistance of Crosslinked Polyethylene (PEX Tubing and Systems to Hot Chlorinated Water*

### **Issue 22**

QC tables were updated with the addition of new standards already referenced in the normative reference section.

### **Issue 23**

QC requirements were added in table 10 for polyethylene pipe.

---

<sup>2</sup> The information contained in this Foreword is not part of this American National Standard (ANS) and has not been processed in accordance with ANSI's requirements for an ANS. As such, this Foreword may contain material that has not been subjected to public review or a consensus process. In addition, it does not contain requirements necessary for conformance to the Standard.

**Issue 24**

This issue added requirements that each colored pipe made from a classified material be tested to section 5.7.

**Issue 25**

Section 7 was updated to exclude lead as an intentional ingredient in potable water plastic piping system components and related materials.

This Standard was developed by the NSF Joint Committee on Plastics using the consensus process described in NSF Standards Development Policies and accredited by ANSI.

Suggestions for improvement of this Standard are welcome. Comments should be sent to Chair, Joint Committee on Plastics, c/o NSF International, Standards Department, PO Box 130140, Ann Arbor, Michigan 48113-0140, USA.

This page is intentionally left blank.

NSF/ANSI Standard  
for Plastics —

# Plastics piping system components and related materials

## 1 General

### 1.1 Purpose

This Standard establishes minimum physical, performance, and health effects requirements for plastic piping system components and related materials. These criteria were established for the protection of public health and the environment.

### 1.2 Scope

The physical, performance, and health effects requirements in this Standard apply to thermoplastic and thermoset plastic piping system components, including but not limited to pipes, fittings, valves, joining materials, gaskets, and appurtenances. The established physical, performance, and health effects requirements also apply to materials (resin or blended compounds) and ingredients used to manufacture plastic piping system components. This Standard provides definitions and requirements for materials, ingredients, products, quality assurance, marking, and recordkeeping.

### 1.3 Materials, design, and construction

For plastic piping system components and materials cited by the references in 2, the materials, design, and construction requirements of this Standard and the applicable product standard(s) in 2 shall apply. When materials, designs, or constructions are utilized that are not cited in 2, the plastic piping system components and related materials shall comply with the applicable requirements of this Standard. Plastic piping system components and related materials that incorporate materials, designs, or constructions not cited in 2 are acceptable, provided that such plastic piping system components and related materials can be demonstrated to be at least equivalent in terms of strength, quality, effectiveness, durability, and safety to those that are cited in this Standard.

## 2 Normative references

The following documents contain requirements that, by reference in this text, constitute requirements of this Standard. At the time of publication, the indicated editions were valid. All of the documents are subject to revision, and parties are encouraged to investigate the possibility of applying the recent editions of the documents indicated below. It is the responsibility of the user of this Standard to determine the acceptance of the referenced standards to the application and requirements of the local jurisdictions.

### 2.1 Normative references for plastic pipe and related components

ASME A112.4.14-2004. *Manually Operated, Quarter-Turn Shutoff Valves for Use in Plumbing Systems*<sup>3</sup>