

NSF International Standard / American National Standard

NSF/ANSI 24 - 2015

Plumbing System Components for Recreational Vehicles









NSF International, an independent, notfor-profit, non-governmental organization, is dedicated to being the leading global provider of public health and safetybased risk management solutions while serving the interests of all stakeholders.

This Standard is subject to revision.

Contact NSF to confirm this revision is current.

Users of this Standard may request clarifications and interpretations, or propose revisions by contacting:

Chair, Joint Committee on Sustainable Carpet c/o NSF International 789 North Dixboro Road, P. O. Box 130140 Ann Arbor, Michigan 48113-0140 USA Phone: (734) 769-8010 Telex: 753215 NSF INTL

FAX: (734) 769-0109 E-mail: info@nsf.org Web: http://www.nsf.org

NSF International Standard/ American National Standard for Plastics —

Plumbing system components for recreational vehicles

Standard Developer NSF International

NSF International Board of Directors

Designated as an ANSI Standard May 11, 2015

American National Standards Institute

Prepared by The NSF Joint Committee on Plastics

Recommended for Adoption by The NSF Council of Public Health Consultants

Adopted by **NSF Board of Directors** January 1969

Revised July 1979

Revised November 1979

Revised June 1970 Revised June 1987 Revised July 1971 Revised June 1988 Reaffirmed September 1996 Revised September 1971 Revised April 1972 Revised September 1973

Revised March 2006 Revised July 2008 Revised April 2009 Revised March 2010 Revised May 2015

Published by

NSF International

P.O. Box 130140, Ann Arbor, Michigan 48113-0140, USA

For ordering copies or for making inquiries with regard to this Standard, please reference the designation "NSF/ANSI 24 - 2015."

Copyright 2015 NSF International

Previous Editions © 2010, 2009, 2008, 2006, 1996, 1988, 1987, 1979, 1973, 1972, 1971, 1970

Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from NSF International.

Printed in the United States of America.

Disclaimers¹

NSF, in performing its functions in accordance with its objectives, does not assume or undertake to discharge any responsibility of the manufacturer or any other party. The opinions and findings of NSF represent its professional judgment. NSF shall not be responsible to anyone for the use of or reliance upon this Standard by anyone. NSF shall not incur any obligation or liability for damages, including consequential damages, arising out of or in connection with the use, interpretation of, or reliance upon this Standard.

NSF Standards provide basic criteria to promote sanitation and protection of the public health. Provisions for mechanical and electrical safety have not been included in this Standard because governmental agencies or other national standards-setting organizations provide safety requirements.

Participation in NSF Standards development activities by regulatory agency representatives (federal, local, state) shall not constitute their agency's endorsement of NSF or any of its Standards.

Preference is given to the use of performance criteria measurable by examination or testing in NSF Standards development when such performance criteria may reasonably be used in lieu of design, materials, or construction criteria.

The illustrations, if provided, are intended to assist in understanding their adjacent standard requirements. However, the illustrations may not include *all* requirements for a specific product or unit, nor do they show the only method of fabricating such arrangements. Such partial drawings shall not be used to justify improper or incomplete design and construction.

Unless otherwise referenced, the annexes are not considered an integral part of NSF Standards. The annexes are provided as general guidelines to the manufacturer, regulatory agency, user, or certifying organization.

¹ The information contained in this Disclaimer is not part of this American National Standard (ANS) and has not been processed in accordance with ANSI's requirements for an ANS. Therefore, this Disclaimer may contain material that has not been subjected to public review or a consensus process. In addition, it does not contain requirements necessary for conformance to the Standard.

This page is intentionally left blank	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	
This page is intentionally left blank.	

Contents

1	General	
	1.1 Scope	
	1.2 Measurement	′
	1.3 Normative references and tools	′
2	Definitions	2
3	Materials	4
	3.1 General	
	3.2 Dissimilar materials	
	3.3 Welding	
	3.4 Potable water contact surfaces	
	3.5 Non-corrosion-resistant materials	
	0.0 Non concentrational materials	•
4	Design and construction	,
7	4.1 General	
	4.1 General 4.2 Cleanability 4.2 Cleanability	
	4.3 Backflow and back siphonage	
	4.4 Specific requirements for components	4
_	Our and a second in the second of the second	
5	Connector couplings, caps, and drain hoses	
	5.1 Design and construction	
	5.2 Performance	
	5.3 Marking and identification	5
		_
6	Side-vented drainage system	
	6.1 Scope	
	6.2 Materials	
	6.3 Design and construction	
	6.4 Performance	
	6.5 Marking and identification	6
7	Plumbing fixtures/receptors (except toilets)	6
	7.1 Scope	6
	7.2 Applicable standards	6
	7.3 Steel fixtures	6
	7.4 Design and construction	6
	7.5 Showers	
	7.6 Shower receptors	6
	7.7 Shower and tub enclosure	7
	7.8 Strainers	7
	7.9 Floor support	
	7.10 Watertight installation	
	7.11 Openings	
	7.12 Access	
	7.13 Brackets	
	7.14 Marking and identification	
	marking and identification	
8	Nonpressurized potable water tanks	-
J	8.1 Design and construction	
	8.2 Performance	
	8.3 Marking and identification	
	0.0 Ivialning and identification	0
0	Dropourized notable water tapks fittings and filler cans	,
9	Pressurized potable water tanks, fittings, and filler caps	₹

		ppe	
		sign and construction	
		formance	
	9.4 Mai	king and identification	. 9
10	Waste I	nolding tanks	. 9
	10.1	Design and construction	. 0
	10.2	Performance	
	10.3	Marking and identification	
11	Mochar	nical seat toiletes	10
	11.1	Scope	
	11.2	Materials	
	11.3	Design and construction.	
	11.4	Performance	
	11.4	Load test	
12		ntained, recirculating, chemically controlled toilets	11
	12.1	Scope	
	12.2	Applicable standards	
	12.3	Materials	
	12.4	Load test	
	12.5	Marking and identification	11
13	Water o	losets	11
	13.1	Scope	
	13.2	Applicable standards	
	13.3	Marking and identification	
4.4	T	ation walkers	40
14		ation valves	
	14.1	Design and construction	
	14.2	Replacement	
	14.3	Performance	
	14.4	Marking and identification	12
15	Hand a	ctuated water pumps	
	15.1	Scope	
	15.2	Design and construction	13
	15.3	Performance	13
	15.4	Marking and identification	13
16	Electric	water pumps	13
. •	16.1	Scope	
	16.2	Screens	
	16.3	Performance	
	16.4	Instruction manual	
	16.5	Marking and identification	
17		able waste holding systems	
	17.1	Scope	
	17.2	Tank design and construction	
	17.3	Traps	
	17.4	Connections and draining	14
	17.5	Drain system design and construction	
	17.6	Performance	
	17.7	Impact resistance	15

	17.8	Marking and identification	15
18	Flexible	e drain system	15
	18.1	Scope	
	18.2	Design and construction.	
	18.3	Performance	
	18.4	Marking and identification	
		•	
19		nittance valves	
	19.1	Scope	
	19.2	Air admittance valves	16
20	Stainle	ss steel sinks	16
20	20.1	Scope	
	20.1	Recreational vehicle sinks.	
	20.2	Recreational vehicle sinks	10
21	Flexible	e vent systems, pipe, and fittimgs	16
	21.1	Scope	16
	21.2	Performance	16
	21.3	Dimensions	17
	21.4	Flexibility	17
	21.5	Fittings	
	21.6	Chemical resistance	
	21.7	Water absorption	
	21.8	Markings	
22		ze for potable water systems	
	22.1	Scope	
	22.2	Materials	
	22.3	Performance	
	22.4	Compatibility	
	22.5	Marking and identification of antifreeze	19
	22.6	Quality control and records maintenance	20
00	D4 - 1-1	4.9.4.	00
23		e toilets	
	23.1	Scope	
	23.2	Materials	
	23.3	Flush water holding tank design and construction	
	23.4	Waste holding tank design and construction	_
	23.5	Performance	21
24	Installe	d toilet systems with detachable waste holding tanks	21
	24.1	Scope	
	24.2	Materials	
	24.2	Design and construction – plumbed systems	
	24.3	Design and construction – systems that are not plumbed	
	24.4 24.5	Detachable waste holding tank design and construction	
	24.5	Performance requirements	
	∠¬.∪	1 GHOHHAHGG 1544H 5HIGHIG	८८

This page is intentionally left blank.	
Viii	
	This page is intentionally left blank.

Foreword²

The purpose of this Standard is to establish minimum requirements for materials, design, and construction and performance of pipe, fittings, valves, traps, vents, tanks, pumps, connectors, fixtures, appliances, and similar appurtenances used in a plumbing system of a recreational vehicle.

In this edition of NSF/ANSI 24, the following revisions have been incorporated:

Issue 8

The purpose of this revision updates the normative references and reference years in NSF/ANSI 24.


Issue 10

This issue revises the measurement requirement in section 18.2.1 of NSF/ANSI 24.

This Standard was developed by the NSF Joint Committee on Plastics using the consensus process described by the American National Standards Institute.

Suggestions for improvement of this Standard are welcome. This Standard is maintained on a Continuous Maintenance schedule and can be opened for comment at any time. Comments should be sent to Chair, Joint Committee on Plastics at standards@nsf.org. or c/o NSF International, Standards Department, PO Box 130140, Ann Arbor, Michigan 48113-0140, USA.

² The information contained in this Foreword is not part of this American National Standard (ANS) and has not been processed in accordance with ANSI's requirements for an ANS. Therefore, this Foreword may contain material that has not been subjected to public review or a consensus process. In addition, it does not contain requirements necessary for conformance to the Standard.



© 2015 NSF NSF/ANSI 24 – 2015

NSF/ANSI Standard for Plastics —

Plumbing system components for recreational vehicles

1 General

1.1 Scope

This Standard covers pipe, fittings, valves, traps, vents, tanks, pumps, connectors, fixtures, appliances, and similar appurtenances used in a plumbing system of a recreational vehicle.

1.2 Measurement

Decimal and SI conversions provided parenthetically shall be considered equivalent. Metric conversions have been made according to IEEE/ASTM SI 10.

1.3 Normative references and tools

The following reference documents contain requirements that constitute requirements of this NSF/ANSI Standard. At the time of publication, the indicated editions were valid. All documents are subject to revision, and it is the responsibility of the user of this specification to determine the applicability of the most recent editions of these documents. The most recent published edition of the document shall be used for undated references.

ANSI/ASSE 1001 – 2008. Performance Requirements for Atmospheric Type Vacuum Breakers^{3,4}

ANSI/ASSE 1002 – 2008. Performance Requirements for Anti-siphon Fill Valves for Gravity Water Closet Flush Tanks^{3,4}

ANSI/ASSE 1051 – 2009. Performance Requirements for Individual and Branch Type Air Admittance Valves for Sanitary Drainage Systems^{3,4}

ASME A112.18.2/CSA B125.2 – 2011. Plumbing Waste Fittings^{5,6}

ASME A112.18.3 – 2002. Performance Requirements for Backflow Devices and Systems in Plumbing Fixture Fittings⁵

ASME A112.19.2/CSA B45.1 – 2008. Ceramic Plumbing Fixtures^{5,6}

³ American National Standards Institute/ANSI), 11 West 42nd Street, New York, NY 10036 <www.ANSI.org>

⁴ American Society of Sanitary Engineers (ASSE) International, 18927 Hickory Creek Drive, Suite 220, Mokena, IL 60448 <www.asse-plumbing.org>

⁵ The American Society for Mechanical Engineers (ASME) International, Three Park Avenue, New York, NY 10016-5990 www.asme.org

⁶ Canadian Standards Association (CSA), 5060 Spectrum Way, Suite 100, Mississauga, Ontario, Canada L4W5N6 <www.csagroup.org>