



*NSF International Standard /  
American National Standard*

## NSF/ANSI 359 - 2016

Valves for Crosslinked  
Polyethylene (PEX) Water  
Distribution Tubing Systems



*NSF International, an independent, not-for-profit, non-governmental organization, is dedicated to being the leading global provider of public health and safety-based risk management solutions while serving the interests of all stakeholders.*

*This Standard is subject to revision.  
Contact NSF to confirm this revision is current.*

Users of this Standard may request clarifications and interpretations, or propose revisions by contacting:

Chair, Joint Committee on Plastics  
c/o NSF International  
789 North Dixboro Road, P. O. Box 130140  
Ann Arbor, Michigan 48113-0140 USA  
Phone: (734) 769-8010  
FAX: (734) 769-0109 E-mail: [info@nsf.org](mailto:info@nsf.org)  
Web: <http://www.nsf.org>

**NSF/ANSI 359 - 2016**

NSF International Standard/  
American National Standard  
for Plastics —

**Valves for crosslinked polyethylene (PEX)  
water distribution tubing systems**

Standard Developer  
**NSF International**

**NSF International**

**Designated as an ANSI Standard**  
June 24, 2016

**American National Standards Institute**

Prepared by  
**The NSF Joint Committee on Plastics**

Recommended for adoption by  
**The NSF Council of Public Health Consultants**

Adopted by  
**NSF International**  
**June 2011**

Revised June 2016

Published by

**NSF International**  
**PO Box 130140, Ann Arbor, Michigan 48113-0140, USA**

For ordering copies or for making inquiries with regard to this Standard, please reference the designation "NSF/ANSI 359 – 2016."

Copyright 2016, 2011 NSF International

Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from NSF International.

Printed in the United States of America

## Disclaimers<sup>1</sup>

NSF, in performing its functions in accordance with its objectives, does not assume or undertake to discharge any responsibility of the manufacturer or any other party. The opinions and findings of NSF represent its professional judgment. NSF shall not be responsible to anyone for the use of or reliance upon this Standard by anyone. NSF shall not incur any obligation or liability for damages, including consequential damages, arising out of or in connection with the use, interpretation of, or reliance upon this Standard.

NSF Standards provide basic criteria to promote sanitation and protection of the public health. Provisions for mechanical and electrical safety have not been included in this Standard because governmental agencies or other national standards-setting organizations provide safety requirements.

Participation in NSF Standards development activities by regulatory agency representatives (federal, local, state) shall not constitute their agency's endorsement of NSF or any of its Standards.

Preference is given to the use of performance criteria measurable by examination or testing in NSF Standards development when such performance criteria may reasonably be used in lieu of design, materials, or construction criteria.

The illustrations, if provided, are intended to assist in understanding their adjacent standard requirements. However, the illustrations may not include *all* requirements for a specific product or unit, nor do they show the only method of fabricating such arrangements. Such partial drawings shall not be used to justify improper or incomplete design and construction.

Unless otherwise referenced, the annexes are not considered an integral part of NSF Standards. The annexes are provided as general guidelines to the manufacturer, regulatory agency, user, or certifying organization.

---

<sup>1</sup> The information contained in this Disclaimer is not part of this American National Standard (ANS) and has not been processed in accordance with ANSI's requirements for an ANS. Therefore, this Disclaimer may contain material that has not been subjected to public review or a consensus process. In addition, it does not contain requirements necessary for conformance to the Standard.

This page is intentionally left blank.

## Contents

1	General .....	1
1.1	Purpose .....	1
1.2	Scope .....	1
2	Normative references .....	1
3	Definitions .....	2
4	Material requirements .....	3
5	Requirements .....	3
5.1	Pressure rating .....	3
5.2	Dimensional requirements of connections .....	3
5.3	End connections (valves intended for joining PEX piping systems to systems other than PEX) ....	4
5.4	Performance requirements of valves .....	4
6	Toxicity .....	5
7	Marking requirements .....	5
7.1	Quality of marking .....	5
7.2	Valve marking .....	5

This page is intentionally left blank.



## Foreword<sup>2</sup>

The purpose of this Standard is to establish minimum physical and performance requirements for valves for crosslinked polyethylene (PEX) water distribution tubing systems. These criteria were established for the protection of public health and the environment.

The physical and performance requirements in this standard apply to in line-valves for use in radiant heating system and hot and cold water cross linked polyethylene (PEX) distribution systems which are compliant with the requirements identified in ASTM F877 for PEX tubing systems. Valves meeting these requirements are rated for a minimum 100 psi at 180° F. This standard is supplemental to ASTM F877 and is intended to identify additional requirements specific for valves. The components covered by this standard are intended for use in residential and commercial, hot and cold, potable water distribution systems as well as sealed central heating, including under-floor heating systems.

This Standard was developed by the task group within the NSF Joint Committee on Plastics using the consensus process described in NSF Standards Development Policies and accredited by ANSI.

Suggestions for improvement of this Standard are welcome. Comments should be sent to Chair, Joint Committee on Plastics, c/o NSF International, Standards Department, PO Box 130140, Ann Arbor, Michigan 48113-0140, USA.

---

<sup>2</sup> The information contained in this Foreword is not part of this American National Standard (ANS) and has not been processed in accordance with ANSI's requirements for an ANS. As such, this Foreword may contain material that has not been subjected to public review or a consensus process. In addition, it does not contain requirements necessary for conformance to the Standard.

This page is intentionally left blank

NSF/ANSI Standard  
for Plastics —

# Valves for crosslinked polyethylene (PEX) water distribution tubing systems

## 1 General

### 1.1 Purpose

This Standard establishes the minimum physical and performance requirements for in-line valves used with cross-linked polyethylene (PEX) systems. Establishment of these criteria provide for the protection of public health and the environment.

### 1.2 Scope

This Standard applies to in line-valves for use in radiant heating systems, and hot and cold water cross linked polyethylene (PEX) distribution systems which are compliant with the requirements identified in ASTM F877 for PEX tubing systems. Valves meeting these requirements are rated for a minimum 100 psi (0.69 MPa) at 180° F (82° C). This Standard is supplemental to ASTM F877 and identifies additional requirements specific for valves. This Standard covers components intended for use in residential and commercial, hot and cold, potable water distribution systems; and sealed central heating, including under-floor heating systems. This Standard excludes supply stops and fixture fittings (faucets).

## 2 Normative references

The following documents contain provisions that, through reference, constitute requirements of this NSF Standard. All documents are subject to revision, and parties are encouraged to investigate the possibility of applying the recent editions of the documents indicated below.

ANSI/ISA-75.01.01 – Flow Equations for Sizing Control Valves<sup>13</sup>

ASME A112.14.4 – Manually Operated, Quarter-Turn Shutoff Valves for Use in Plumbing Systems<sup>14</sup>

ASME B1.20.1 – Pipe Threads, General Purpose, Inch<sup>14</sup>

ASME B16.22 – Wrought Copper and Copper Alloy Solder Joint Pressure Fittings<sup>14</sup>

ASTM B858 – Standard Test Method for Ammonia Vapor Test for Determining Susceptibility to Stress Corrosion Cracking in Copper Alloys<sup>15</sup>

---

<sup>13</sup> The International Society of Automation (ISA), 67 Alexander Drive, P.O. Box 12277, Research Triangle Park, NC 7709 <www.isa.org>.

<sup>14</sup> American Society of Mechanical Engineers (ASME), Three Park Avenue, New York, NY 10016-5990 <www.asme.org>.

<sup>15</sup> American Society for Testing Materials (ASTM) 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959 <www.astm.org>.