This is a preview of "ONORM EN 13757-4:201...". Click here to purchase the full version from the ANSI store.

EN 13757-4

Edition: 2019-09-01

Communication systems for meters

Part 4: Wireless M-Bus communication

Kommunikationssysteme für Zähler — Teil 4: Drahtlose M-Bus-Kommunikation

Systèmes de communication pour compteurs — Partie 4: Communication sans fil M-Bus

Publisher and printing
Austrian Standards International
Standardization and Innovation
Heinestraße 38, 1020 Wien

Copyright © Austrian Standards International 2019
All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means – electronic, mechanical and photocopying or any other data carrier – without prior permission!
E-Mail: service@austrian-standards.at
Internet: www.austrian-standards.at/terms-of-use

Sale and distribution of national and foreign standards and technical regulations via
Austrian Standards plus GmbH
Heinestraße 38, 1020 Wien
E-Mail: service@austrian-standards.at
Internet: www.austrian-standards.at
Webshop: www.austrian-standards.at/webshop
Tel.: +43 1 213 00-300
Fax: +43 1 213 00-355

ICS	33.200 ;35.100.10; 35.100.20
Identical (IDT) with	EN 13757-4:2019-05
Supersedes	ÖNORM EN 13757-4:2014-03
responsible	Committee 218 Measurement and billing of thermal energy

AS+ Shop 12.09.2019

This is a preview of "ONORM EN 13757-4:201...". Click here to purchase the full version from the ANSI store.

National Foreword

For the present ÖNORM EN ISO no German translation is envisaged.

Therefore, the English version has been implemented in Austria and made available to all users of the standard.

AS+ Shop 12.09.2019

This is a preview of "ONORM EN 13757-4:201...". Click here to purchase the full version from the ANSI store.

EUROPEAN STANDARD **EN 13757-4**

NORME EUROPÉENNE

EUROPÄISCHE NORM

May 2019

ICS 33.200; 35.100.10; 35.100.20 Supersedes EN 13757-4:2013

English Version

Communication systems for meters - Part 4: Wireless M-Bus communication

Systèmes de communication pour compteurs - Partie 4 : Communication sans fil M-Bus

Kommunikationssysteme für Zähler - Teil 4: Drahtlose M-Bus-Kommunikation

This European Standard was approved by CEN on 25 February 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2019 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN 13757-4:2019 E

AS+ Shop 12.09.2019

This is a preview of "ONORM EN 13757-4:201...". Click here to purchase the full version from the ANSI store.

Contents

Page

European foreword ... 6
Introduction ... 7
1 Scope ... 9
2 Normative references ... 9
3 Terms and definitions ... 10
4 Abbreviations and symbols ... 11
4.1 Abbreviation ... 11
4.2 Symbols ... 12
5 General ... 12
5.1 Modes of operation ... 12
5.2 Meter communications types ... 13
5.3 Performance Classes ... 15
6 Mode S ... 16
6.1 Channel properties ... 16
6.2 Transmitter ... 17
6.3 Receiver ... 18
6.4 Data encoding and preamble ... 19
6.4.1 Data encoding ... 19
6.4.2 Order of transmission of the encoded data ... 19
6.4.3 Preamble and synchronization pattern ... 19
7 Mode T ... 19
7.1 Channel properties ... 19
7.2 Transmitter ... 19
7.3 Receiver (T2 only) ... 22
7.4 Data encoding and preamble ... 22
7.4.1 General ... 22
7.4.2 Meter transmit, “3 out of 6” data encoding ... 22
7.4.3 Other Device transmit, Manchester encoding ... 24
8 Mode R2 ... 24
8.1 Channel properties ... 24
8.2 Transmitter ... 24
8.3 Receiver ... 26
8.4 Data encoding and preamble ... 26
8.4.1 Data encoding ... 26
8.4.2 Order of transmission of the encoded data ... 26
8.4.3 Preamble and synchronization pattern ... 26
9 Mode C ... 27
9.1 Channel properties ... 27
9.2 Transmitter ... 27
9.3 Receiver ... 29
9.4 Data encoding and preamble ... 29

AS+ Shop 12.09.2019

This is a preview of "ONORM EN 13757-4:201...". Click here to purchase the full version from the ANSI store.

9.4.1 Encoding 29
9.4.2 Preamble and synchronization pattern 29

10 Mode N 30
10.1 Channel properties 30
10.2 Physical link parameters 31
10.3 Receiver sensitivity 34
10.4 Data encoding and preamble 34
10.4.1 Encoding 34
10.4.2 Preamble and synchronization pattern 34

11 Mode F 35
11.1 Channel properties 35
11.2 Physical link parameters 35
11.3 Receiver sensitivity 37
11.4 Data encoding and preamble 37
11.4.1 Data Encoding 37
11.4.2 Preamble and synchronization pattern 37

12 Data Link Layer 37
12.1 General 37
12.2 Order of multi byte fields 38
12.3 Frame format A 38
12.4 Frame format B 38
12.5 Field definitions 39
12.5.1 General 39
12.5.2 Multi byte fields 39
12.5.3 Length field (L-Field) 39
12.5.4 Control field (C-Field) 39
12.5.5 Manufacturer ID (M-field) 41
12.5.6 Address (A-field) 42
12.5.7 Cyclic redundancy check (CRC-field) 42
12.5.8 Control information field (CI-field) 42
12.6 Timing 42
12.6.1 Timing for installation messages 42
12.6.2 Synchronous transmissions of meter messages 43
12.6.3 Access timing 45
12.7 Repeated or duplicate messages 46
12.8 Forward Error Correction (FEC) 46
12.8.1 Overview 46
12.8.2 Datagram structure 46
12.8.3 FEC Algorithm 47

13 Connection to higher protocol layers 48
13.1 The Control Information Field (CI-field) 48
13.2 CI-fields for the Extended Link Layer 49
13.2.1 General 49
13.2.2 CI-field = $8C_h$ 50
13.2.3 CI-field = $8D_h$ 50
13.2.4 CI-field = $8E_h$ 50
13.2.5 CI-field = $8F_h$ 51
13.2.6 CI-field = 86_h 51
13.2.7 Communication Control Field (CC-field) 52
13.2.8 Access Number Field (ACC-field) 54

AS+ Shop 12.09.2019

This is a preview of "ONORM EN 13757-4:201...". Click here to purchase the full version from the ANSI store.

13.2.9 Manufacturer ID 2 (M2-field) 54
13.2.10 Address 2 (A2-field) 54
13.2.11 Session Number Field (SN-field) 54
13.2.12 AES-128 Counter Mode Encryption 55
13.2.13 Run Time Delay field (RTD-field) 56
13.2.14 Reception Level field (RXL-field) 56
13.2.15 Payload Checksum Field (PayloadCRC-field) 58
13.3 CI-fields for the Transport Layer 58
13.3.1 General 58
13.3.2 Short Transport Layer 59
13.3.3 Long Transport Layer 59

14 Management functions for link control 59
14.1 General 59
14.2 Set Radio Parameters 63
14.2.1 General 63
14.2.2 Command 63
14.2.3 Response 67
14.3 Get Radio Parameters 69
14.3.1 General 69
14.3.2 Command 69
14.3.3 Response 69
14.4 Set limited radio parameters 71
14.4.1 General 71
14.4.2 Command 71
14.4.3 Response 72
14.5 Confirm Radio Parameters 73
14.5.1 General 73
14.5.2 Command 73
14.5.3 Response: 73
14.6 Set manufacturer specific parameters 74
14.6.1 General 74
14.6.2 Command 74
14.6.3 Response 75

Annex A (informative) Frequency allocation and band usage for the 868 MHz band 76

Annex B (informative) Frequency allocation for the 169 MHz band 77

B.1 Frequencies and allowed power levels 77

B.2 Frequencies and allowed duty cycles 77

Annex C (informative) Frame examples 78

C.1 Example of a frame from a meter in mode S 78

C.1.1 Conditions 78

C.1.2 Block content 78

C.1.3 Bit string 79

C.2 Example of a frame from a meter in mode T1 80

C.2.1 Condition 80

C.2.2 Block Content 80

C.2.3 Bit string 81

AS+ Shop 12.09.2019

This is a preview of "ONORM EN 13757-4:201...". Click here to purchase the full version from the ANSI store.

C.3 Example of a frame from a meter in mode C1 81
C.3.1 Conditions 81
C.3.2 Block content 82
C.3.3 Bit string 82
Annex D (informative) Example of predictive reception of synchronous messages 83
Annex E (informative) Timing diagrams 84
Annex F (informative) Counter Mode Flow 99
Bibliography 100

AS+ Shop 12.09.2019

This is a preview of "ONORM EN 13757-4:201...". Click here to purchase the full version from the ANSI store.

European foreword

This document (EN 13757-4:2019) has been prepared by Technical Committee CEN/TC 294 “Communication systems for meters”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2019, and conflicting national standards shall be withdrawn at the latest by November 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13757-4:2013.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

The main changes since EN 13757-4:2013 are as follows:

— Referenced standards have been updated to the most recent versions;

— Mode N, in the 169 MHz band has been extended to cover more frequencies see Clause 10;

— New C-field function code (Send User Data – No reply) added see 12.5.4;

— Extended timing tolerances for synchronous transmission see 12.6.2;

— Optional Forward Error Correction in the Link Layer added see 12.8;

— CI field for selectable Extended Link Layer added see 13.2;

— Management functions for link control added see Clause 14.

The standard is not affected by any of the requirements in Directive 2004/22/EC as it only covers the basic transmission of information from the meter to an external entity. The standard ensures that data transmitted cannot be modified without it being detected. Confidentiality, integrity and authenticity are provided by the capabilities specified in other parts of the EN 13757 series of standards. The standard does not specify any of the metering capabilities of the meter nor the metrological capabilities of the meter.

The standard enables encrypted transfer data either directly or as specified in other parts of the EN 13757 series of standards. The encryption ensures the confidentiality of any personal data.

The standard provides capabilities of interoperability of meters as requested in M/441 which can be used to improve the customer awareness of actual consumption.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

AS+ Shop 12.09.2019

This is a preview of "ONORM EN 13757-4:201...". Click here to purchase the full version from the ANSI store.

Introduction

This European Standard belongs to the EN 13757 series, which covers communication systems for meters.

EN 13757-1 contains generic descriptions and a communication protocol.

EN 13757-2 contains a physical and a link layer for twisted pair based Meter-Bus (M-Bus).

EN 13757-3 describes the application layer protocols (often called M-Bus).

EN 13757-5 describes the wireless network used for repeating, relaying and routing for the different modes of EN 13757-4.

EN 13757-6 describes a twisted pair local bus for short distance (Lo-Bus).

EN 13757-7 describes transport and security services.

These upper M-Bus protocol layers can be used with various physical layers and with link layers and network layers, which support the transmission of variable length binary transparent messages. Frequently, the physical and link layers of EN 13757-2 (twisted pair) and EN 13757-4 (wireless) as well as EN 13757-5 (wireless with routing function) or the alternatives described in EN 13757-1 are used.

The different parts of this standard are complemented by CEN/TR 17167 that provides examples and supplementary information related to EN 13757-2, EN 13757-3 and EN 13757-7.

These upper M-Bus protocol layers have been optimized for minimum battery consumption of meters, especially for the case of wireless communication, to ensure long battery lifetimes of the meters. Secondly, it is optimized for minimum message length to minimize the wireless channel occupancy and hence the collision rate. Thirdly, it is optimized for minimum requirements towards the meter processor regarding requirements of RAM size, code length and computational power.

This standard concentrates on the meter communication. The meter communicates with one (or occasionally several) fixed or mobile communication partners which again might be part of a private or public network. These further communication systems might use the same or other application layer protocols, security, privacy, authentication, and management methods.

The European Committee for Standardization (CEN) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent concerning Forward Error Correction given in 12.8.

CEN takes no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has ensured CEN that he/she is willing to negotiate licences either free of charge or under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with CEN. Information may be obtained from:

Kamstrup A/S

Rasmus Søby Dupont, IP Manager, Technology

Industrivej 28, Stilling

8660 Skanderborg

Denmark

AS+ Shop 12.09.2019

This is a preview of "ONORM EN 13757-4:201...". Click here to purchase the full version from the ANSI store.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. CEN shall not be held responsible for identifying any or all such patent rights.

CEN and CENELEC maintain online lists of patents relevant to their standards. Users are encouraged to consult the lists for the most up to date information concerning patents (ftp://ftp.cencenelec.eu/EN/IPR/Patents/IPRdeclaration.pdf).

AS+ Shop 12.09.2019