



***Society of Cable
Telecommunications
Engineers***

**ENGINEERING COMMITTEE
Digital Video Subcommittee**

AMERICAN NATIONAL STANDARD

ANSI/SCTE 104 2012

**Automation System to Compression System
Communications Applications Program Interface (API)**

NOTICE

The Society of Cable Telecommunications Engineers (SCTE) Standards are intended to serve the public interest by providing specifications, test methods and procedures that promote uniformity of product, interchangeability and ultimately the long term reliability of broadband communications facilities. These documents shall not in any way preclude any member or non-member of SCTE from manufacturing or selling products not conforming to such documents, nor shall the existence of such standards preclude their voluntary use by those other than SCTE members, whether used domestically or internationally.

SCTE assumes no obligations or liability whatsoever to any party who may adopt the Standards. Such adopting party assumes all risks associated with adoption of these Standards, and accepts full responsibility for any damage and/or claims arising from the adoption of such Standards.

Attention is called to the possibility that implementation of this standard may require the use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. SCTE shall not be responsible for identifying patents for which a license may be required or for conducting inquiries into the legal validity or scope of those patents that are brought to its attention.

Patent holders who believe that they hold patents which are essential to the implementation of this standard have been requested to provide information about those patents and any related licensing terms and conditions. Any such declarations made before or after publication of this document are available on the SCTE web site at <http://www.scte.org>.

All Rights Reserved

© Society of Cable Telecommunications Engineers, Inc. 2012
140 Philips Road
Exton, PA 19341

TABLE OF CONTENTS

AUTOMATION SYSTEM – COMPRESSION SYSTEM COMMUNICATIONS API	1
1.0 SCOPE	1
2.0 DEFINITIONS AND ACRONYMS	1
3.0 NORMATIVE REFERENCES	6
3.1 SCTE REFERENCES.....	7
3.2 STANDARDS FROM OTHER ORGANIZATIONS	7
4.0 INFORMATIVE REFERENCES	7
4.1 SCTE REFERENCES.....	8
4.2 STANDARDS FROM OTHER ORGANIZATIONS	8
4.3 PUBLISHED MATERIALS	9
5.0 OVERVIEW	9
6.0 DATA COMMUNICATIONS	13
6.1 CONCERNING DATA COMMUNICATIONS (INFORMATIVE)	13
6.2 DATA COMMUNICATIONS REQUIREMENTS FOR THIS API (NORMATIVE)	13
6.3 CONVEYANCE QUALITY-OF-SERVICE CONSIDERATIONS (INFORMATIVE).....	14
6.4 UNI-DIRECTIONAL SYSTEM CONSIDERATIONS (INFORMATIVE).....	14
6.5 PROXY DEVICES (NORMATIVE).....	15
7.0 MESSAGE FORMATS	15
7.1 TERMINOLOGY (INFORMATIVE).....	15
7.2 MESSAGE STRUCTURES (NORMATIVE).....	16
7.3 OPERATION TYPES (NORMATIVE)	24
7.4 CONVENTIONS AND REQUIREMENTS	30
8.0 AUTOMATION SYSTEM TO INJECTOR COMMUNICATION	31
8.1 INITIALIZATION	31
8.2 ALIVE (“HEARTBEAT”) COMMUNICATIONS	33
8.3 SPLICE REQUESTS	35
8.4 ENCRYPTION SUPPORT (NORMATIVE)	42
8.5 COMPONENT MODE SUPPORT	45
8.6 RESPONSE MESSAGES	46
8.7 SCTE 35 SPLICE_SCHEDULE() SUPPORT REQUESTS	50
8.8 MISCELLANEOUS REQUESTS	56
9.0 PAMS TO THE AUTOMATION SYSTEM COMMUNICATIONS	65
9.1 SYSTEM DESIGN PHILOSOPHY	65
9.2 PAMS FUNCTIONALITY	67
9.3 SERVICE CONTINUITY	68

9.4	SYSTEM INITIALIZATION MESSAGES.....	68
9.5	INJECTOR SERVICE NOTIFICATION.....	71
9.6	FAILURE NOTIFICATION MESSAGES (DEVICE OR COMMUNICATIONS)	74
9.7	PAMS TO AS PERMANENT “LINK ALIVE” MESSAGES.....	76
9.8	PAMS TO AS COMMON ELEMENTS	77
10.0	PAMS TO INJECTOR COMMUNICATIONS (INFORMATIVE).....	78
10.1	THE PAMS IMPLEMENTATION	79
10.2	INJECTOR PROVISIONING.....	79
10.3	PAMS STRUCTURE	79
10.4	SUPPORT OF MULTIPLE DPI PIDS	79
11.0	COMMON ELEMENTS.....	80
11.1	VALUES OF SPLICE_EVENT_ID USED IN THIS INTERFACE.....	80
11.2	VALUES OF UNIQUE_PROGRAM_ID USED IN THIS INTERFACE	80
11.3	MINIMUM PRE-ROLL TIME SUPPORTED BY THIS INTERFACE.....	80
11.4	TIME() DEFINITION	81
11.5	TIMESTAMP() DEFINITION.....	82
12.0	SYSTEM ARCHITECTURE AND PROVISIONING (INFORMATIVE).....	84
12.1	ONE WAY PROTOCOL – AUTOMATION SYSTEM TO INJECTOR	84
12.2	TWO WAY PROTOCOL – AUTOMATION SYSTEM TO INJECTOR ONLY	95
12.3	TWO WAY PROTOCOL – AUTOMATION SYSTEM TO INJECTOR WITH PAMS	115
13.0	RESULT CODES (NORMATIVE).....	127
APPENDIX A: TCP/IP CONVEYANCE		130
APPENDIX B: ANSI/TIA/EIA-232-F CONVEYANCE		130
B.1	THE BASIC LINK LAYER SYNTAX.....	131
B.2	THE ESCAPE SEQUENCE	132
APPENDIX C: DIGITAL VIDEO SYSTEM CONVEYANCE (INFORMATIVE)		132
APPENDIX D: ANALOG VIDEO SYSTEM CONVEYANCE		132

LIST OF FIGURES

FIGURE 5-1 – SCTE 35 OVERALL SYSTEM BLOCK DIAGRAM WITH BI-DIRECTIONAL DATA COMMUNICATIONS 11

FIGURE 5-2 – SCTE 35 OVERALL SYSTEM BLOCK DIAGRAM WITH UNIDIRECTIONAL DATA COMMUNICATIONS 12

FIGURE 8-1 - MULTIPLE_OPERATION_MESSAGE() TO SCTE 35 SECTION FIELD MAPPING (INFORMATIVE)..... 41

FIGURE 12-1 - ONE-WAY PROTOCOL EMBEDDED IN VIDEO WITH INTEGRATED INJECTOR..... 85

FIGURE 12-2 - ONE-WAY PROTOCOL WITH MULTIPLE AS TO EXTERNAL INJECTOR 86

FIGURE 12-3 - ONE-WAY FLOW DIAGRAM WITH DELAYED PROCESSING..... 93

FIGURE 12-4 - ONE-WAY FLOW DIAGRAM FOR EARLY RETURN 94

FIGURE 12-5 - TWO-WAY BLOCK DIAGRAM WITH INTERNAL INJECTOR 95

FIGURE 12-6 - TWO-WAY BLOCK DIAGRAM WITH EXTERNAL INJECTOR..... 96

FIGURE 12-7 - TWO-WAY FLOW DIAGRAM FOR INITIALIZATION 108

FIGURE 12-8 - TWO-WAY FLOW DIAGRAM WITH DELAYED PROCESSING..... 109

FIGURE 12-9 - TWO-WAY FLOW DIAGRAM WITH IMMEDIATE PROCESSING 110

FIGURE 12-10 – TWO-WAY FLOW DIAGRAM FOR EARLY RETURN..... 111

FIGURE 12-11 - TWO-WAY CANCELLATION BEFORE BEING PROCESSED..... 112

FIGURE 12-12 - TWO-WAY CANCELLATION AFTER BEING PROCESSED..... 113

FIGURE 12-13 - TWO-WAY FLOW DIAGRAM CANCEL AFTER SPLICE POINT 114

FIGURE 12-14 - TWO-WAY BLOCK DIAGRAM WITH INTERNAL INJECTOR 116

FIGURE 12-15 - TWO-WAY BLOCK DIAGRAM WITH EXTERNAL INJECTOR..... 117

FIGURE 12-16 – AS/PAMS FLOW DIAGRAM FOR INITIALIZATION 122

FIGURE 12-17 - PAMS TWO-WAY INITIALIZATION OF A PERMANENT CONNECTION 123

FIGURE 12-18 - PAMS DETECTS AN INJECTOR FAILURE..... 124

FIGURE 12-19 - AS DETECTS AN INJECTOR FAILURE..... 125

FIGURE 12-20 - INJECTOR SOCKET FAILED AND RECOVERED..... 126

LIST OF TABLES

TABLE 2-1 - TERMS AND ACRONYMS 1

TABLE 2-2 - WIDELY USED TERMS AND ACRONYMS (INFORMATIVE) 6

TABLE 7-1 - SINGLE OPERATION MESSAGE..... 19

TABLE 7-2 - MULTIPLE OPERATION MESSAGE 22

TABLE 7-3 - OPID ASSIGNED VALUES AND MEANINGS FOR SINGLE_OPERATION_MESSAGES 25

TABLE 7-4 - OPID ASSIGNED VALUES AND MEANINGS FOR MULTIPLE_OPERATION_MESSAGES.....	28
TABLE 8-1 - INIT_REQUEST_DATA	32
TABLE 8-2 - INIT_RESPONSE_DATA	32
TABLE 8-3 - ALIVE_REQUEST_DATA	34
TABLE 8-4 - ALIVE_RESPONSE_DATA	34
TABLE 8-5 - SPLICE_REQUEST_DATA.....	35
TABLE 8-6 - SPLICE_INSERT_TYPE ASSIGNED VALUES.....	37
TABLE 8-7 - SPLICE_INSERT_TYPE CORRESPONDING SPLICE_INSERT() FIELD SETTINGS (INFORMATIVE).....	40
TABLE 8-8 - ENCRYPTED_DPI_REQUEST_DATA	43
TABLE 8-9 - UPDATE_CONTROLWORD_DATA	44
TABLE 8-10 - DELETE_CONTROLWORD_DATA.....	45
TABLE 8-11 - COMPONENT_MODE_DPI_REQUEST_DATA	46
TABLE 8-12 - GENERAL_RESPONSE_DATA	47
TABLE 8-14 - INJECT_RESPONSE DATA.....	48
TABLE 8-15 - INJECT_RESPONSES.....	48
TABLE 8-16 - INJECT_COMPLETE RESPONSE DATA.....	49
TABLE 8-17 - INJECT_COMPLETE_RESPONSES.....	50
TABLE 8-18 - START_SCHEDULE_DOWNLOAD_REQUEST_DATA	51
TABLE 8-19 - SCHEDULE_DEFINITION_DATA	53
TABLE 8-20 - SPLICE_SCHEDULE COMMAND TYPE ASSIGNED VALUES	53
TABLE 8-21 - SCHEDULE_COMPONENT_REQUEST_MODE.....	54
TABLE 8-22 - TRANSMIT_SCHEDULE_REQUEST_DATA.....	55
TABLE 8-23 - TIME_SIGNAL_REQUEST_DATA.....	56
TABLE 8-24 - SPLICE_NULL_REQUEST_DATA	57
TABLE 8-25 - INJECT_SECTION_DATA_REQUEST.....	58
TABLE 8-26 - INSERT_AVAIL_DESCRIPTOR_REQUEST_DATA	59
TABLE 8-27 - INSERT_DESCRIPTOR_REQUEST_DATA.....	60
TABLE 8-28 - INSERT_DTMF_DESCRIPTOR_REQUEST_DATA.....	61
TABLE 8-29 - INSERT_SEGMENTATION_DESCRIPTOR_REQUEST_DATA.....	62
TABLE 8-30 - PROPRIETARY_COMMAND_REQUEST_DATA	64
TABLE 9-1 - CONFIG_REQUEST_DATA	69
TABLE 9-2 - CONFIG_RESPONSE_DATA	70
TABLE 9-3 - PROVISIONING_REQUEST_DATA.....	72
TABLE 9-4 - PROVISIONING_RESPONSE_DATA	74
TABLE 9-5 - FAULT_REQUEST_DATA	75
TABLE 9-6 - FAULT_RESPONSE_DATA	76
TABLE 9-7 - AS_ALIVE_REQUEST_DATA	77
TABLE 9-8 - AS_ALIVE_RESPONSE_DATA	77
TABLE 9-9 - INJECTOR_COMPONENT_LIST()	78
TABLE 11-1 - TIME().....	81
TABLE 11-2 - TIMESTAMP()	82
TABLE 12-1 - SUPPORTED PROTOCOL MESSAGES.....	89
TABLE 12-2 - UNSUPPORTED PROTOCOL MESSAGES.....	90

TABLE 12-3 – OPTIONAL PROTOCOL MESSAGES.....	91
TABLE 12-4 – UNUSED PAMS PROTOCOL MESSAGES	92
TABLE 12-5 – SUPPORTED PROTOCOL MESSAGES.....	102
TABLE 12-6 – SUPPORTED PROTOCOL MESSAGES (CON'T).....	104
TABLE 12-7 – OPTIONAL PROTOCOL MESSAGES.....	106
TABLE 12-8 – UNUSED PAMS PROTOCOL MESSAGES	107
TABLE 12-9 –PAMS PROTOCOL MESSAGES.....	121
TABLE 13-1 - RESULT CODES	127
TABLE B-1 - SERIAL_LINKLAYER STRUCTURE.....	131

AUTOMATION SYSTEM – COMPRESSION SYSTEM COMMUNICATIONS API

1.0 SCOPE

This standard defines the Communications API between an Automation System and the associated Compression System that will insert SCTE 35 private sections into the outgoing Transport Stream. This standard serves as a companion to both SCTE 35 and SCTE 30.

2.0 DEFINITIONS AND ACRONYMS

Throughout this document, the terms used have specific meanings. Because some of the terms that are defined in ISO/IEC 13818-1 have very specific technical meanings, the reader is referred to the original source for their definition. For terms used in this document, brief definitions are given below.

Table 2-1 - Terms and Acronyms

TERM	DESCRIPTION
API	Application Program Interface. A mechanism whereby one software system asks another software system to perform a service.
API Connection	A communications connection between an Automation System and an Injector for transferring API messages.
AS	Automation System
ATSC	Advanced Television Systems Committee
Automation System	A control system for a program origination facility which controls operation of the production facilities and devices.
Avail	Time space provided to cable operators by cable programming services during a program for use by the CATV operator; the time is usually sold to local advertisers or used for channel self promotion.
Basic	A category of Request or Response operation supported by this API. See Section 7.3.
backoff	A mechanism, commonly used in data communications, to randomize the interval between retries.
BER	Abbreviation for bit-error rate.