



***Society of Cable
Telecommunications
Engineers***

ENGINEERING COMMITTEE
Digital Video Subcommittee

AMERICAN NATIONAL STANDARD

ANSI/SCTE 224 2015

Event Scheduling and Notification Interface

NOTICE

The Society of Cable Telecommunications Engineers (SCTE) Standards and Operational Practices (hereafter called “documents”) are intended to serve the public interest by providing specifications, test methods and procedures that promote uniformity of product, interchangeability, best practices and ultimately the long term reliability of broadband communications facilities. These documents shall not in any way preclude any member or non-member of SCTE from manufacturing or selling products not conforming to such documents, nor shall the existence of such standards preclude their voluntary use by those other than SCTE members.

SCTE assumes no obligations or liability whatsoever to any party who may adopt the documents. Such adopting party assumes all risks associated with adoption of these documents, and accepts full responsibility for any damage and/or claims arising from the adoption of such documents.

Attention is called to the possibility that implementation of this document may require the use of subject matter covered by patent rights. By publication of this document, no position is taken with respect to the existence or validity of any patent rights in connection therewith. SCTE shall not be responsible for identifying patents for which a license may be required or for conducting inquiries into the legal validity or scope of those patents that are brought to its attention.

Patent holders who believe that they hold patents which are essential to the implementation of this document have been requested to provide information about those patents and any related licensing terms and conditions. Any such declarations made before or after publication of this document are available on the SCTE web site at <http://www.scte.org>.

All Rights Reserved

© Society of Cable Telecommunications Engineers, Inc. 2015
140 Philips Road
Exton, PA 19341

Table of Contents

Title	Page Number
NOTICE	2
1. Introduction	5
1.1. Executive Summary	5
1.2. Scope	5
1.3. Benefits	5
1.4. Intended Audience	5
1.5. Areas for Further Investigation or to be Added in Future Versions	5
2. Normative References	6
2.1. SCTE References	6
2.2. Standards from Other Organizations	6
2.3. Published Materials	7
3. Informative References	7
3.1. SCTE References	7
3.2. Standards from Other Organizations	7
3.3. Published Materials	7
4. Compliance Notation	7
5. Abbreviations and Definitions	7
5.1. Abbreviations	7
5.2. Definitions	8
5.3. Style Conventions	8
6. Overview (Informative)	9
7. XML Practices	9
7.1. Document Order	10
7.2. Representation of time	10
7.3. Use of identifiers and references	10
7.4. Use of namespaces	10
7.5. Use of XLink	11
8. Data Model (Normative)	11
8.1. IdentifiableType	12
8.2. ReusableType	13
8.3. Media	13
8.4. MediaPoint	15
8.5. MatchSignal	19
8.6. Remove	20
8.7. Apply	20
8.8. Policy	21
8.9. ViewingPolicy	22
8.10. Audience	22
8.11. Results	23
8.12. Audit	24
9. Service interface definition	26
9.1. Broken References	28
9.2. Authentication and Authorization	28

9.3. Common Interface	28
9.3.1. GET	29
9.3.2. PUT	29
9.3.3. DELETE	29
9.3.4. POST	30
9.4. GET Queries	30
9.5. Managing Foreign Reference Updates	30
10. Policy Lifecycle and precedence	31
10.1. Audience Membership	31
10.2. Policy Lifecycle	31
10.3. Precedence and Stacking	33
Appendix A: Use cases and Examples	35
Appendix B: Request signing	40

List of Figures

Title	Page Number
FIGURE 1 - CONCEPTUAL CABLE ALTERNATE CONTENT ECOSYSTEM (NON-NORMATIVE)	9
FIGURE 2 - DATA MODEL UML CLASS DIAGRAM	11
FIGURE 3 - POLICY STACKING USE-CASE	17
FIGURE 4 - POLICY PRECEDENCE AND STACKING	33

List of Tables

Title	Page Number
TABLE 1 - ALTERNATE CONTENT ELEMENT DESCRIPTIONS	9
TABLE 2 - NAMESPACES	10
TABLE 3 - SEMANTICS OF THE IDENTIFIABLETYPE COMPLEX TYPE	12
TABLE 4 - REUSABLE MODES	13
TABLE 5 - SEMANTICS OF THE REUSABLETYPE COMPLEX TYPE	13
TABLE 6 - SEMANTICS OF THE MEDIA ELEMENT	14
TABLE 7 - SEMANTICS OF THE MEDIAPOINT ELEMENT	17
TABLE 8 - SEMANTICS OF THE MATCHSIGNAL ELEMENT	19
TABLE 9 - SEMANTICS OF THE REMOVE ELEMENT	20
TABLE 10 - SEMANTICS OF THE APPLY ELEMENT	20
TABLE 11 - SEMANTICS OF THE POLICY ELEMENT	21
TABLE 12 - SEMANTICS OF THE VIEWINGPOLICY ELEMENT	22
TABLE 13 - SEMANTICS FOR THE AUDIENCETYPE COMPLEX TYPE	23
TABLE 14 - SEMANTICS FOR THE RESULTS ELEMENT	24
TABLE 15 - SEMANTICS FOR THE AUDITTYPE COMPLEX TYPE	25

TABLE 16 - SERVICE QUERY PARAMETERS

30

1. Introduction

1.1. Executive Summary

Video distribution is transitioning from Quadrature Amplitude Modulation (QAM) to delivery over Internet Protocol (IP) networks. These IP networks are delivering video content to subscribers via many distribution paths to many IP-connected devices, including mobile phones, tablets and game consoles for video content of all forms, including Video on Demand (VOD) and linear, live content.

Many QAM systems were developed to enable programmers to inform and affect the content delivery to subscribers. For example, during a regional sports blackout, a video provider may use an Integrated Receiver and Decoder (IRD) to provide alternate content to a unique geographic area serving a set of subscribers.

As distributors migrate to IP-delivered content, systems must be created to replicate the traditional functional systems in order to create a contiguous service capability between QAM and IP video delivery. Additionally, providers are also delivering single mezzanine quality feeds to the distributor. This requires the distributor to also replicate the functionality on the traditional delivery system.

1.2. Scope

This document defines the Event Scheduling and Notification Interface (ESNI), which is a web interface facilitating the transmission of event and policy information. ESNI provides a functional method for providers to communicate upcoming schedule or signal-based events and corresponding policy to distributors. This interface allows existing content distribution controls traditionally performed via manual control in IRD's by providers to be replaced with a programmatic interface (this standard). ESNI policy enables control of content distributed to audiences based on attributes of that audience including (but not limited to) geographic location and device type.

1.3. Benefits

ESNI can be used to communicate details regarding regional blackout/alternate content selection, market protection, or other content restrictions as they may relate to a defined audience. This method can also inform the distributor of other events such as advertising breaks and availability for digital ad insertion, network PVR record times and restrictions, or program information (i.e. improve accuracy of electronic program guide). Additionally, ESNI supports an audit method that allows the provider to query the status of policy execution and verify the execution result.

1.4. Intended Audience

Content Providers, Multi-Channel Video Program Distributors, TV Everywhere Providers/Distributors.

1.5. Areas for Further Investigation or to be Added in Future Versions

There are two areas for further investigation and potential future versions. One area would be providing the ability to verify the audiences accessible on the distributor execution platform. Another would be further definition, enhancement, and standardization of the metadata fields in this standard.