



***Society of Cable
Telecommunications
Engineers***

**ENGINEERING COMMITTEE
Interface Practices Subcommittee**

AMERICAN NATIONAL STANDARD

ANSI/SCTE 48-3 2017

**Test Procedure for Measuring Shielding Effectiveness
of Coaxial Cable and Connectors Using the GTEM Cell**

ANSI/SCTE 48-3 2017

NOTICE

The Society of Cable Telecommunications Engineers (SCTE) Standards and Operational Practices (hereafter called “documents”) are intended to serve the public interest by providing specifications, test methods and procedures that promote uniformity of product, interchangeability, best practices and ultimately the long term reliability of broadband communications facilities. These documents shall not in any way preclude any member or non-member of SCTE from manufacturing or selling products not conforming to such documents, nor shall the existence of such standards preclude their voluntary use by those other than SCTE members.

SCTE assumes no obligations or liability whatsoever to any party who may adopt the documents. Such adopting party assumes all risks associated with adoption of these documents, and accepts full responsibility for any damage and/or claims arising from the adoption of such documents.

Attention is called to the possibility that implementation of this document may require the use of subject matter covered by patent rights. By publication of this document, no position is taken with respect to the existence or validity of any patent rights in connection therewith. SCTE shall not be responsible for identifying patents for which a license may be required or for conducting inquiries into the legal validity or scope of those patents that are brought to its attention.

Patent holders who believe that they hold patents which are essential to the implementation of this document have been requested to provide information about those patents and any related licensing terms and conditions. Any such declarations made before or after publication of this document are available on the SCTE web site at <http://www.scte.org>.

All Rights Reserved

© Society of Cable Telecommunications Engineers, Inc. 2017
140 Philips Road
Exton, PA 19341

Table of Contents

Title	Page Number
NOTICE	2
1. Introduction	5
1.1. Executive Summary	5
1.2. Scope	5
1.3. Benefits	5
1.4. Areas for Further Investigation or to be Added in Future Versions	5
2. Normative References	5
2.1. SCTE References	6
2.2. Standards from Other Organizations	6
2.3. Published Materials	6
3. Informative References	6
3.1. SCTE References	6
3.2. Standards from Other Organizations	6
3.3. Published Materials	6
4. Compliance Notation	7
5. Abbreviations and Definitions	7
5.1. Abbreviations	7
5.2. Definitions	7
6. Procedure	8
6.1. Key Performance Metrics	8
6.2. Required Equipment	8
6.3. Calibration and Equipment Preparation	9
6.4. Detailed Procedure	11
6.4.1. Terminator sweep	11
6.4.2. Unshielded cable sample	11
6.4.3. Unshielded cable sample setup	12
6.4.4. Unshielded cable coupling loss measurement	13
6.4.5. Calculation of dynamic range	13
6.4.6. Coupling loss measurement of shielded cable	14
6.4.7. Shielded cable coupling loss measurement	15
6.4.8. Shielding effectiveness calculation	16
6.5. Recording of Results	16
6.6. Troubleshooting	17

List of Figures

Title	Page Number
FIGURE 1 – A FOAMED PLASTIC (POLYETHYLENE, POLYSTYRENE) ARCH TO SUPPORT THE CABLE DURING TESTING	9
FIGURE 2 – TEST CONFIGURATION USING VECTOR NETWORK ANALYZER	10
FIGURE 3 – TEST CONFIGURATION USING SPECTRUM ANALYZER	11
FIGURE 4 – UNSHIELDED CABLE SAMPLE	12
FIGURE 5 – CUTAWAY OF GTEM ILLUSTRATING THE LOCATION OF THE TEST SAMPLE	12
FIGURE 6 – DYNAMIC RANGE PLOT USING UNSHIELDED SAMPLE VS TERMINATOR MEASUREMENT	14
FIGURE 7 – SHIELDED CABLE SAMPLE (WHEN INCLUDING COAXIAL CABLE CONNECTORS IN MEASUREMENT)	14

ANSI/SCTE 48-3 2017

FIGURE 8 – SHIELDED CABLE SAMPLE (WHEN REMOVING COAXIAL CABLE CONNECTORS FROM MEASUREMENT)	15
FIGURE 9 – SAMPLE S.E. PLOT	17
FIGURE 10 – GTEM FEED THROUGH PANEL WITH DIMENSIONS (DIMENSIONS WILL VARY WITH GTEM SIZE)	19
FIGURE 11 – A TYPICAL FEED-THRU ADAPTER SETUP USED ON THE GTEM FLOOR	20
FIGURE 12 – TYPICAL FEED-THRU CONFIGURATIONS	21

List of Tables

Title	Page Number
TABLE 1 – TEST EQUIPMENT LIST	8

1. Introduction

1.1. Executive Summary

The shielding attributes of components in a CATV system are critical to system performance. Ingress and egress issues can have detrimental effects on the overall performance of the system from both regulatory and quality perspectives.

Ingress issues can cause problems with television picture quality, and the effective transfer of data by allowing spurious signal into the system.

Egress issues can allow signals captured in the system to leak out and possibly interfere with wireless communications which utilize the same frequencies as those signals being leaked from the system.

It is the goal of this document to address the coaxial cables and connectors in the system, and how to properly gauge their performance in this critical area.

1.2. Scope

This document details the procedure for measuring the Shielding Effectiveness (S.E.) of coaxial cable and connectors using the Gigahertz Transverse ElectroMagnetic (GTEM) cell. More particularly, this procedure applies to measuring the S.E. of 75 Ohm braided coaxial drop cables and connectors presently used within the broadband communications industry. S.E. measurements can be performed with or without the affixing coaxial connectors removed from the measurement.

1.3. Benefits

This procedure exists in order to provide a standard method of testing between laboratories performing Shielding Effectiveness tests. When utilized this procedure helps to ensure confidence in results when published.

1.4. Areas for Further Investigation or to be Added in Future Versions

Future revisions of this document may build upon the work started here by increasing the understanding of:

- Variability of data between GTEM Cell systems with varied “uniform field” sizes.
- The affects of location differences between bare wire and shielded samples within the GTEM cell.

2. Normative References

The following documents contain provisions, which, through reference in this text, constitute provisions of this document. At the time of Subcommittee approval, the editions indicated were valid. All documents are subject to revision; and while parties to any agreement based on this document are encouraged to investigate the possibility of applying the most recent editions of the documents listed below, they are reminded that newer editions of those documents might not be compatible with the referenced version.